

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



## **Certificate of Analysis**

Pages 1 of 7

### COMPLIANCE FOR RETAIL





Harvest/Lot ID: 3789086745647186 Batch #: 2239973447823173 **Harvest Date: 12/02/25** Production Method: Cured Total Amount: 291 units Cultivation Facility: Homestead

Processing Facility: Homestead Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram Servings: 1

Seed To Sale #: 3789086745647186

Lab ID: MI51203003-003 Sampled: 12/02/25

Sampling Method: SOP.T.20.010

Sample Size: 9 units Completed: 12/05/25

Manifest #: 8163850588372537

### The Flowery

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

# **≢FLOWERY**

### **SAFETY RESULTS**



















Moisture



MISC.

**Terpenes TESTED** 

Pesticide **PASSED** 

Heavy Metals **PASSED** 

Microbial **PASSED**  Mycotoxins

**PASSED** 

**NOT TESTED** 

Material **PASSED** 

Filth/Foreign Water Activity **PASSED** 

Content **PASSED** 



### Cannabinoid

**TESTED** 



**Total THC** 21.2% Total THC: 741 mg



**Total CBD** 0.0553% Total CBD: 1.93 mg

Extraction date:


12/03/25 14:38:46

Batch Date: 12/03/25 12:32:25

**Total Cannabinoids** 24.6%

Extracted by:

Total Cannabinoids/Container: 860 mg



**Analyzed by:** 3335, 1665, 585, 1440 Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: MI093456POT Instrument Used: DA-LC-002 **Analyzed Date:** 12/04/25 11:02:51

Dilution: 400

Reagent: 120225.R04; 111225.28; 120225.R02

Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Weight: 0.1999q

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



12/05/25 Laboratory License #: 900013



3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51203003-003

**Batch #:** 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

**PASSED** 

Pages 2 of 7



### **Label Claim Verification**

**PASSED** 

**QUALIFIER ANALYTES** UNIT LOD LOQ LIMIT PASS/FAIL **RESULT** 

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: N/A Analytical Batch: N/A Instrument Used: N/A Analyzed Date: 12/04/25 11:02:50

Batch Date: N/A



### **Terpenes**

### **TESTED**

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	2.40	83.9	
LIMONENE	0.00700	0.0200		TESTED	0.602	21.1	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	0.514	18.0	
LINALOOL	0.00700	0.0200		TESTED	0.342	12.0	
BETA-MYRCENE	0.00700	0.0200		TESTED	0.268	9.40	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.152	5.32	
ALPHA-BISABOLOL	0.00700	0.0200		TESTED	0.150	5.26	
BETA-PINENE	0.00700	0.0200		TESTED	0.0878	3.07	
ALPHA-TERPINEOL	0.00700	0.0110		TESTED	0.0612	2.14	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.0603	2.11	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	0.0564	1.97	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.0489	1.71	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	0.0293	1.03	
GERANIOL	0.00700	0.0200		TESTED	0.0240	0.840	
3-CARENE	0.00700	0.0200		TESTED	ND	ND	
BORNEOL	0.0130	0.0400		TESTED	ND	ND	
CAMPHENE	0.00700	0.0200		TESTED	ND	ND	
CAMPHOR	0.00700	0.0200		TESTED	ND	ND	
CEDROL	0.00700	0.0200		TESTED	ND	ND	
EUCALYPTOL	0.00700	0.0200		TESTED	ND	ND	
FARNESENE	0.00100	0.00100		TESTED	ND	ND	
FENCHONE	0.00700	0.0200		TESTED	ND	ND	
GERANYL ACETATE	0.00700	0.0200		TESTED	ND	ND	
GUAIOL	0.00700	0.0200		TESTED	ND	ND	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	ND	ND	
ISOBORNEOL	0.00700	0.0200		TESTED	ND	ND	
ISOPULEGOL	0.00700	0.0200		TESTED	ND	ND	
NEROL	0.00700	0.0200		TESTED	ND	ND	
OCIMENE	0.00700	0.0200		TESTED	ND	ND	
PULEGONE	0.00700	0.0200		TESTED	ND	ND	
SABINENE	0.00700	0.0200		TESTED	ND	ND	
SABINENE HYDRATE	0.00700	0.0200		TESTED	ND	ND	
VALENCENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	ND	ND	
CIS-NEROLIDOL	0.00300	0.00800		TESTED	ND	ND	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



### Pages 3 of 7

## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51203003-003

Batch #: 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

Batch Date: 12/03/25 12:30:58

**PASSED** 



### **Terpenes**

TESTED

**ANALYTES** LOD LOQ PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER LIMIT

Weight: Extraction date: Analyzed by: Extracted by: 4451, 585, 1440 12/03/25 14:43:32

Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: MI093455TER

Instrument Used: DA-GCMS-004 Analyzed Date: 12/05/25 17:11:14

Dilution: 10

Reagent: 081925.04 Consumables: 947.110; 04402004; 2240626; 0000355309

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



### **Pesticide**

### **PASSED**

TOTAL CONTAMINANT LOAD (PESTICIDES)         ppm         0.0100         0.500         5         PASS         ND           TOTAL DIMETHOMORPH         ppm         0.0100         0.0500         0.1         PASS         ND           TOTAL PERTHRINS         ppm         0.0100         0.0500         0.5         PASS         ND           TOTAL SPINGRAM         ppm         0.0100         0.0500         0.5         PASS         ND           TOTAL SPINGRAD         ppm         0.0100         0.0500         0.1         PASS         ND           ACEPHATE         ppm         0.0100         0.0500         0.1         PASS         ND           ACEQUINOCYL         ppm         0.0100         0.0500         0.1         PASS         ND           ALDICARB         ppm         0.0100         0.0500         0.1         PASS         ND           ALDICARB         ppm         0.0100         0.0500         0.1         PASS         ND           ALDICARB         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORPYRIFOS         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORPYRIFOS <th>ANALYTES</th> <th>UNIT</th> <th>LOD</th> <th>LOQ</th> <th>LIMIT</th> <th>PASS/FAIL</th> <th>RESULT</th> <th>QUALIFIER</th>	ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL PERMETHEINS	TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL PYRETHRINS	TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINETORAM	TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL SPINOSAD         ppm         0.0100         0.0500         0.1         PASS         ND           ABAMECTIN BLA         ppm         0.0100         0.0500         0.1         PASS         ND           ACEQUINOCYL         ppm         0.0100         0.0500         0.1         PASS         ND           ACETAMIPRID         ppm         0.0100         0.0500         0.1         PASS         ND           ALDICABB         ppm         0.0100         0.0500         0.1         PASS         ND           AZOXYSTROBIN         ppm         0.0100         0.0500         0.1         PASS         ND           BIFENAZATE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORPYRIFOS         ppm         0.0100         0.0500         0.1         PASS         ND           BIFENAZATE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORPYRIFOS         ppm         0.0100         0.0500         0.1         PASS         ND           BIFENAZATE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORRYRIFOS         ppm	TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
ABAMECTIN B1A	TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
ACEPHATE	TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN   ppm   0.0100   0.0500   0.1	ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS         ppm         0.0100         0.0500         0.1         PASS         ND           BIFENTHRIN         ppm         0.0100         0.0500         0.1         PASS         ND           BOSCALID         ppm         0.0100         0.0500         0.1         PASS         ND           CARBARYL         ppm         0.0100         0.0500         0.5         PASS         ND           CLOFENTEZINE         ppm         0.0100         0.0500         0.1         PASS         ND           CARBARYL         ppm         0.0100         0.0500         0.1         PASS         ND           CLOFENTEZINE         ppm         0.0100         0.0500         0.1         PASS         ND           CARBARYL         ppm         0.0100         0.0500         0.1         PASS         ND           CHARDALIDARIDE         ppm         0.0100 <td>AZOXYSTROBIN</td> <td>ppm</td> <td>0.0100</td> <td>0.0500</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td>	AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN   ppm   0.0100   0.500   0.1   PASS   ND   BOSCALID   ppm   0.0100   0.500   0.1   PASS   ND   PASS   ND   Ppm   0.0100   0.500   0.1   PASS   ND   Ppm   0.0100   0.500   0.5   PASS   ND   Ppm   0.0100   0.500   0.1   PASS   ND   Ppm   0.0100   0.0500   0.1   PASS   ND	BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID   PASS   ND   CARBARYL   Ppm   0.0100   0.0500   0.1   PASS   ND   CARBARYL   Ppm   0.0100   0.0500   0.5   PASS   ND   CLOFENTEZINE   Ppm   0.0100   0.0500   0.2   PASS   ND   CLOFENTEZINE   Ppm   0.0100   0.0500   0.1   PASS   ND   P	CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL         ppm         0.0100         0.0500         0.5         PASS         ND           CLOFENTEZINE         ppm         0.0100         0.0500         0.2         PASS         ND           CARBOFURAN         ppm         0.0100         0.0500         0.1         PASS         ND           COUMAPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORANTRANILIPROLE         ppm         0.0100         0.0500         1         PASS         ND           CHLORAGUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENDAYCARB         ppm <td< td=""><td>BIFENTHRIN</td><td>ppm</td><td>0.0100</td><td>0.0500</td><td>0.1</td><td>PASS</td><td>ND</td><td></td></td<>	BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
CLOFENTEZINE	BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBOFURAN         ppm         0.0100         0.0500         0.1         PASS         ND           COUMAPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORANTRANILIPROLE         ppm         0.0100         0.0500         1         PASS         ND           DAMINOZIDE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORNEQUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENDAYCARB         ppm	CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
COUMAPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORANTRANILIPROLE         ppm         0.0100         0.0500         1         PASS         ND           DAMINOZIDE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORMEQUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENDYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm	CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CHLORANTRANILIPROLE         ppm         0.0100         0.0500         1         PASS         ND           DAMINOZIDE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORMEQUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENDAYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm	CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
DAMINOZIDE         ppm         0.0100         0.0500         0.1         PASS         ND           CHLORMEQUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENDEXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm <td< td=""><td>COUMAPHOS</td><td>ppm</td><td>0.0100</td><td>0.0500</td><td>0.1</td><td>PASS</td><td>ND</td><td></td></td<>	COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE         ppm         0.0100         0.0500         1         PASS         ND           DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOSAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENDYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm <td< td=""><td>CHLORANTRANILIPROLE</td><td>ppm</td><td>0.0100</td><td>0.0500</td><td>1</td><td>PASS</td><td>ND</td><td></td></td<>	CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
DIAZINON         ppm         0.0100         0.0500         0.1         PASS         ND           DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOKAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS         ppm         0.0100         0.0500         0.1         PASS         ND           DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENDAYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DIMETHOATE         ppm         0.0100         0.0500         0.1         PASS         ND           ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	DIAZINON	ppm	0.0100		0.1	PASS	ND	
ETHOPROPHOS         ppm         0.0100         0.0500         0.1         PASS         ND           ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX         ppm         0.0100         0.0500         0.1         PASS         ND           ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENDXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE         ppm         0.0100         0.0500         0.1         PASS         ND           FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB         ppm         0.0100         0.0500         0.1         PASS         ND           FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE         ppm         0.0100         0.0500         0.1         PASS         ND           FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	FENHEXAMID	ppm			0.1	PASS		
FIPRONIL         ppm         0.0100         0.0500         0.1         PASS         ND           FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	FENOXYCARB	ppm	0.0100		0.1	PASS		
FLONICAMID         ppm         0.0100         0.0500         0.1         PASS         ND           FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL         ppm         0.0100         0.0500         0.1         PASS         ND           HEXYTHIAZOX         ppm         0.0100         0.0500         0.1         PASS         ND	FIPRONIL	ppm			0.1	PASS	ND	
HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND		ppm						
•		ppm						
IMAZALIL ppm 0.0100 0.0500 0.1 PASS ND	HEXYTHIAZOX	ppm				PASS		
	IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 4 of 7

## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51203003-003

**Batch #:** 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

**PASSED** 



### **Pesticide**

### **PASSED**

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID		ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL		ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION		ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL		ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB		ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL		ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS		ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL		ppm	0.0100	0.0500	0.1	PASS	ND	
NALED		ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL		ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL		ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET		ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE		ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN		ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE		ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR		ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN		ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN		ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT		ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE		ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE		ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID		ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM		ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN		ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)		ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL		ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN		ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE		ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR		ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN		ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN		ppm	0.0500	0.250	0.5	PASS	ND	
<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.9561g	Extraction date: 12/03/25 16:25:30				<b>Extracted</b> 1022,450,33		

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI093462PES Instrument Used : DA-LCMS-003 (PES)

Analyzed Date: 12/04/25 11:28:15

Reagent: 120325.R10; 043025.28; 120325.R09; 120225.R07; 120325.R34; 102025.R21; 120325.R07

Consumables: 927.100; 030125CH01; 221021DD

Pipette: DA-094; DA-095; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is smallest concentration. available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Batch Date: 12/03/25 12:45:16

CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 5 of 7

## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US

theflowery.co License #: M00020CULPROHomestead002 Sample: MI51203003-003

Batch #: 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

Batch Date: 12/03/25 12:46:17

PASSED



### **Pesticide**

**PASSED** 

ANALYTES		UNIT	LOD LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:		Extracted by:			
450, 585, 1440	0.9561g	12/03/25 16:25:30			1022,450,33	79	

Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch: MI093464VOL Instrument Used: DA-GCMS-010 Analyzed Date: 12/04/25 11:06:31

Dilution: 250

Reagent: 120325.R10; 043025.28; 120225.R08; 120225.R09 Consumables: 927.100; 030125CH01; 221021DD; 17473601 Pipette: DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

### **Microbial**

### **PASSED**

Batch Date: 12/03/25 11:58:23

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS						PASS	Not Present	
SALMONELLA SPECIFIC GENE						PASS	Not Present	
ASPERGILLUS FUMIGATUS						PASS	Not Present	
ECOLI - SHIGELLA						PASS	Not Present	
ASPERGILLUS TERREUS						PASS	Not Present	
ASPERGILLUS NIGER						PASS	Not Present	
TOTAL YEAST AND MOLD		CFU/g	10.0	10.0	100000	PASS	<10.0	
Analyzed by:	Weight:	Extraction da 12/03/25 13:33	Extraction date: Extracted by: 12/03/25 13:33:25 4892				,	
4892, 585, 1440	1.036g	12/03/23 13:33	5:25			40	92	

Analysis Method: SOP.T.40.056C

Analytical Batch: MI093452MIC

Instrument Used: DA-111 (PathogenDx Scanner), DA-013 (Thermocycler), DA-188 (36.5°C Incubator), DA-049 (95\*C Heat Block), DA-402 (55\*C Heat

**Analyzed Date:** 12/05/25 12:02:01

Dilution: 10

Reagent: 100325.03; 100325.27; 100325.53; 102125.R35; 042924.40 Consumables: 7587001008

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 4892, 3390, 585, 1440 Weight: Extraction date: Extracted by: 0.888g 12/03/25 13:40:00

Analysis Method: SOP.T.40.209.FL Analytical Batch: MI093453TYM Instrument Used: DA-328 (25\*C Incubator) Analyzed Date: 12/05/25 16:57:47

**Dilution:** 10 **Reagent:** 110525.11; 110525.18; 102025.R24

Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

Batch Date: 12/03/25 12:00:29

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US

theflowery.co License #: M00020CULPROHomestead002 Sample: MI51203003-003

Batch #: 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Pages 6 of 7

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

Batch Date: 12/03/25 12:46:09

PASSED



### **Mycotoxins**

### **PASSED**

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1		ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2		ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by:	Weight:	Extraction date:				Extract	ed by:	
3379, 585, 1440	0.9561a	12/03/25 16:25:30				1022,45	0,3379	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: MI093463MYC
Instrument Used: DA-LCMS-003 (MYC) **Analyzed Date:** 12/04/25 11:17:45

Dilution: 250

Reagent: 120325.R10; 043025.28; 120325.R09; 120225.R07; 120325.R34; 102025.R21; 120325.R07

**Consumables :** 927.100; 030125CH01; 221021DD **Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### Water Activity

### **PASSED**

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY		aw	0.010	0.10	0.65	PASS	0.54	
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 1.055g	Extraction da 12/03/25 13:53					Extracted by: 4797	

Analysis Method: SOP.T.40.019
Analytical Batch: MI093443WAT

Instrument Used: DA-028 Rotronic Hygropalm Batch Date: 12/03/25 09:10:17 Analyzed Date: 12/04/25 10:27:43

Dilution: N/A Reagent: 101724.36 Consumables: PS-14 Pipette: N/A



### **Moisture Content**

### **PASSED**

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT		%	1.00	1.00	15	PASS	14.6	
Analyzed by:	Weight:	Extraction date:				Extracted by:		
4797, 585, 1440	0.502g	12/03/25 14:51	L:53				4797	

Analysis Method: SOP.T.40.021 Analytical Batch: MI093442MOI

Instrument Used : DA-003 Moisture Analyzer Batch Date: 12/03/25 09:07:33 **Analyzed Date :** 12/05/25 17:10:14

Dilution: N/A

Reagent: 092520.50; 100725.02

Consumables: N/A Pipette: DA-066

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs The Rucker #1 Strain: 710 LABS THE RUCKER #1

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 7 of 7

## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

Sample: MI51203003-003

Batch #: 2239973447823173 Harvest/Lot ID: 3789086745647186 Seed to sale: 3789086745647186

Ordered: 12/02/25 Sampled: 12/02/25 Completed: 12/05/25

Batch Date: 12/03/25 12:19:59

**PASSED** 



### **Heavy Metals**

**PASSED** 

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC		ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM		ppm	0.0200	0.100	0.2	PASS	ND	
MERCURY		ppm	0.0200	0.100	0.2	PASS	ND	
LEAD		ppm	0.0200	0.100	0.5	PASS	ND	
Analyzed by:	Weight:	Extraction date:				Extracted by:		
1022, 4531, 585, 1440	0.2137g	12/03/25	13:51:20			4	531,1022	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: MI093454HEA Instrument Used: DA-ICPMS-005

Analyzed Date: 12/04/25 11:02:38

Dilution: 50

Reagent: 111825.R24; 120125.R20; 120125.R09; 112425.R02; 120125.R07; 120125.R08; 100725.02; 120125.R10

**Consumables :** 030125CH01; J609879-0193; 179436 **Pipette :** DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### Filth/Foreign Material

**PASSED** 

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL		%	0.100	0.500	1	PASS	ND	
Analyzed by: 585, 1440	Weight:	Extraction date: 12/04/25 13:40:48					Extracted by:	

Analysis Method: SOP.T.40.090 Analytical Batch: MI093474FIL

Instrument Used: Filth/Foreign Material Microscope

Analyzed Date: 12/04/25 13:41:14

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Batch Date: 12/03/25 16:43:26

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

