



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30325008-014
Harvest/Lot ID: 20230227-GRCK-H22
Batch#: 1000079210
Cultivation Facility: Homestead
Processing Facility : Homestead
Distributor Facility :
Source Facility : Homestead
Seed to Sale# LFG-00001412
Batch Date: 03/23/23
Sample Size Received: 31.5 gram
Total Amount: 1500 units
Retail Product Size: 3.5 gram
Ordered : 03/25/23
Sampled : 03/25/23
Completed: 03/28/23
Sampling Method: SOP.T.20.010

Mar 28, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US


THE FLOWERY

PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 4044 Weight: 0.198g Extraction date: 03/27/23 09:52:02 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057888POT Reviewed On : 03/28/23 09:42:36
 Instrument Used : DA-LC-002 Batch Date : 03/25/23 23:57:04
 Running on : 03/27/23 09:57:09

Dilution : 400
 Reagent : 032323.R06; 011723.04; 032323.R03
 Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30325008-014

Harvest/Lot ID: 20230227-GRCK-H22

Batch# : 1000079210

Sampled : 03/25/23

Ordered : 03/25/23

Sample Size Received : 31.5 gram

Total Amount : 1500 units

Completed : 03/28/23 **Expires:** 03/28/24

Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30325008-014

Harvest/Lot ID: 20230227-GRCK-H22

Batch# : 1000079210

Sampled : 03/25/23

Ordered : 03/25/23


Sample Size Received : 31.5 gram

Total Amount : 1500 units

Completed : 03/28/23 Expires: 03/28/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044 Weight: 0.8492g Extraction date: 03/27/23 15:22:26 Extracted by: 3379,450					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057909PES Reviewed On :03/28/23 10:29:42					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Batch Date :03/27/23 08:05:54					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on :03/27/23 13:22:18					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044 Weight: 0.8492g Extraction date: 03/27/23 15:22:26 Extracted by: 3379,450					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057911VOL Reviewed On :03/28/23 10:30:48					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006 Batch Date :03/27/23 08:07:55					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on :03/27/23 15:37:47					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30325008-014

Harvest/Lot ID: 20230227-GRCK-H22

Batch# : 1000079210

Sampled : 03/25/23

Ordered : 03/25/23




Sample Size Received : 31.5 gram

Total Amount : 1500 units

Completed : 03/28/23 Expires: 03/28/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3390, 585, 4044 Weight: 1.1853g Extraction date: 03/25/23 14:20:15 Extracted by: 3621, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057882MIC Reviewed On : 03/28/23 12:48:34 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/26/23 08:50:02 Dilution : N/A Reagent : 011223.43; 031423.R29; 092122.07 Consumables : 7558002031 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.8492g Extraction date: 03/27/23 15:22:26 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057910MYC Instrument Used : N/A Running on : 03/27/23 13:21:40 Dilution : 250 Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3361, 3390, 585, 4044 Weight: 1.1853g Extraction date: 03/25/23 14:21:28 Extracted by: 3621, 3336, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057883TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/25/23 15:10:38 Dilution : 10 Reagent : 011223.43; 032323.R29 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.267g Extraction date: 03/27/23 08:39:32 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057901HEA Instrument Used : DA-ICPMS-003 Running on : 03/27/23 14:34:48 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30325008-014

Harvest/Lot ID: 20230227-GRCK-H22

Batch# : 1000079210

Sampled : 03/25/23

Ordered : 03/25/23

Sample Size Received : 31.5 gram

Total Amount : 1500 units

Completed : 03/28/23 **Expires:** 03/28/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057897FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/26/23 09:13:09

Reviewed On : 03/26/23 09:24:27

Batch Date : 03/26/23 09:08:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.29	PASS	15

Analyzed by: 2926, 585, 4044	Weight: 0.489g	Extraction date: 03/25/23 16:29:09	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA057886MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : 03/25/23 16:27:57

Reviewed On : 03/25/23 18:44:51

Batch Date : 03/25/23 14:31:33

Dilution : N/A

Reagent : 101920.06; 020123.02

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.54	PASS	0.65

Analyzed by: 2926, 585, 4044	Weight: 0.634g	Extraction date: 03/25/23 16:22:43	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057884WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/25/23 16:21:13

Reviewed On : 03/25/23 18:44:49

Batch Date : 03/25/23 14:17:49

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.