

(954) 368-7664

FLOWER JUNIORS 7G Zoap x Lazer Gun #23 Strain: ZOAP X LAZER GUN #23 Matrix: Flower

Classification: High THC Type: Flower-Cured



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL





Harvest/Lot ID: 8093270210139031 Batch #: 20251027-ZLG23-H227 **Harvest Date: 12/12/25**

Production Method: Other - Not Listed Total Amount: 302 units

Cultivation Facility: Homestead Processing Facility: Homestead Retail Product Size: 7 gram Retail Serving Size: 7 gram

Servings: 1

Seed To Sale #: 1336216884893393

Lab ID: MI51212004-001 Sampled: 12/12/25

Sampling Method: SOP.T.20.010

Sample Size: 5 units Completed: 12/16/25

Manifest #: 7000860108478697

The Flowery

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

≢FLOWERY

SAFETY RESULTS



Pesticide

PASSED





Microbial

PASSED



PASSED





NOT TESTED



PASSED



Filth/Foreign Water Activity **PASSED**



Moisture Content **PASSED**



MISC.

TESTED



Cannabinoid

Heavy Metals

PASSED

TESTED



Total THC 30.9%

Total THC: 2170 mg



Total CBD 0.0202%


Total CBD: 1.41 mg



Batch Date: 12/13/25 14:06:27

Total Cannabinoids 36.3%

Total Cannabinoids/Container: 2540 mg



Qualifier

Analyzed by: 3335, 1665, 585, 5181 Weight: Extraction date: Extracted by: 12/14/25 15:20:04

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: MI093861POT Instrument Used: DA-LC-005 Analyzed Date: 12/16/25 09:48:42

Dilution: 400

Reagent: 121025.R28; 102725.04; 120225.R02

Consumables: 947.110; 04312111; 030125CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miramar, FL, 33025, US (954) 368-7664

FLOWER JUNIORS 7G Zoap x Lazer Gun #23

Strain: ZOAP X LAZER GUN #23 Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 2 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

PASSED



Label Claim Verification

PASSED

QUALIFIER ANALYTES UNIT LOD LOQ LIMIT PASS/FAIL **RESULT**

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: N/A Analytical Batch: N/A Instrument Used: N/A Analyzed Date: 12/16/25 09:48:41

Batch Date: N/A



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	2.14	150	
LIMONENE	0.00700	0.0200		TESTED	0.729	51.1	
LINALOOL	0.00700	0.0200		TESTED	0.351	24.6	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	0.343	24.0	
BETA-MYRCENE	0.00700	0.0200		TESTED	0.183	12.8	
BETA-PINENE	0.00700	0.0200		TESTED	0.121	8.47	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.106	7.42	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.0788	5.51	
ALPHA-TERPINEOL	0.00700	0.0110		TESTED	0.0771	5.40	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.0681	4.77	
ALPHA-BISABOLOL	0.00700	0.0200		TESTED	0.0520	3.64	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	0.0351	2.46	
3-CARENE	0.00700	0.0200		TESTED	ND	ND	
BORNEOL	0.0130	0.0400		TESTED	ND	ND	
CAMPHENE	0.00700	0.0200		TESTED	ND	ND	
CAMPHOR	0.00700	0.0200		TESTED	ND	ND	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	ND	ND	
CEDROL	0.00700	0.0200		TESTED	ND	ND	
EUCALYPTOL	0.00700	0.0200		TESTED	ND	ND	
FARNESENE	0.00100	0.00100	1	TESTED	ND	ND	
FENCHONE	0.00700	0.0200		TESTED	ND	ND	
GERANIOL	0.00700	0.0200		TESTED	ND	ND	
GERANYL ACETATE	0.00700	0.0200		TESTED	ND	ND	
GUAIOL	0.00700	0.0200		TESTED	ND	ND	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	ND	ND	
ISOBORNEOL	0.00700	0.0200		TESTED	ND	ND	
ISOPULEGOL	0.00700	0.0200		TESTED	ND	ND	
NEROL	0.00700	0.0200		TESTED	ND	ND	
OCIMENE	0.00700	0.0200		TESTED	ND	ND	
PULEGONE	0.00700	0.0200		TESTED	ND	ND	
SABINENE	0.00700	0.0200		TESTED	ND	ND	
SABINENE HYDRATE	0.00700	0.0200		TESTED	ND	ND	
VALENCENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	ND	ND	
CIS-NEROLIDOL	0.00300	0.00800)	TESTED	ND	ND	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

FLOWER JUNIORS 7G Zoap x Lazer Gun #23

Strain: ZOAP X LAZER GUN #23 Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 3 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

Batch Date: 12/13/25 09:23:48

PASSED



Terpenes

TESTED

LOQ **ANALYTES** LOD LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

Analyzed by: 4444, 4451, 585, 5181 Weight: **Extraction date:** Extracted by: 12/13/25 14:18:58

Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: MI093822TER

Instrument Used: DA-GCMS-004 Analyzed Date: 12/16/25 14:33:58

Dilution: 10

Reagent: 081925.04 Consumables: 947.110; 04402004; 2240626; 0000355309

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Pesticide

PASSED

TOTAL CONTAMINANT LOAD (PESTICIDES) ppm 0.0100 0.500 5 PASS ND TOTAL DIMETHOMORPH ppm 0.0100 0.0500 0.1 PASS ND TOTAL PERTHRINS ppm 0.0100 0.0500 0.5 PASS ND TOTAL SPINGRAM ppm 0.0100 0.0500 0.5 PASS ND TOTAL SPINGRAD ppm 0.0100 0.0500 0.1 PASS ND ACEPHATE ppm 0.0100 0.0500 0.1 PASS ND ACEQUINOCYL ppm 0.0100 0.0500 0.1 PASS ND ALDICARB ppm 0.0100 0.0500 0.1 PASS ND ALDICARB ppm 0.0100 0.0500 0.1 PASS ND ALDICARB ppm 0.0100 0.0500 0.1 PASS ND CHLORPYRIFOS ppm 0.0100 0.0500 0.1 PASS ND CHLORPYRIFOS <th>ANALYTES</th> <th>UNIT</th> <th>LOD</th> <th>LOQ</th> <th>LIMIT</th> <th>PASS/FAIL</th> <th>RESULT</th> <th>QUALIFIER</th>	ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL PERMETHEINS	TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL PYRETHRINS	TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINETORAM	TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL SPINOSAD ppm 0.0100 0.0500 0.1 PASS ND ABAMECTIN BLA ppm 0.0100 0.0500 0.1 PASS ND ACEQUINOCYL ppm 0.0100 0.0500 0.1 PASS ND ACETAMIPRID ppm 0.0100 0.0500 0.1 PASS ND ALDICABB ppm 0.0100 0.0500 0.1 PASS ND AZOXYSTROBIN ppm 0.0100 0.0500 0.1 PASS ND BIFENAZATE ppm 0.0100 0.0500 0.1 PASS ND CHLORPYRIFOS ppm 0.0100 0.0500 0.1 PASS ND BIFENAZATE ppm 0.0100 0.0500 0.1 PASS ND CHLORPYRIFOS ppm 0.0100 0.0500 0.1 PASS ND BIFENAZATE ppm 0.0100 0.0500 0.1 PASS ND CHLORRYRIFOS ppm	TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
ABAMECTIN B1A	TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
ACEPHATE	TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN ppm 0.0100 0.0500 0.1	ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS ppm 0.0100 0.0500 0.1 PASS ND BIFENTHRIN ppm 0.0100 0.0500 0.1 PASS ND BOSCALID ppm 0.0100 0.0500 0.1 PASS ND CARBARYL ppm 0.0100 0.0500 0.5 PASS ND CLOFENTEZINE ppm 0.0100 0.0500 0.1 PASS ND CARBARYL ppm 0.0100 0.0500 0.1 PASS ND CLOFENTEZINE ppm 0.0100 0.0500 0.1 PASS ND CARBARYL ppm 0.0100 0.0500 0.1 PASS ND CHARDALIDARIDE ppm 0.0100 <td>AZOXYSTROBIN</td> <td>ppm</td> <td>0.0100</td> <td>0.0500</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td>	AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN ppm 0.0100 0.500 0.1 PASS ND BOSCALID ppm 0.0100 0.500 0.1 PASS ND PASS ND Ppm 0.0100 0.500 0.1 PASS ND Ppm 0.0100 0.500 0.5 PASS ND Ppm 0.0100 0.500 0.1 PASS ND Ppm 0.0100 0.0500 0.1 PASS ND	BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID PASS ND CARBARYL Ppm 0.0100 0.0500 0.1 PASS ND CARBARYL Ppm 0.0100 0.0500 0.5 PASS ND CLOFENTEZINE Ppm 0.0100 0.0500 0.2 PASS ND CLOFENTEZINE Ppm 0.0100 0.0500 0.1 PASS ND P	CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL ppm 0.0100 0.0500 0.5 PASS ND CLOFENTEZINE ppm 0.0100 0.0500 0.2 PASS ND CARBOFURAN ppm 0.0100 0.0500 0.1 PASS ND COUMAPHOS ppm 0.0100 0.0500 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.0100 0.0500 1 PASS ND CHLORAGUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENDAYCARB ppm <	BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
CLOFENTEZINE	BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBOFURAN ppm 0.0100 0.0500 0.1 PASS ND COUMAPHOS ppm 0.0100 0.0500 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.0100 0.0500 1 PASS ND DAMINOZIDE ppm 0.0100 0.0500 0.1 PASS ND CHLORNEQUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENDAYCARB ppm	CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
COUMAPHOS ppm 0.0100 0.0500 0.1 PASS ND CHLORANTRANILIPROLE ppm 0.0100 0.0500 1 PASS ND DAMINOZIDE ppm 0.0100 0.0500 0.1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENDYCARB ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm	CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CHLORANTRANILIPROLE ppm 0.0100 0.0500 1 PASS ND DAMINOZIDE ppm 0.0100 0.0500 0.1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENDAYCARB ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm	CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
DAMINOZIDE ppm 0.0100 0.0500 0.1 PASS ND CHLORMEQUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENDEXYCARB ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm <td< td=""><td>COUMAPHOS</td><td>ppm</td><td>0.0100</td><td>0.0500</td><td>0.1</td><td>PASS</td><td>ND</td><td></td></td<>	COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE ppm 0.0100 0.0500 1 PASS ND DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOSAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENDYYCARB ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm <td< td=""><td>CHLORANTRANILIPROLE</td><td>ppm</td><td>0.0100</td><td>0.0500</td><td>1</td><td>PASS</td><td>ND</td><td></td></td<>	CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
DIAZINON ppm 0.0100 0.0500 0.1 PASS ND DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOKAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS ppm 0.0100 0.0500 0.1 PASS ND DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENDAYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DIMETHOATE ppm 0.0100 0.0500 0.1 PASS ND ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	DIAZINON	ppm	0.0100		0.1	PASS	ND	
ETHOPROPHOS ppm 0.0100 0.0500 0.1 PASS ND ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX ppm 0.0100 0.0500 0.1 PASS ND ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENDXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE ppm 0.0100 0.0500 0.1 PASS ND FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID ppm 0.0100 0.0500 0.1 PASS ND FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB ppm 0.0100 0.0500 0.1 PASS ND FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE ppm 0.0100 0.0500 0.1 PASS ND FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	FENHEXAMID	ppm			0.1	PASS		
FIPRONIL ppm 0.0100 0.0500 0.1 PASS ND FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	FENOXYCARB	ppm	0.0100		0.1	PASS		
FLONICAMID ppm 0.0100 0.0500 0.1 PASS ND FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL ppm 0.0100 0.0500 0.1 PASS ND HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND	FIPRONIL	ppm			0.1	PASS	ND	
HEXYTHIAZOX ppm 0.0100 0.0500 0.1 PASS ND		ppm						
•		ppm						
IMAZALIL ppm 0.0100 0.0500 0.1 PASS ND	HEXYTHIAZOX	ppm				PASS		
	IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

FLOWER JUNIORS 7G Zoap x Lazer Gun #23 Strain: ZOAP X LAZER GUN #23

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 4 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co **License #:** M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

PASSED



Pesticide

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID		ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL		ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION		ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL		ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB		ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL		ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS		ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL		ppm	0.0100	0.0500	0.1	PASS	ND	
NALED		ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL		ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL		ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET		ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE		ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN		ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE		ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR		ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN		ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN		ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT		ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE		ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE		ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID		ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM		ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN		ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)		ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL		ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN		ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE		ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR		ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN		ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN		ppm	0.0500	0.250	0.5	PASS	ND	
Analyzed by: 3379, 585, 5181	Weight: 1.07g	Extraction date: 12/15/25 16:40:15				Extra 450,3	acted by: 3379	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI093851PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date: 12/16/25 11:33:37

Dilution: 250 **Reagent:** 121025.R03; 043025.28

Consumables: 927.100; 030125CH01; 6698360-03

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

Batch Date: 12/13/25 12:23:35

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

FLOWER JUNIORS 7G Zoap x Lazer Gun #23 Strain: ZOAP X LAZER GUN #23

Matrix: Flower Classification: High THC Type: Flower-Cured

450,3379



Pages 5 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

theflowery.co

License #: M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

Batch Date: 12/13/25 12:26:57

PASSED



Pesticide

PASSED

ANALYTES		UNIT LO	D LOQ LIMIT	PASS/FAIL RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:		Extracted by:	

12/15/25 16:40:15

450, 585, 5181 1.07g Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch: MI093853VOL Instrument Used: DA-GCMS-001 Analyzed Date: 12/16/25 11:32:07

Dilution: 250

Reagent : 121025.R03; 043025.28; 121225.R09; 121225.R10 Consumables: 927.100; 030125CH01; 6698360-03; 17473601

Pipette: DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Microbial

PASSED

Batch Date: 12/13/25 08:33:31

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS						PASS	Not Present	
SALMONELLA SPECIFIC GENE						PASS	Not Present	
ASPERGILLUS FUMIGATUS						PASS	Not Present	
ECOLI - SHIGELLA						PASS	Not Present	
ASPERGILLUS TERREUS						PASS	Not Present	
ASPERGILLUS NIGER						PASS	Not Present	
TOTAL YEAST AND MOLD		CFU/g	10.0	10.0	100000	PASS	510	
Analyzed by:	Weight:	Extraction	on date:			Extr	acted by:	
5008 4520 585 5181	0.1231a	12/13/25	10.29.31			3621	5008	

Analysis Method: SOP.T.40.056C

Analytical Batch: MI093819MIC Instrument Used: DA-111 (PathogenDx Scanner), DA-013 (Thermocycler), DA-188 (36.5°C Incubator), DA-049 (95*C Heat Block), DA-402 (55*C Heat Block), DA-402 (55*C Heat Block), DA-604 (65*C Heat Block), DA-605 (65*C Heat Bloc

Analyzed Date: 12/15/25 12:53:15

Dilution: 10 Reagent: 100325.54; 101525.54; 111825.R23; 092525.04; 101525.46 Consumables: 7584004033

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 585, 5181 Weight: Extraction date: Extracted by: 0.9319g 12/13/25 10:27:43

Analysis Method: SOP.T.40.209.FL Analytical Batch: MI093820TYM Instrument Used: DA-328 (25*C Incubator) **Analyzed Date:** 12/16/25 09:48:25

Dilution: 10 Reagent: 110525.11; 102025.R24

Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Lab Director

Batch Date: 12/13/25 08:33:46

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







3451 Commerce Parkway Miramar, FL, 33025, US (954) 368-7664

FLOWER JUNIORS 7G Zoap x Lazer Gun #23 Strain: ZOAP X LAZER GUN #23

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 6 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

Batch Date: 12/13/25 12:26:52

PASSED



Mycotoxins

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1		ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1		ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2		ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by:	Weight:	Extraction date:				Ex	tracted by:	
3379 585 5181	1.07a	12/15/25 16:40:15				45	0 3379	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: MI093852MYC
Instrument Used: DA-LCMS-003 (MYC)

Analyzed Date: 12/16/25 11:32:26

Dilution: 250 Reagent: 121025.R03; 043025.28

Consumables : 927.100; 030125CH01; 6698360-03 **Pipette :** N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY		aw	0.010	0.10	0.65	PASS	0.56	
Analyzed by: 4056, 585, 5181	Weight: 1.132g	Extraction date: 12/13/25 13:52:30					Extracted by: 4797	

Analysis Method: SOP.T.40.019
Analytical Batch: MI093816WAT

Instrument Used: DA-028 Rotronic Hygropalm Batch Date: 12/13/25 06:44:31 Analyzed Date: 12/15/25 10:49:59

Dilution: N/A Reagent: 101724.36 Consumables: PS-14 Pipette: N/A



Moisture Content

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT		%	1.00	1.00	15	PASS	14.3	
Analyzed by: 4797, 4056, 585, 5181	Weight: 0.503g		t ion date 5 16:49:0				Extracted by: 4056	

Analysis Method: SOP.T.40.021 Analytical Batch: MI093814MOI

Instrument Used : DA-003 Moisture Analyzer Batch Date: 12/13/25 06:43:29 **Analyzed Date :** 12/16/25 14:33:42

Dilution: N/A

Reagent: 092520.50; 120825.01

Consumables: N/A Pipette: DA-066

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The Jorge Segredo results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Lab Director

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miramar, FL, 33025, US (954) 368-7664

Kaycha Labs

FLOWER JUNIORS 7G Zoap x Lazer Gun #23 Strain: ZOAP X LAZER GUN #23

Matrix: Flower Classification: High THC Type: Flower-Cured



Pages 7 of 7

Certificate of Analysis

Samples From: Homestead, FL, 33090, US theflowery.co

License #: M00020CULPROHomestead002

Sample: MI51212004-001

Batch #: 20251027-ZLG23-H227 Harvest/Lot ID: 8093270210139031 Seed to sale: 1336216884893393

Ordered: 12/12/25 Sampled: 12/12/25 Completed: 12/16/25

Batch Date: 12/13/25 11:31:28

PASSED



Heavy Metals

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC		ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM		ppm	0.0200	0.100	0.2	PASS	ND	
MERCURY		ppm	0.0200	0.100	0.2	PASS	ND	
LEAD		ppm	0.0200	0.100	0.5	PASS	ND	
Analyzed by:	Weight:	Extraction date:			Extracted by:			
1022, 585, 5181	0.2367g	12/13/25 13:38:33				5122		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: MI093834HEA Instrument Used: DA-ICPMS-005

Analyzed Date: 12/16/25 19:37:47

Dilution: 50

Reagent: 111825.R24; 120125.R20; 120825.R20; 112425.R02; 120825.R18; 120825.R19; 120825.01; 120125.R10; 061323.01

Consumables : 030125CH01; J609879-0193; 179436 **Pipette :** DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filth/Foreign Material

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL		%	0.100	0.500	1	PASS	ND	
Analyzed by: 4797, 585, 5181	Weight:	Extraction date: 12/13/25 13:24:20					acted by: 7,585	

Analysis Method: SOP.T.40.090 Analytical Batch: MI093858FIL

Instrument Used: Filth/Foreign Material Microscope

Analyzed Date: 12/15/25 10:43:19

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

rounding errors

Batch Date: 12/13/25 13:23:29

State License # CMTL-00013 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director

