



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30419010-006
 Harvest/Lot ID: 20230330-710BP4-F8H6
 Batch#: 1000086437
 Cultivation Facility: Homestead
 Source Facility : Homestead
 Seed to Sale# LFG-00001545
 Batch Date: 04/18/23
 Sample Size Received: 16 gram
 Total Amount: 311 units
 Retail Product Size: 1 gram
 Ordered : 04/19/23
 Sampled : 04/19/23
 Completed: 04/22/23
 Sampling Method: SOP.T.20.010

Apr 22, 2023 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

72.095%

Total THC/Container : 720.95 mg



Total CBD

0.199%

Total CBD/Container : 1.99 mg



Total Cannabinoids

86.896%

Total Cannabinoids/Container : 868.96 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.463	81.679	ND	0.227	ND	0.249	4.12	0.01	ND	ND	0.148
mg/unit	4.63	816.79	ND	2.27	ND	2.49	41.2	0.1	ND	ND	1.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.1088g

Extraction date:
04/20/23 12:10:02

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA059027POT
 Instrument Used : DA-LC-003
 Analyzed Date : 04/20/23 12:12:06

Reviewed On : 04/21/23 10:07:05
 Batch Date : 04/20/23 09:39:10

Dilution : 400
 Reagent : 041923.R11; 030923.08; 041923.R07
 Consumables : 250350; CE0123; 12620-308CD-308D; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 04/22/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Banana Punch #4 Persy Rosin
Banana Punch #4
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30419010-006

Harvest/Lot ID: 20230330-710BP4-F8H6

Batch# : 1000086437

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 16 gram

Total Amount : 311 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENEOL	0.007	48.79	4.879		FARNESENE	ND	ND		
TOTAL TERPENEOL	0.007	0.46	0.046		ALPHA-HUMULENE	0.007	2.42	0.242	
ALPHA-BISABOLOL	0.007	1.11	0.111		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.59	0.059		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	<0.2	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.96	0.096		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	26.39	2.639		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	8.72	0.872						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	<0.2	<0.02						
LINALOOL	0.007	0.94	0.094						
FENCHYL ALCOHOL	0.007	0.48	0.048						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.72	0.672						
Total (%)			4.879						

Analyzed by:
2076, 585, 1440

Weight:
1.0769g

Extraction date:
04/20/23 14:59:36

Extracted by:
2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA059032TER

Instrument Used : DA-GCMS-004

Analyzed Date : 04/21/23 18:03:17

Reviewed On : 04/22/23 16:37:27

Batch Date : 04/20/23 09:53:06

Dilution : 10

Reagent : 121622.35

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/23



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30419010-006

Harvest/Lot ID: 20230330-710BP4-F8H6

Batch# : 1000086437

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 16 gram

Total Amount : 311 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440Weight: 0.2436gExtraction date: 04/20/23 15:56:06Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA059046PESReviewed On : 04/22/23 20:39:40 Instrument Used : DA-LCMS-002Batch Date : 04/20/23 11:07:02 Analyzed Date : 04/20/23 16:05:37 Dilution : 250 Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30419010-006

Harvest/Lot ID: 20230330-710BP4-F8H6

Batch# : 1000086437

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 16 gram

Total Amount : 311 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0228g

 Extraction date:
 04/21/23 15:24:44

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059067SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/21/23 16:49:11

 Reviewed On : 04/21/23 17:12:49
 Batch Date : 04/20/23 17:10:36

 Dilution : 1
 Reagent : 030420.09
 Consumables : G201.062; G201.120
 Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30419010-006

Harvest/Lot ID: 20230330-710BP4-F8H6

Batch# : 1000086437

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 16 gram

Total Amount : 311 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED																																																																																																																																																																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3336, 3621, 585, 1440</td><td>Weight: 1.0131g</td><td>Extraction date: 04/20/23 11:41:10</td><td colspan="3">Extracted by: 3336</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="2">Analytical Batch : DA059012MIC</td><td colspan="4">Reviewed On : 04/22/23 13:25:42</td></tr><tr><td colspan="2">Instrument Used : DA-265 Gene-UP RTPCR</td><td colspan="4">Batch Date : 04/20/23 08:04:12</td></tr><tr><td colspan="6">Analyzed Date : 04/20/23 13:04:03</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 033123.R30; 041823.R25</td></tr><tr><td colspan="6">Consumables : 2125220</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ECOLI SHIGELLA			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3336, 3621, 585, 1440	Weight: 1.0131g	Extraction date: 04/20/23 11:41:10	Extracted by: 3336			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA059012MIC		Reviewed On : 04/22/23 13:25:42				Instrument Used : DA-265 Gene-UP RTPCR		Batch Date : 04/20/23 08:04:12				Analyzed Date : 04/20/23 13:04:03						Dilution : N/A						Reagent : 033123.R30; 041823.R25						Consumables : 2125220						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.2436g</td><td>Extraction date: 04/20/23 15:56:06</td><td colspan="3">Extracted by: 3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="2">Analytical Batch : DA059059MYC</td><td colspan="4">Reviewed On : 04/22/23 20:38:37</td></tr><tr><td colspan="2">Instrument Used : N/A</td><td colspan="4">Batch Date : 04/20/23 11:48:17</td></tr><tr><td colspan="6">Analyzed Date : 04/20/23 16:06:05</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11</td></tr><tr><td colspan="6">Consumables : 6697075-02</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 0.2436g	Extraction date: 04/20/23 15:56:06	Extracted by: 3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA059059MYC		Reviewed On : 04/22/23 20:38:37				Instrument Used : N/A		Batch Date : 04/20/23 11:48:17				Analyzed Date : 04/20/23 16:06:05						Dilution : 250						Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11						Consumables : 6697075-02						Pipette : DA-093; DA-094; DA-219					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																	
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																																																
Analyzed by: 3336, 3621, 585, 1440	Weight: 1.0131g	Extraction date: 04/20/23 11:41:10	Extracted by: 3336																																																																																																																																																																																																		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																					
Analytical Batch : DA059012MIC		Reviewed On : 04/22/23 13:25:42																																																																																																																																																																																																			
Instrument Used : DA-265 Gene-UP RTPCR		Batch Date : 04/20/23 08:04:12																																																																																																																																																																																																			
Analyzed Date : 04/20/23 13:04:03																																																																																																																																																																																																					
Dilution : N/A																																																																																																																																																																																																					
Reagent : 033123.R30; 041823.R25																																																																																																																																																																																																					
Consumables : 2125220																																																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																																																					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
Analyzed by: 3379, 585, 1440	Weight: 0.2436g	Extraction date: 04/20/23 15:56:06	Extracted by: 3379																																																																																																																																																																																																		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																					
Analytical Batch : DA059059MYC		Reviewed On : 04/22/23 20:38:37																																																																																																																																																																																																			
Instrument Used : N/A		Batch Date : 04/20/23 11:48:17																																																																																																																																																																																																			
Analyzed Date : 04/20/23 16:06:05																																																																																																																																																																																																					
Dilution : 250																																																																																																																																																																																																					
Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11																																																																																																																																																																																																					
Consumables : 6697075-02																																																																																																																																																																																																					
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																					

	Heavy Metals	PASSED																																																																																										
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2019g</td><td>Extraction date: 04/20/23 10:59:27</td><td colspan="3">Extracted by: 1022,3619</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="2">Analytical Batch : DA059033HEA</td><td colspan="4">Reviewed On : 04/21/23 10:17:38</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-003</td><td colspan="4">Batch Date : 04/20/23 09:57:38</td></tr><tr><td colspan="6">Analyzed Date : 04/20/23 14:44:08</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 040623.R23; 031423.R18; 041423.R38; 041723.R30; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02</td></tr><tr><td colspan="6">Consumables : 179436; 210508058; 12620-307CD-307D</td></tr><tr><td colspan="6">Pipette : DA-061; DA-216</td></tr></table>		Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2019g	Extraction date: 04/20/23 10:59:27	Extracted by: 1022,3619			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA059033HEA		Reviewed On : 04/21/23 10:17:38				Instrument Used : DA-ICPMS-003		Batch Date : 04/20/23 09:57:38				Analyzed Date : 04/20/23 14:44:08						Dilution : 50						Reagent : 040623.R23; 031423.R18; 041423.R38; 041723.R30; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02						Consumables : 179436; 210508058; 12620-307CD-307D						Pipette : DA-061; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																							
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																							
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																							
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																							
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																							
LEAD	0.02	ppm	ND	PASS	0.5																																																																																							
Analyzed by: 1022, 585, 1440	Weight: 0.2019g	Extraction date: 04/20/23 10:59:27	Extracted by: 1022,3619																																																																																									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																												
Analytical Batch : DA059033HEA		Reviewed On : 04/21/23 10:17:38																																																																																										
Instrument Used : DA-ICPMS-003		Batch Date : 04/20/23 09:57:38																																																																																										
Analyzed Date : 04/20/23 14:44:08																																																																																												
Dilution : 50																																																																																												
Reagent : 040623.R23; 031423.R18; 041423.R38; 041723.R30; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02																																																																																												
Consumables : 179436; 210508058; 12620-307CD-307D																																																																																												
Pipette : DA-061; DA-216																																																																																												



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA30419010-006

Harvest/Lot ID: 20230330-710BP4-F8H6

Batch# : 1000086437

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 16 gram

Total Amount : 311 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA059136FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/21/23 15:35:37

Reviewed On : 04/21/23 15:43:09

Batch Date : 04/21/23 15:34:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.51	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.491g	Extraction date: 04/20/23 15:22:34	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA059058WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/20/23 15:21:14

Reviewed On : 04/20/23 15:47:33

Batch Date : 04/20/23 11:48:06

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.