

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative Type: Live Rosin



Sample: DA30613010-003 Harvest/Lot ID: 20230413-710GB9--F6H6

Batch#: 1000102198

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

Seed to Sale# LFG-00001782

Batch Date: 06/08/23 Sample Size Received: 15.5 gram

> Total Amount: 266 units Retail Product Size: 0.5 gram

> > Ordered: 06/13/23 Sampled: 06/13/23

Completed: 06/15/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

#FLOWERY Homestead, FL, 33090, US

PRODUCT IMAGE

Samples From:

SAFETY RESULTS

Jun 15, 2023 | The Flowery



Pesticides





Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED

Reviewed On: 06/14/23 13:26:26 Batch Date: 06/13/23 15:33:34



Filth



Water Activity



Moisture



TESTED

PASSED

CBC 0.863 4.315 0.002 %



Cannabinoid

Total THC

76.353% Total THC/Container : 381.765 mg



Total CBD 0.201%Total CBD/Container: 1.005 mg



Total Cannabinoids

Total Cannabinoids/Container: 409.99 mg

CRDV

| Analyzed by: 1665, 3112, 585 | 5. 1440 | | | Weight: | | Extraction date: 06/14/23 07:31:02 | | | | Extracted by: |
|---------------------------------|---------|--------|-------|---------|-------|---------------------------------------|-------|-------|-------|---------------|
| | % | % | % | % | % | % | % | % | % | % |
| LOD | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |
| mg/unit | 354.18 | 31.455 | 0.815 | 0.22 | 2.52 | 9.675 | 5.23 | 0.275 | 1.305 | ND |
| % | 70.836 | 6.291 | 0.163 | 0.044 | 0.504 | 1.935 | 1.046 | 0.055 | 0.261 | ND |

D8-THC

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA061326POT Instrument Used : DA-LC-003 (Derivatives) Analyzed Date: 06/14/23 07:33:11

Reagent: 060723.R49; 070121.27; 060723.R46 Consumables: 280670723: CE123: R1KB45277

Pipette : DA-079; DA-108; DA-078

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Live Rosin



PASSED

TESTED

Certificate of Analysis

mg/unit %

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Sample : DA30613010-003

Harvest/Lot ID: 20230413-710GB9--F6H6

Batch#: 1000102198 Sampled: 06/13/23 Ordered: 06/13/23

Result (%)

Sample Size Received: 15.5 gram Total Amount : 266 units Completed: 06/15/23 Expires: 06/15/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

| | Terpenes | LOD (%) | mg/unit | % | Result (%) | |
|---|-----------------|------------|---------|--------|------------|--|
| | FARNESENE | 0.001 | 0.25 | 0.05 | | |
| | ALPHA-HUMULENE | 0.007 | 3.895 | 0.779 | | |
| | VALENCENE | 0.007 | ND | ND | | |
| | CIS-NEROLIDOL | 0.007 | < 0.1 | < 0.02 | | |
| Ē | TRANS-NEROLIDOL | 0.007 | ND | ND | | |

| | (%) | | | | (%) | | |
|---|--|---|--|---|----------------------|------------------|------------|
| TOTAL TERPENES | 0.007 | 44.045 | 8.809 | FARNESENE | 0.001 | 0.25 | 0.05 |
| TOTAL TERPINEOL | 0.007 | 0.525 | 0.105 | ALPHA-HUMULENE | 0.007 | 3.895 | 0.779 |
| ALPHA-BISABOLOL | 0.007 | 1.705 | 0.341 | VALENCENE | 0.007 | ND | ND |
| ALPHA-PINENE | 0.007 | 1.875 | 0.375 | CIS-NEROLIDOL | 0.007 | < 0.1 | < 0.0 |
| CAMPHENE | 0.007 | 0.21 | 0.042 | TRANS-NEROLIDOL | 0.007 | ND | ND |
| SABINENE | 0.007 | ND | ND | CARYOPHYLLENE OXIDE | 0.007 | 0.1 | 0.02 |
| BETA-PINENE | 0.007 | 0.66 | 0.132 | GUAIOL | 0.007 | 1.255 | 0.251 |
| BETA-MYRCENE | 0.007 | 9.98 | 1.996 | CEDROL | 0.007 | < 0.1 | < 0.0 |
| ALPHA-PHELLANDRENE | 0.007 | < 0.1 | <0.02 | Analyzed by: | Weight: | Extraction of | late: |
| 3-CARENE | 0.007 | ND | ND | | 0.817g | 06/13/23 17 | 7:52:47 |
| ALPHA-TERPINENE | 0.007 | ND | ND | Analysis Method : SOP.T.30.061A.FL, SOP.T | .40.061A.FL | | |
| LIMONENE | 0.007 | 9.15 | 1.83 | Analytical Batch : DA061325TER Instrument Used : DA-GCMS-008 | | | ewed Or |
| EUCALYPTOL | 0.007 | < 0.1 | <0.02 | Analyzed Date : 06/13/23 18:06:32 | | Batt | in Date : |
| OCIMENE | 0.007 | 1.925 | 0.385 | Dilution: 10 | | | |
| GAMMA-TERPINENE | 0.007 | ND | ND | Reagent: 121622.27 | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | Consumables : 210414634; MKCN9995; CE | 0123; R1KB14270 | | |
| TERPINOLENE | 0.007 | 0.105 | 0.021 | Pipette : N/A | | | |
| FENCHONE | 0.007 | < 0.2 | < 0.04 | Terpenoid testing is performed utilizing Gas Chro | matography Mass Spec | trometry. For al | I Flower s |
| | | 0.64 | 0.128 | | | | |
| LINALOOL | 0.007 | 0.04 | | | | | |
| LINALOOL FENCHYL ALCOHOL | 0.007 0.007 | 0.615 | 0.123 | | | | |
| | | | | 4 | | | |
| FENCHYL ALCOHOL | 0.007 | 0.615 | 0.123 | 111 | | | |
| FENCHYL ALCOHOL ISOPULEGOL | 0.007 0.007 | 0.615 ND | 0.123 ND | HH | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR | 0.007 0.007 0.007 | 0.615 ND ND | 0.123 ND ND | <i>/</i> ## | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL | 0.007 0.007 0.007 0.007 | 0.615 ND ND ND | 0.123 ND ND ND | | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL | 0.007 0.007 0.007 0.007 0.007 0.013 | 0.615 ND ND ND <0.2 | 0.123 ND ND ND ND <0.04 | | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL HEXAHYDROTHYMOL | 0.007 0.007 0.007 0.007 0.007 0.013 | 0.615 ND ND ND <0.2 ND | 0.123 ND ND ND OD <0.04 ND | | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL HEXAHYDROTHYMOL NEROL | 0.007 0.007 0.007 0.007 0.013 0.007 0.007 | 0.615 ND ND ND VD <0.2 ND ND | 0.123 ND ND ND <0.04 ND | 力用 | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL HEXAHYDROTHYMOL NEROL PULEGONE | 0.007 0.007 0.007 0.007 0.013 0.007 0.007 | 0.615 ND ND ND VD <0.2 ND ND ND | 0.123 ND ND ND ND <0.04 ND ND | | | | |
| FENCHYL ALCOHOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL HEXAHYDROTHYMOL HEKAHYDROTHYMOL WEROL | 0.007 0.007 0.007 0.007 0.013 0.007 0.007 0.007 | 0.615 ND ND ND <0.2 ND ND ND ND | 0.123 ND ND ND <0.04 ND ND ND ND ND ND ND | | | | |

Total (%) 8.809

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Live Rosin



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Sample : DA30613010-003

Harvest/Lot ID: 20230413-710GB9--F6H6

Batch#: 1000102198 Sampled: 06/13/23 Ordered: 06/13/23

Sample Size Received: 15.5 gram Total Amount : 266 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

| Pesticide | LOD | | Action Level | Pass/Fail | | Pesticide | | LOD | Units | Action Level | Pass/Fail | Resul |
|------------------------------------|------|-----|-----------------|-----------|----|--|------------------|---------|--------------------------|-----------------|------------------|---------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | mag | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | | 0.01 | mag | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | | | 0.01 | 1.1. | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | | ppm | | | ND |
| CEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | | 0.01 | ppm | 0.1 | PASS | |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.01 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.01 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| IFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | | 0.01 | ppm | 0.1 | PASS | ND |
| OSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PENTACHLORONITROBENZENE (F | DCND) * | 0.01 | PPM | 0.15 | PASS | ND |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | | PCNB) " | 0.01 | PPM | 0.13 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | | | | | | |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.07 | PPM | 0.7 | PASS | ND |
| LOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| AZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: We | eight: | Extrac | tion date: | | Extracte | d by: |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | | | | 23 15:23:17 | | 4056 | |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method: SOP.T.30.101.Fl | L (Gainesville) | , SOP.T | .30.102.FL | Davie), SOP | T.40.101.FL (| Gainesv |
| TOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | | |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA061319PES | DEC) | | | On:06/15/2 | | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (R Analyzed Date : 06/13/23 16:21:57 | | | Batch Dat | e:06/13/23 | 14:14:43 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | , | | | | | |
| ENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 061223.R02; 061223.R0 | 3- 061223 R0 | 1.0613 | 223 R04· 06 | 0523 R26: 0 | 50723 R17: 0 | 10521.1 |
| IPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02 | 33, 0012231110 | 1,001. | | 052520, 0 | 3072311(27) 0 | .0022.2 |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is per | | | l Chromatog | raphy Triple-0 | Quadrupole Ma | SS |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance with F.S | | | | | | |
| MAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weig 450, 585, 1440 0.22 | | | ion date: 3 15:23:17 | | Extracte 4056 | d by: |
| MIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | 450, 585, 1440 0.22 Analysis Method : SOP.T.30.151.Fl | | | | (Davio) CO | | |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA061322VOL | L (Gairlesville) | | | :06/14/23 1 | | |
| ALATHION | 0.01 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-001 | | | | 06/13/23 14: | | |
| ETALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date: 06/13/23 16:47:03 | 3 | | | / | J | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| ETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 061223.R01; 040521.11 | | ; 06122 | 23.R24 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02; 1472 | | | | | | |
| IYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | | _/ |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is peri in accordance with F.S. Rule 64ER20 | | g Gas C | :hromatogra | ohy Triple-Qu | adrupole Mass | Spec |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Live Rosin



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA30613010-003

Harvest/Lot ID: 20230413-710GB9--F6H6

Batch#:1000102198 Sampled:06/13/23 Ordered:06/13/23 Sample Size Received: 15.5 gram
Total Amount: 266 units
Completed: 06/15/23 Expires: 06/15/24
Sample Method: SOP.T.20.010

PASSED

Page 4 of 6

Ä

Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|------------------------|---------------------------------|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.0233g | Extraction date: 06/15/23 11:13 | | // | Extracted by: 850 |

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061329SOL Instrument Used: DA-GCMS-002

Analyzed Date: 06/15/23 11:30:42
Dilution: 1
Reagent: 030420.09

Consumables : R2017.120; KF140 Pipette : DA-309 25 uL Syringe 35028 Reviewed On: 06/15/23 12:20:37 Batch Date: 06/13/23 18:04:19

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Live Rosin



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Sample : DA30613010-003

Harvest/Lot ID: 20230413-710GB9--F6H6

Batch#: 1000102198 Sampled: 06/13/23 Ordered: 06/13/23

Sample Size Received: 15.5 gram Total Amount : 266 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061321MYC

Analyzed Date: 06/13/23 16:22:27

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 6697075-02

Dilution: 250

040521.11

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Reviewed On: 06/15/23 09:39:01

Batch Date: 06/13/23 14:16:05

| Analyte | X | LOD | Units | Result | Pass / Fail | Action Level | Analyte | 58 | LOD | Units | Result | Pas Fail |
|-------------------------|-------|-------|--------------|-------------|----------------|-----------------|-----------------------|-------------------|--------------------|-----------|----------|-------------|
| ECOLI SHIGELLA | | | | Not Present | PASS | | AFLATOXIN B2 | | 0.002 | ppm | ND | PAS |
| SALMONELLA SPECIFIC GEN | ΝE | | | Not Present | PASS | | AFLATOXIN B1 | | 0.002 | ppm | ND | PAS |
| ASPERGILLUS FLAVUS | | | | Not Present | PASS | | OCHRATOXIN A | | 0.002 | ppm | ND | PAS |
| ASPERGILLUS FUMIGATUS | | | | Not Present | PASS | | AFLATOXIN G1 | | 0.002 | ppm | ND | PAS |
| ASPERGILLUS TERREUS | | | | Not Present | PASS | | AFLATOXIN G2 | | 0.002 | ppm | ND | PAS |
| ASPERGILLUS NIGER | | | | Not Present | PASS | | Analyzed by: | Weight: | Extraction da | ite: | - NA | Extra |
| TOTAL YEAST AND MOLD | | 10 | CFU/g | <10 | PASS | 100000 | 3379, 585, 1440 | 0.2221g | 06/13/23 15: | 23:17 | | 4056 |
| Analyzed by: Wei | ight: | Extra | action date: | | Extracted | by: | Analysis Method : SOP | .T.30.101.FL (Gai | inesville). SOP.T. | 40.101.FL | (Gainesv | ille). |

3390, 585, 1440 1.099g 06/13/23 15:18:38

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA061320MIC

Reviewed On: 06/14/23 Batch Date: 06/13/23

3390

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 06/13/23 15:21:39

Reagent: 031523.17; 052323.R22; 020823.16; 092122.09

Consumables: 7562002033

Pipette : N/A

| 4 | | _ |
|---|-----|---|
| П | | П |
| ш | Lla | ш |
| ш | пд | ш |
| - | | _ |

Metal

TOTAL

Heavy Metals

Action Level

| Analyzed by: 3390, 3702, 585, 1440 | Weight: 1.099g | Extraction date: N/A | Extracted by: 3390 | | | |
|--|-------------------|--------------------------------|--------------------|--|--|--|
| Analysis Method: SOP.T.40.208 (G | ainesville), S | OP.T.40.209.FL | | | | |
| Analytical Batch : DA061324TYM | | Reviewed On: 06/15/23 16:02:15 | | | | |
| Instrument Used: Incubator (25-27 Analyzed Date: 06/13/23 15:20:51 | | Batch Date: 06/1 | 13/23 14:17:52 | | | |

Dilution: 10 Reagent: 031523.17; 060723.R45 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| 3 h 11271 3 Y 12 X | Y | | | | |
|-------------------------|------|-------|--------|----------------|--|
| 1 // 1/ 1/ | LOD | Units | Result | Pass / Fail | |
| CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | |

Reagent: 061223.R02; 061223.R03; 061223.R01; 061223.R04; 060523.R26; 060723.R17;

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

| Analyzed by: | Weight: | Extraction da | | | Extracted | | |
|--------------|---------|---------------|-----|----|-----------|-----|--|
| LEAD | | 0.02 | ppm | ND | PASS | 0.5 | |
| MERCURY | | 0.02 | ppm | ND | PASS | 0.2 | |
| CADMIUM | | 0.02 | ppm | ND | PASS | 0.2 | |
| AKSENIC | | 0.02 | ppm | ND | PASS | 0.2 | |

0.2982g 06/13/23 15:12:11

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061289HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/13/23 16:16:59 Reviewed On: 06/14/23 11:20:09 Batch Date: 06/13/23 09:43:04

Dilution: 50

Reagent: 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 051823.R28

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164







710 Labs Live Pod 0.5g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Live Rosin



PASSED

Page 6 of 6

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Sample : DA30613010-003

Harvest/Lot ID: 20230413-710GB9--F6H6

Reviewed On: 06/14/23 21:11:09 Batch Date: 06/14/23 11:54:31

Reviewed On: 06/14/23 15:24:10

Batch Date: 06/13/23 14:17:13

Batch#: 1000102198 Sampled: 06/13/23 Ordered: 06/13/23

Sample Size Received: 15.5 gram Total Amount : 266 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010



PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 1879, 1440 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061370FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 06/14/23 21:01:32

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | | LOD | Units | Result | P/F | Action Leve |
|----------------|---------|------|------------|--------|------|-------------|
| Water Activity | | 0.01 | aw | 0.482 | PASS | 0.85 |
| Analyzed by: | Weight: | | traction d | | | tracted by: |

Analysis Method: SOP.T.40.019 Analytical Batch: DA061323WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/15/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.