



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 4625641133904865  
**Retail Batch #:** 20260508-MIX-3.5  
**Batch Date:** 05/08/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 312 units  
**Cultivation Facility:** Homestead  
**Processing Facility:** Homestead  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Seed To Sale #:** 7821842997734885

**Lab ID:** MI60601004-002  
**Sampled:** 06/01/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 6 units  
**Completed:** 06/04/26  
**Manifest #:** 8209828877870366  
**Source Facility:** Homestead

### The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
**License # :** M00020CULPROHomestead002

# THE FLOWERY

### SAFETY RESULTS

MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**85.1%**  
Total THC/Container : 2980 mg



**Total CBD**  
**ND**  
Total CBD/Container : 0



**Total Cannabinoids**  
**97.9%**  
Total Cannabinoids/Container : 3430 mg

|           | D9-THC  | THCA    | CBD     | CBDA    | D8-THC  | CBG     | CBGA    | CBN     | THCV    | CBDV    | CBC     | THCVA   |
|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| %         | 0.435   | 96.5    | ND      | ND      | ND      | ND      | 0.383   | ND      | ND      | ND      | ND      | 0.515   |
| mg/unit   | 15.2    | 3380    | ND      | ND      | ND      | ND      | 13.4    | ND      | ND      | ND      | ND      | 18.0    |
| LOD       | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 |
| LOQ       | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200  |
|           | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       |
| Qualifier |         |         |         |         |         |         |         |         |         |         |         |         |

Analyzed by:  
5072, 1665, 585, 4056

Weight:  
0.101g

Extraction date:  
06/02/26 13:05:58

Extracted by:  
5150,5072

**Analysis Method :** SOP.T.40.031.FL, SOP.T.30.031

**Analytical Batch :** MI099405POT

**Instrument Used :** DA-LC-003 (Derivative)

**Analyzed Date :** 06/03/26 09:55:20

**Batch Date :** 06/02/26 07:57:12

**Dilution :** 400

**Reagent :** 051826.R02; 052026.18; 051826.R01

**Consumables :** 947.110; 04312111; 030125CH01; 0000355309

**Pipette :** DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

THCA - 3.5G - Mix Strain - General  
Strain: MIX STRAIN - GENERAL  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation



# Certificate of Analysis

Pages 2 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          | UNIT    | LOD              | LOQ | LIMIT            | PASS/FAIL | RESULT        | QUALIFIER |
|-----------------------------------|---------|------------------|-----|------------------|-----------|---------------|-----------|
| Analyzed by:                      | Weight: | Extraction date: |     |                  |           | Extracted by: |           |
| Analysis Method : N/A             |         |                  |     |                  |           |               |           |
| Analytical Batch : N/A            |         |                  |     |                  |           |               |           |
| Instrument Used : N/A             |         |                  |     | Batch Date : N/A |           |               |           |
| Analyzed Date : 06/03/26 09:55:19 |         |                  |     |                  |           |               |           |



## Terpenes

**TESTED**

| ANALYTES            | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|---------------------|
| TOTAL TERPENES      | 0.00700 | 0.0200  |       | TESTED    | 0.739      | 25.9                |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  |       | TESTED    | 0.173      | 6.04                |
| LIMONENE            | 0.00700 | 0.0200  |       | TESTED    | 0.153      | 5.36                |
| BETA-MYRCENE        | 0.00700 | 0.0200  |       | TESTED    | 0.142      | 4.97                |
| LINALOOL            | 0.00700 | 0.0200  |       | TESTED    | 0.112      | 3.93                |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  |       | TESTED    | 0.0658     | 2.30                |
| GUAIOL              | 0.00700 | 0.0200  |       | TESTED    | 0.0419     | 1.46                |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0292     | 1.02                |
| ALPHA-TERPINEOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0220     | 0.770               |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| BETA-PINENE         | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| 3-CARENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| BORNEOL             | 0.0130  | 0.0400  |       | TESTED    | ND         | ND                  |
| CAMPHENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| CAMPHOR             | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| CEDROL              | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| EUCALYPTOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| FARNESENE           | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| FENCHONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| GERANIOL            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| GERANYL ACETATE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ISOBORNEOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ISOPULEGOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| NEROL               | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| OCIMENE             | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| PULEGONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| SABINENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| SABINENE HYDRATE    | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| VALENCENE           | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  |       | TESTED    | ND         | ND                  |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ALPHA-PINENE        | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 |       | TESTED    | ND         | ND                  |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND                  |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  |       | TESTED    | ND         | ND                  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

THCA - 3.5G - Mix Strain - General  
Strain: MIX STRAIN - GENERAL  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation



# Certificate of Analysis

Pages 3 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       | LOD                | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)            | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-----------|-----------------------|---------------------|
| Analyzed by:<br>4531, 585, 4056                                                | Weight:<br>0.2234g | Extraction date:<br>06/02/26 14:29:05 |       |           | Extracted by:<br>4531 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                    |                                       |       |           |                       |                     |
| Analytical Batch : MI099432TER                                                 |                    |                                       |       |           |                       |                     |
| Instrument Used : DA-GCMS-009                                                  |                    |                                       |       |           |                       |                     |
| Batch Date : 06/02/26 11:13:19                                                 |                    |                                       |       |           |                       |                     |
| Analyzed Date : 06/04/26 11:43:25                                              |                    |                                       |       |           |                       |                     |
| Dilution : 10                                                                  |                    |                                       |       |           |                       |                     |
| Reagent : 041326.46                                                            |                    |                                       |       |           |                       |                     |
| Consumables : 947.110; 04312111; 2240626; 0000355309                           |                    |                                       |       |           |                       |                     |
| Pipette : DA-065                                                               |                    |                                       |       |           |                       |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                    |                                       |       |           |                       |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | ND     |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

THCA - 3.5G - Mix Strain - General  
Strain: MIX STRAIN - GENERAL  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation



# Certificate of Analysis

Pages 4 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License # : M00020CULPROHomestead002

Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | ND     |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | ND     |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.15  | PASS      | ND     |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORDANE                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |

|                                 |                    |                                       |                       |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4451, 585, 4056 | Weight:<br>0.2709g | Extraction date:<br>06/02/26 11:12:31 | Extracted by:<br>4451 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI099414PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 06/02/26 09:03:59

Analyzed Date : 06/03/26 09:48:54

Dilution : 250

Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R29; 060126.R01; 022426.R23; 052726.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-219; GA-194; GA-193

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                 |                    |                                       |                       |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>3335, 585, 4056 | Weight:<br>0.2709g | Extraction date:<br>06/02/26 11:12:31 | Extracted by:<br>4451 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI099416VOL

Instrument Used : DA-GCMS-001

Batch Date : 06/02/26 09:04:42

Analyzed Date : 06/03/26 09:46:43

Dilution : 250

Reagent : 052826.R01; 012026.01; 052726.R31; 052726.R32

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013



# Certificate of Analysis

Pages 5 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-------|-------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE   | ppm  | 0.800 | 4.00  | 8     | PASS      | ND     |           |
| 1,2-DICHLOROETHANE   | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| 2-PROPANOL           | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ACETONE              | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| ACETONITRILE         | ppm  | 6.00  | 30.0  | 60    | PASS      | ND     |           |
| BENZENE              | ppm  | 0.100 | 0.500 | 1     | PASS      | ND     |           |
| BUTANES (N-BUTANE)   | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| CHLOROFORM           | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| DICHLOROMETHANE      | ppm  | 12.5  | 62.5  | 125   | PASS      | ND     |           |
| ETHANOL              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| ETHYL ACETATE        | ppm  | 40.0  | 200   | 400   | PASS      | ND     |           |
| ETHYL ETHER          | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ETHYLENE OXIDE       | ppm  | 0.500 | 2.50  | 5     | PASS      | ND     |           |
| HEPTANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| METHANOL             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| N-HEXANE             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| PENTANES (N-PENTANE) | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| PROPANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| TOLUENE              | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TOTAL XYLENES        | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TRICHLOROETHYLENE    | ppm  | 2.50  | 12.5  | 25    | PASS      | ND     |           |

Analyzed by:  
4444, 585, 4056

Weight:  
0.0217g

Extraction date:  
06/02/26 12:20:37

Extracted by:  
4444

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : MI099433SOL  
Instrument Used : DA-GCMS-012  
Analyzed Date : 06/03/26 09:49:52

Batch Date : 06/02/26 11:49:15

Dilution : 1  
Reagent : 061323.06  
Consumables : 431526; 325202  
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

THCA - 3.5G - Mix Strain - General  
Strain: MIX STRAIN - GENERAL  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation



# Certificate of Analysis

Pages 6 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | UNIT              | LOD                                   | LOQ                        | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|-------|-----------|--------|-----------|
| Analyzed by:<br>4892, 4520, 585, 4056                                                                                                                                                                                                                                                                                                                                                                                                                                    | Weight:<br>1.097g | Extraction date:<br>06/02/26 11:09:31 | Extracted by:<br>4520,4892 |       |           |        |           |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI099406MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 06/04/26 10:29:58<br>Dilution : 10<br>Reagent : 040726.30; 040726.33; 051326.R45; 031026.16<br>Consumables : 7590001021<br>Pipette : N/A<br>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |       |           |        |           |
| Batch Date : 06/02/26 08:11:45                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |                                       |                            |       |           |        |           |

|                                                                                                                                                                                                                                                                                                                                                                                             |                  |                                       |                            |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|----------------------------|--|--|--|--|
| Analyzed by:<br>4892, 585, 4056                                                                                                                                                                                                                                                                                                                                                             | Weight:<br>0.96g | Extraction date:<br>06/02/26 11:07:15 | Extracted by:<br>4520,4892 |  |  |  |  |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI099407TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Analyzed Date : 06/04/26 11:42:17<br>Dilution : 10<br>Reagent : 022626.84; 041526.R47<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |                  |                                       |                            |  |  |  |  |
| Batch Date : 06/02/26 08:12:50                                                                                                                                                                                                                                                                                                                                                              |                  |                                       |                            |  |  |  |  |

|  |                   |               |
|--|-------------------|---------------|
|  | <b>Mycotoxins</b> | <b>PASSED</b> |
|--|-------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | UNIT               | LOD                                   | LOQ                   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-----------------------|-------|-----------|--------|-----------|
| AFLATOXIN B1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                | 0.02  | PASS      | ND     |           |
| AFLATOXIN B2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                | 0.02  | PASS      | ND     |           |
| OCHRATOXIN A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                | 0.02  | PASS      | ND     |           |
| AFLATOXIN G1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                | 0.02  | PASS      | ND     |           |
| AFLATOXIN G2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                | 0.02  | PASS      | ND     |           |
| Analyzed by:<br>4451, 585, 4056                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Weight:<br>0.2709g | Extraction date:<br>06/02/26 11:12:31 | Extracted by:<br>4451 |       |           |        |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI099415MYC<br>Instrument Used : DA-LCMS-005 (MYC)<br>Analyzed Date : 06/03/26 09:49:18<br>Dilution : 250<br>Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R29; 060126.R01; 022426.R23; 052726.R01<br>Consumables : 947.110; 030125CH01; 6822423-02<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                       |       |           |        |           |
| Batch Date : 06/02/26 09:04:38                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                                       |                       |       |           |        |           |

|  |                       |               |
|--|-----------------------|---------------|
|  | <b>Water Activity</b> | <b>PASSED</b> |
|--|-----------------------|---------------|

| ANALYTES       | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.64   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

THCA - 3.5G - Mix Strain - General  
Strain: MIX STRAIN - GENERAL  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation



# Certificate of Analysis

Pages 7 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60601004-002

Batch #: 20260508-MIX-3.5  
Harvest/Lot ID: 4625641133904865  
Seed to sale: 7821842997734885

Ordered: 06/01/26  
Sampled: 06/01/26  
Completed: 06/04/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                               | UNIT              | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----|-------|-----------|-----------------------|-----------|
| Analyzed by:<br>4056, 585                                                                                                                                                                                                                                                              | Weight:<br>0.885g | Extraction date:<br>06/02/26 15:17:51 |     |       |           | Extracted by:<br>4056 |           |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : MI099437WAT<br>Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)<br>Analyzed Date : 06/03/26 09:46:06<br>Batch Date : 06/02/26 14:37:24<br>Dilution : N/A<br>Reagent : 050726.03<br>Consumables : PS-14<br>Pipette : N/A |                   |                                       |     |       |           |                       |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                   | UNIT               | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-------|-----------|----------------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                                                                                                                                                                                                              | ppm                | 0.0800                                | 0.400 | 1.1   | PASS      | ND                         |           |
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | ND                         |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| Analyzed by:<br>1022, 585, 4056                                                                                                                                                                                                                                                                                                                                                                                            | Weight:<br>0.2753g | Extraction date:<br>06/02/26 12:03:51 |       |       |           | Extracted by:<br>1022,5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : MI099426HEA<br>Instrument Used : DA-ICPMS-004<br>Analyzed Date : 06/03/26 09:55:06<br>Batch Date : 06/02/26 10:15:48<br>Dilution : 50<br>Reagent : 060126.R03; 052626.R02; 060126.R15; 052126.R01; 060126.R13; 060126.R14; 050626.11; 052826.R08; 032326.01<br>Consumables : 030125CH01; J609879-0193; 179436<br>Pipette : DA-061; DA-191; DA-215 |                    |                                       |       |       |           |                            |           |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                                                                                                                                                                                                                                                                                              |                    |                                       |       |       |           |                            |           |



## Filtration/Foreign Material

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                | UNIT          | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|-------|-------|-----------|-----------------------|-----------|
| FILTH AND FOREIGN MATERIAL                                                                                                                                                                                                                                              | %             | 0.100                                 | 0.500 | 1     | PASS      | ND                    |           |
| Analyzed by:<br>4571, 585, 4056                                                                                                                                                                                                                                         | Weight:<br>1g | Extraction date:<br>06/03/26 09:55:45 |       |       |           | Extracted by:<br>4571 |           |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : MI099464FIL<br>Instrument Used : Filth/Foreign Material Microscope<br>Analyzed Date : 06/03/26 10:01:01<br>Batch Date : 06/03/26 09:53:32<br>Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A |               |                                       |       |       |           |                       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/04/26  
Laboratory License #: 900013