



Certificate of Analysis

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 20260323-CHSCP-H265FF **Lab ID:** MI60622003-008
Retail Batch #: 7623910895386539 **Sampled:** 06/22/26
Batch Date: 06/19/26 **Sampling Method:** SOP.T.20.010
Harvest Date: 03/23/26 **Sample Size:** 31 units
Production Method: Other - Not Listed **Completed:** 06/25/26
Total Amount: 502 units **Manifest #:** 7875994912391230
Cultivation Facility: Homestead **Source Facility:** Homestead
Processing Facility: Homestead
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 6473072618965541

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co

License # : M00020CULPROHomestead002



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
74.1%
Total THC/Container : 371 mg



Total CBD
0.150%
Total CBD/Container : 0.750 mg



Total Cannabinoids
80.3%
Total Cannabinoids/Container : 401 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	61.6	14.2	<0.00200	0.171	<0.00200	0.635	2.97	0.0750	0.150	<0.00200	0.110	0.294
mg/unit	308	71.2	<0.00200	0.855	<0.00200	3.18	14.8	0.375	0.750	<0.00200	0.550	1.47
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4640, 1665, 585, 4056

Weight:
0.1061g

Extraction date:
06/23/26 12:19:49

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100041POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 06/24/26 10:18:33

Batch Date : 06/23/26 10:08:54

Dilution : 400

Reagent : 061226.R29; 032626.15; 061226.R28

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:				Extracted by:	
Analysis Method : N/A				Batch Date : N/A			
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 06/24/26 10:18:32							



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	7.66	38.3	
LIMONENE	0.00700	0.0200		TESTED	1.79	8.94	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	1.32	6.58	
BETA-MYRCENE	0.00700	0.0200		TESTED	1.30	6.52	
LINALOOL	0.00700	0.0200		TESTED	0.775	3.88	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.436	2.18	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.348	1.74	
BETA-PINENE	0.00700	0.0200		TESTED	0.316	1.58	
GUAIOL	0.00700	0.0200		TESTED	0.262	1.31	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.197	0.986	
ALPHA-TERPINEOL	0.00700	0.0110		TESTED	0.186	0.929	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	0.174	0.869	
OCIMENE	0.00700	0.0200		TESTED	0.172	0.861	
BORNEOL	0.0130	0.0400		TESTED	0.0757	0.378	
ALPHA-BISABOOL	0.00700	0.0200		TESTED	0.0557	0.279	
CAMPHERE	0.00700	0.0200		TESTED	0.0535	0.268	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	0.0444	0.222	
FENCHONE	0.00700	0.0200		TESTED	0.0426	0.213	
GERANIOL	0.00700	0.0200		TESTED	0.0351	0.175	
SABINENE HYDRATE	0.00700	0.0200		TESTED	0.0294	0.147	
EUCALYPTOL	0.00700	0.0200		TESTED	0.0251	0.125	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	0.0237	0.119	
3-CARENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
CAMPHOR	0.00700	0.0200		TESTED	<0.00700	<0.200	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	<0.00700	<0.200	
CEDROL	0.00700	0.0200		TESTED	<0.00700	<0.200	
FARNESENE	0.00100	0.00100		TESTED	<0.00100	<0.0100	
GERANYL ACETATE	0.00700	0.0200		TESTED	<0.00700	<0.200	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
ISOBORNEOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
ISOPULEGOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
NEROL	0.00700	0.0200		TESTED	<0.00700	<0.200	
PULEGONE	0.00700	0.0200		TESTED	<0.00700	<0.200	
SABINENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
VALENCENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	<0.00500	<0.160	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
CIS-NEROLIDOL	0.00300	0.00800		TESTED	<0.00300	<0.0800	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
Analyzed by: 4531, 585, 4056	Weight: 0.2249g	Extraction date: 06/24/26 08:49:06			Extracted by: 4531		
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL		Analytical Batch : MI100027TER		Instrument Used : DA-GCMS-004		Batch Date : 06/23/26 09:25:12	
Analyzed Date : 06/24/26 10:18:35		Dilution : 10		Reagent : 041326.45		Consumables : 927.100; 04312111; 2240626; 0000355309	
Pipette : DA-065		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.					



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 4056	Weight: 0.2145g	Extraction date: 06/23/26 11:08:09	Extracted by: 3335,4451
--	---------------------------	--	-----------------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100031PES
Instrument Used : DA-LCMS-003 (PES) **Batch Date :** 06/23/26 09:28:55
Analyzed Date : 06/24/26 10:45:47

Dilution : 250
Reagent : 012026.01; 062326.R09; 062326.R05; 062326.R04; 061626.R24; 061726.R01; 061726.R03
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4056	Weight: 0.2145g	Extraction date: 06/23/26 11:08:09	Extracted by: 3335,4451
--	---------------------------	--	-----------------------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI100034VOL
Instrument Used : DA-GCMS-010 **Batch Date :** 06/23/26 09:29:36
Analyzed Date : 06/24/26 10:43:53

Dilution : 250
Reagent : 012026.01; 062326.R09; 061226.R13; 061226.R14
Consumables : 947.110; 030125CH01; 6822423-02; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	500	PASS	<50.0	
ACETONE	ppm	75.0	375	750	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	60	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	400	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	500	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	250	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	150	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by: 4571, 585, 4056 Weight: 0.0279g Extraction date: 06/23/26 12:34:11 Extracted by: 4571

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100048SOL
Instrument Used : DA-GCMS-012 Batch Date : 06/23/26 11:45:31
Analyzed Date : 06/24/26 13:39:31

Dilution : 1
Reagent : 061323.06
Consumables : 27296; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS TERREUS	pass/fail	10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA	pass/fail	1900	1900	1949	PASS	Not Present	
SALMONELLA SPECIFIC GENE	pass/fail	10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED




Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4892, 4520, 585, 4056 Analysis Method : SOP.T.40.056C Analytical Batch : MI100019MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 06/25/26 10:08:30 Dilution : 10 Reagent : 040726.53; 040726.54; 051326.R45; 031026.17 Consumables : 7590001006 Pipette : N/A Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.	Weight: 1.168g		Extraction date: 06/23/26 10:21:44			Extracted by: 4892	
Batch Date : 06/23/26 07:54:16							

Analyzed by: 4892, 4520, 585, 4056 Analysis Method : SOP.T.40.209.FL Analytical Batch : MI100020TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 06/25/26 12:36:39 Dilution : 10 Reagent : 022626.23; 022626.27; 041526.R47 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.	Weight: 1.168g		Extraction date: 06/23/26 10:32:30			Extracted by: 4892	
Batch Date : 06/23/26 07:54:22							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 585, 4056 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI100033MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 06/24/26 10:44:31 Dilution : 250 Reagent : 012026.01; 061726.R03; 062326.R09; 062326.R05; 062326.R04; 061626.R24; 061726.R01 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.	Weight: 0.2145g		Extraction date: 06/23/26 11:08:09			Extracted by: 3335,4451	
Batch Date : 06/23/26 09:29:31							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.61	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60622003-008

Batch #: 7623910895386539
Harvest/Lot ID: 20260323-CHSCP-H265FF
Seed to sale: 6473072618965541

Ordered: 06/22/26
Sampled: 06/22/26
Completed: 06/25/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 585 Weight: 0.716g Extraction date: 06/23/26 15:16:32 Extracted by: 4056 Analysis Method : SOP.T.40.019 Analytical Batch : MI100052WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 06/24/26 10:16:37 Batch Date : 06/23/26 14:16:38 Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY	ppm	0.0200	0.100	0.2	PASS	<0.0200	
Analyzed by: 1022, 585, 4056 Weight: 0.244g Extraction date: 06/23/26 12:03:49 Extracted by: 1022,5122 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100024HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 06/24/26 15:02:54 Batch Date : 06/23/26 08:55:13 Dilution : 50 Reagent : 060126.R03; 061726.R78; 062326.R03; 061826.R13; 062326.R01; 062326.R02; 050626.11; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4571, 585, 4056 Weight: 1g Extraction date: 06/24/26 11:22:12 Extracted by: 4571 Analysis Method : SOP.T.40.090 Analytical Batch : MI100082FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/24/26 11:37:03 Batch Date : 06/24/26 11:19:34 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/25/26
Laboratory License #: 900013