



Certificate of Analysis

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 20260217-710RW13-LSH2
Retail Batch #: 0858235499206243
Batch Date: 06/29/26
Harvest Date: 02/17/26
Production Method: Other - Not Listed
Total Amount: 237 units
Cultivation Facility: Homestead
Processing Facility: Homestead
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 9431093418144322

Lab ID: MI60629001-001
Sampled: 06/29/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 07/02/26
Expires: 06/29/27
Manifest #: 9788535507163296
Source Facility: Homestead

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
TESTED



Terpenes
TESTED



Cannabinoid

TESTED




Total THC
67.0%
Total THC/Container : 670 mg



Total CBD
0.159%
Total CBD/Container : 1.59 mg



Total Cannabinoids
77.8%
Total Cannabinoids/Container : 778 mg



| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | THCVA |
|-----------|---------|---------|----------|---------|----------|---------|---------|----------|---------|----------|---------|---------|
| % | 6.86 | 68.6 | <0.00200 | 0.181 | <0.00200 | 0.262 | 1.49 | <0.00200 | 0.0690 | <0.00200 | 0.110 | 0.301 |
| mg/unit | 68.6 | 686 | <0.00200 | 1.81 | <0.00200 | 2.62 | 14.9 | <0.00200 | 0.690 | <0.00200 | 1.10 | 3.01 |
| LOD | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200 |
| LOQ | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 | 0.0200 |
| Qualifier | % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
1665, 585, 5268

Weight:
0.1098g

Extraction date:
06/30/26 12:28:39

Extracted by:
5150,5155

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100215POT

Instrument Used : DA-LC-003 (Derivative)

Batch Date : 06/30/26 07:55:49

Analyzed Date : 07/01/26 09:40:53

Dilution : 400

Reagent : 061226.R29; 102725.04; 061226.R28

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED



Label Claim Verification

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|-----|------------------|-----------|---------------|-----------|
| Analyzed by: | Weight: | Extraction date: | | | | Extracted by: | |
| Analysis Method : N/A | | | | Batch Date : N/A | | | |
| Analytical Batch : N/A | | | | | | | |
| Instrument Used : N/A | | | | | | | |
| Analyzed Date : 07/01/26 09:40:52 | | | | | | | |



Terpenes

TESTED

| ANALYTES | LOD | LOQ | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES | 0.00700 | 0.0200 | | TESTED | 8.22 | 82.2 | |
| LIMONENE | 0.00700 | 0.0200 | | TESTED | 2.61 | 26.1 | |
| BETA-CARYOPHYLLENE | 0.00700 | 0.0200 | | TESTED | 1.34 | 13.4 | |
| LINALOOL | 0.00700 | 0.0200 | | TESTED | 0.812 | 8.12 | |
| ALPHA-PINENE | 0.00700 | 0.0200 | | TESTED | 0.793 | 7.93 | |
| BETA-PINENE | 0.00700 | 0.0200 | | TESTED | 0.563 | 5.63 | |
| ALPHA-HUMULENE | 0.00700 | 0.0200 | | TESTED | 0.420 | 4.20 | |
| GUAJOL | 0.00700 | 0.0200 | | TESTED | 0.332 | 3.32 | |
| ALPHA-TERPINEOL | 0.00700 | 0.0110 | | TESTED | 0.237 | 2.37 | |
| FENCHYL ALCOHOL | 0.00700 | 0.0200 | | TESTED | 0.228 | 2.28 | |
| BETA-MYRCENE | 0.00700 | 0.0200 | | TESTED | 0.153 | 1.53 | |
| ALPHA-BISABOLOL | 0.00700 | 0.0200 | | TESTED | 0.126 | 1.26 | |
| TRANS-NEROLIDOL | 0.00500 | 0.0160 | | TESTED | 0.123 | 1.23 | |
| OCIMENE | 0.00700 | 0.0200 | | TESTED | 0.111 | 1.11 | |
| BORNEOL | 0.0130 | 0.0400 | | TESTED | 0.0937 | 0.937 | |
| CAMPHENE | 0.00700 | 0.0200 | | TESTED | 0.0862 | 0.862 | |
| FENCHONE | 0.00700 | 0.0200 | | TESTED | 0.0613 | 0.613 | |
| ALPHA-TERPINOLENE | 0.00700 | 0.0200 | | TESTED | 0.0553 | 0.553 | |
| SABINENE HYDRATE | 0.00700 | 0.0200 | | TESTED | 0.0356 | 0.356 | |
| EUCALYPTOL | 0.00700 | 0.0200 | | TESTED | 0.0259 | 0.259 | |
| ALPHA-TERPINENE | 0.00700 | 0.0200 | | TESTED | 0.0219 | 0.219 | |
| 3-CARENE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| CAMPHOR | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| CEDROL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| FARNESENE | 0.00100 | 0.00100 | | TESTED | <0.00100 | <0.0100 | |
| GERANIOL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| GERANYL ACETATE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| HEXAHYDROTHYMOL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| ISOBORNEOL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| ISOPULEGOL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| NEROL | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| PULEGONE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| SABINENE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| VALENCENE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| ALPHA-CEDRENE | 0.00500 | 0.0160 | | TESTED | <0.00500 | <0.160 | |
| ALPHA-PHELLANDRENE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |
| CIS-NEROLIDOL | 0.00300 | 0.00800 | | TESTED | <0.00300 | <0.0800 | |
| GAMMA-TERPINENE | 0.00700 | 0.0200 | | TESTED | <0.00700 | <0.200 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED



Terpenes

TESTED

| ANALYTES | LOD | LOQ | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|--|---------------------------|--|-------|---------------------------------------|------------------------------|-----------|-----------|
| Analyzed by: 4531, 585, 5268 | Weight: 0.2016g | Extraction date: 06/30/26 11:47:46 | | | Extracted by: 4531 | | |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | | | | |
| Analytical Batch : MI100227TER | | | | | | | |
| Instrument Used : DA-GCMS-004 | | | | Batch Date : 06/30/26 10:22:35 | | | |
| Analyzed Date : 07/01/26 09:40:55 | | | | | | | |
| Dilution : 10 | | | | | | | |
| Reagent : 041326.45 | | | | | | | |
| Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | | | | |
| Pipette : DA-065 | | | | | | | |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. | | | | | | | |



Pesticide

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm | 0.0100 | 0.0500 | 5 | PASS | <0.0100 | |
| TOTAL DIMETHOMORPH | ppm | 0.0100 | 0.0500 | 0.2 | PASS | <0.0100 | |
| TOTAL PERMETHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| TOTAL PYRETHRINS | ppm | 0.0100 | 0.0500 | 0.5 | PASS | <0.0100 | |
| TOTAL SPINETORAM | ppm | 0.0100 | 0.0500 | 0.2 | PASS | <0.0100 | |
| TOTAL SPINOSAD | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ABAMECTIN B1A | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ACEPHATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ACEQUINOCYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ACETAMIPRID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ALDICARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| AZOXYSTROBIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| BIFENAZATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| CHLORPYRIFOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| BIFENTHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| BOSCALID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| CARBARYL | ppm | 0.0100 | 0.0500 | 0.5 | PASS | <0.0100 | |
| CLOFENTEZINE | ppm | 0.0100 | 0.0500 | 0.2 | PASS | <0.0100 | |
| CARBOFURAN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| COUMAPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| CHLORANTRANILIPROLE | ppm | 0.0100 | 0.0500 | 1 | PASS | <0.0100 | |
| CHLORMEQUAT CHLORIDE | ppm | 0.0100 | 0.0500 | 1 | PASS | <0.0100 | |
| DAMINOZIDE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| DIAZINON | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| DICHLORVOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| DIMETHOATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ETHOPROPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ETOFENPROX | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| ETOXAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FENHEXAMID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FENOXYCARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FENPYROXIMATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FIPRONIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FLONICAMID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| FLUDIOXONIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| HEXYTHIAZOX | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| IMAZALIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED



Pesticide

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID | ppm | 0.0100 | 0.0500 | 0.4 | PASS | <0.0100 | |
| KRESOXIM-METHYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| MALATHION | ppm | 0.0100 | 0.0500 | 0.2 | PASS | <0.0100 | |
| METALAXYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| METHIOCARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| METHOMYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| MEVINPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| MYCLOBUTANIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| NALED | ppm | 0.0100 | 0.0500 | 0.25 | PASS | <0.0100 | |
| OXAMYL | ppm | 0.0100 | 0.0500 | 0.5 | PASS | <0.0100 | |
| PACLOBUTRAZOL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PHOSMET | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PIPERONYL BUTOXIDE | ppm | 0.0100 | 0.0500 | 3 | PASS | <0.0100 | |
| PRALLETHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PROPICONAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PROPOXUR | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PYRIDABEN | ppm | 0.0100 | 0.0500 | 0.2 | PASS | <0.0100 | |
| SPIROMESIFEN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| SPIROTETRAMAT | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| SPIROXAMINE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| TEBUCONAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| THIACLOPRID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| THIAMETHOXAM | ppm | 0.0100 | 0.0500 | 0.5 | PASS | <0.0100 | |
| TRIFLOXYSTROBIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PENTACHLORONITROBENZENE (PCNB) | ppm | 0.0100 | 0.0750 | 0.15 | PASS | <0.0100 | |
| TOTAL CHLORDANE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| PARATHION-METHYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| CAPTAN | ppm | 0.0700 | 0.350 | 0.7 | PASS | <0.0700 | |
| CHLORFENAPYR | ppm | 0.0100 | 0.0500 | 0.1 | PASS | <0.0100 | |
| CYFLUTHRIN | ppm | 0.0500 | 0.250 | 0.5 | PASS | <0.0500 | |
| CYPERMETHRIN | ppm | 0.0500 | 0.250 | 0.5 | PASS | <0.0500 | |

| | | | |
|--|---------------------------|--|----------------------------------|
| Analyzed by: 4451, 585, 5268 | Weight: 0.2255g | Extraction date: 06/30/26 11:54:14 | Extracted by: 4451,450 |
|--|---------------------------|--|----------------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100216PES
Instrument Used : DA-LCMS-004 (PES) **Batch Date :** 06/30/26 08:04:06
Analyzed Date : 07/01/26 09:40:26

Dilution : 250
Reagent : 062926.R01; 012026.01; 062426.R03; 063026.R08; 062926.R16; 061626.R24; 062426.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED

| | | |
|---|------------------|---------------|
|  | Pesticide | PASSED |
|---|------------------|---------------|

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|---------------------------|---|-----|--|-----------|--|-----------|
| Analyzed by: 3335, 585, 5268 | Weight: 0.2255g | Extraction date: 06/30/26 11:54:14 | | | | Extracted by: 4451,450 | |
| Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | Analytical Batch : MI100218VOL | | Instrument Used : DA-GCMS-010 | | Batch Date : 06/30/26 08:05:00 | |
| Analyzed Date : 07/01/26 09:29:33 | | Dilution : 250 | | Reagent : 062926.R01; 012026.01; 062426.R10; 062426.R13 | | Consumables : 947.110; 030125CH01; 6822423-02; 17473601 | |
| Pipette : DA-080; DA-146; DA-218 | | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | |
|---|------------------|---------------|
|  | Microbial | PASSED |
|---|------------------|---------------|

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|--------------------------|--|-------|--|-----------|---------------------------------------|-----------|
| ASPERGILLUS FLAVUS | RFU | 10000 | 10000 | 10000 | PASS | Not Present | |
| ASPERGILLUS FUMIGATUS | RFU | 10000 | 10000 | 10000 | PASS | Not Present | |
| ASPERGILLUS NIGER | RFU | 10000 | 10000 | 10000 | PASS | Not Present | |
| ASPERGILLUS TERREUS | RFU | 10000 | 10000 | 10000 | PASS | Not Present | |
| ECOLI - SHIGELLA | RFU | 1900 | 1900 | 1949 | PASS | Not Present | |
| SALMONELLA SPECIFIC GENE | RFU | 10000 | 10000 | 10000 | PASS | Not Present | |
| TOTAL YEAST AND MOLD | CFU/g | 10.0 | 10.0 | 100000 | PASS | <10.0 | |
| Analyzed by: 5008, 4892, 585, 5268 | Weight: 0.854g | Extraction date: 06/30/26 10:08:25 | | | | Extracted by: 4520 | |
| Analysis Method : SOP.T.40.056C | | Analytical Batch : MI100223MIC | | Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | Batch Date : 06/30/26 08:24:01 | |
| Analyzed Date : 07/02/26 10:10:09 | | Dilution : 10 | | Reagent : 040726.58; 051326.R45; 031026.17 | | Consumables : 7590002058 | |
| Pipette : N/A | | Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | | | |
|--|--------------------------|--|--|---|--|---------------------------------------|--|
| Analyzed by: 5008, 4892, 585, 5268 | Weight: 0.925g | Extraction date: 06/30/26 10:11:15 | | | | Extracted by: 4520 | |
| Analysis Method : SOP.T.40.209.FL | | Analytical Batch : MI100224TYM | | Instrument Used : DA-328 (25°C Incubator) | | Batch Date : 06/30/26 08:25:06 | |
| Analyzed Date : 07/02/26 14:50:17 | | Dilution : 10 | | Reagent : 022626.27; 022626.28; 041526.R47 | | Consumables : N/A | |
| Pipette : N/A | | Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED



Mycotoxins

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|----------|-----------|
| AFLATOXIN B1 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | <0.00200 | |
| AFLATOXIN B2 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | <0.00200 | |
| OCHRATOXIN A | ppm | 0.00200 | 0.0100 | 0.02 | PASS | <0.00200 | |
| AFLATOXIN G1 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | <0.00200 | |
| AFLATOXIN G2 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | <0.00200 | |

| | | | |
|--|---------------------------|--|----------------------------------|
| Analyzed by: 4451, 585, 5268 | Weight: 0.2255g | Extraction date: 06/30/26 11:54:14 | Extracted by: 4451,450 |
|--|---------------------------|--|----------------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100217MYC
Instrument Used : DA-LCMS-004 (MYC) **Batch Date :** 06/30/26 08:04:57
Analyzed Date : 07/01/26 09:30:10

Dilution : 250
Reagent : 062926.R01; 012026.01; 062426.R03; 063026.R08; 062926.R16; 061626.R24; 062426.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw | 0.010 | 0.10 | 0.85 | PASS | 0.60 | |

| | | | |
|--|--------------------------|--|------------------------------|
| Analyzed by: 4056, 585, 5268 | Weight: 1.119g | Extraction date: 06/30/26 15:07:21 | Extracted by: 4056 |
|--|--------------------------|--|------------------------------|

Analysis Method : SOP.T.40.019
Analytical Batch : MI100231WAT
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) **Batch Date :** 06/30/26 14:23:02
Analyzed Date : 07/01/26 09:28:53

Dilution : N/A
Reagent : 050726.03
Consumables : PS-14
Pipette : N/A



Moisture Content

TESTED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|------|------|-------|-----------|--------|-----------|
| MOISTURE CONTENT | % | 1.00 | 1.00 | | TESTED | 4.12 | |

| | | | |
|--|--------------------------|--|------------------------------|
| Analyzed by: 4056, 585, 5268 | Weight: 0.727g | Extraction date: 06/30/26 15:34:36 | Extracted by: 4056 |
|--|--------------------------|--|------------------------------|

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI100229MOI
Instrument Used : DA-003 Moisture Analyzer **Batch Date :** 06/30/26 14:22:37
Analyzed Date : 07/01/26 09:28:02

Dilution : N/A
Reagent : 050626.11; 031523.19
Consumables : N/A
Pipette : DA-066

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013



Certificate of Analysis

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60629001-001

Batch #: 0858235499206243
Harvest/Lot ID: 20260217-710RW13-LSH2
Seed to sale: 9431093418144322

Expires: 06/29/27

Ordered: 06/29/26
Sampled: 06/29/26
Completed: 07/02/26

PASSED

Hg

Heavy Metals

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------|------|--------|-------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD METALS | ppm | 0.0800 | 0.400 | 1.1 | PASS | <0.0800 | |
| ARSENIC | ppm | 0.0200 | 0.100 | 0.2 | PASS | <0.0200 | |
| CADMIUM | ppm | 0.0200 | 0.100 | 0.2 | PASS | <0.0200 | |
| LEAD | ppm | 0.0200 | 0.100 | 0.5 | PASS | <0.0200 | |
| MERCURY | ppm | 0.0200 | 0.100 | 0.2 | PASS | <0.0200 | |

| | | | |
|--|---------------------------|--|------------------------------|
| Analyzed by: 1022, 585, 5268 | Weight: 0.2522g | Extraction date: 06/30/26 11:35:24 | Extracted by: 5122 |
|--|---------------------------|--|------------------------------|

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI100226HEA
Instrument Used : DA-ICPMS-005
Analyzed Date : 07/01/26 09:44:08
Batch Date : 06/30/26 08:57:15

Dilution : 50
Reagent : 060126.R03; 061726.R78; 062426.R44; 061826.R13; 062926.R19; 062926.R20; 050626.11; 052826.R08; 032326.01
Consumables : 030125CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filt/Foreign Material

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------------|------|-------|-------|-------|-----------|--------|-----------|
| FILT AND FOREIGN MATERIAL | % | 0.100 | 0.500 | 1 | PASS | <0.100 | |

| | | | |
|----------------------------------|----------------------|--|-----------------------------|
| Analyzed by: 585, 5268 | Weight: 1g | Extraction date: 07/01/26 12:16:47 | Extracted by: 585 |
|----------------------------------|----------------------|--|-----------------------------|

Analysis Method : SOP.T.40.090
Analytical Batch : MI100254FIL
Instrument Used : Filt/Foreign Material Microscope
Analyzed Date : 07/01/26 12:19:30
Batch Date : 07/01/26 12:15:46

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/02/26
Laboratory License #: 900013