



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 20260602-DRP-0.5
Retail Batch #: 6199039636408830
Batch Date: 06/23/26
Harvest Date: 06/02/26
Production Method: Other - Not Listed
Total Amount: 2970 units
Cultivation Facility: Homestead
Processing Facility: Homestead
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 4871767859566663

Lab ID: MI60624011-003
Sampled: 06/24/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 06/28/26
Manifest #: 7808192479621384
Source Facility: Homestead

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co

License #: M00020CULPROHomestead002

THE FLOWERY

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
82.7%

Total THC/Container : 413 mg



Total CBD
0.209%

Total CBD/Container : 1.05 mg



Total Cannabinoids
86.7%

Total Cannabinoids/Container : 434 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC	THCVA
%	82.6	0.125	0.209	<0.00200	<0.00200	2.03	<0.00200	0.569	0.441	<0.00200	0.682	0.116
mg/unit	413	0.625	1.05	<0.00200	<0.00200	10.2	<0.00200	2.85	2.21	<0.00200	3.41	0.580
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
4640, 1665, 585, 5268

Weight:
0.1059g

Extraction date:
06/25/26 12:21:46

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100129POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 06/26/26 11:17:23

Batch Date : 06/25/26 11:05:54

Dilution : 400

Reagent : 061226.R29; 061526.01; 061226.R28

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
06/28/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Label Claim Verification

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:			Extracted by:			
Analysis Method : N/A								
Analytical Batch : N/A								
Instrument Used : N/A								
Analyzed Date : 06/26/26 11:17:22								
Batch Date : N/A								



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES	0.00700	0.0200	TESTED	6.97	34.8	
ALPHA-TERPINOLENE	0.00700	0.0200	TESTED	2.07	10.3	
BETA-MYRCENE	0.00700	0.0200	TESTED	1.32	6.61	
LIMONENE	0.00700	0.0200	TESTED	0.894	4.47	
OCIMENE	0.00700	0.0200	TESTED	0.894	4.47	
ALPHA-PINENE	0.00700	0.0200	TESTED	0.457	2.28	
BETA-PINENE	0.00700	0.0200	TESTED	0.430	2.15	
3-CARENE	0.00700	0.0200	TESTED	0.186	0.931	
ALPHA-PHELLANDRENE	0.00700	0.0200	TESTED	0.181	0.905	
ALPHA-TERPINENE	0.00700	0.0200	TESTED	0.146	0.729	
GAMMA-TERPINENE	0.00700	0.0200	TESTED	0.110	0.551	
CAMPHENE	0.00700	0.0200	TESTED	0.0728	0.364	
ALPHA-BISABOOL	0.00700	0.0200	TESTED	0.0672	0.336	
LINALOOL	0.00700	0.0200	TESTED	0.0403	0.201	
FENCHYL ALCOHOL	0.00700	0.0200	TESTED	0.0403	0.201	
BETA-CARYOPHYLLENE	0.00700	0.0200	TESTED	0.0382	0.191	
ALPHA-TERPINEOL	0.00700	0.0200	TESTED	0.0221	0.110	
EUCALYPTOL	0.00700	0.0200	TESTED	<0.0200	<0.200	
SABINENE	0.00700	0.0200	TESTED	<0.0200	<0.200	
ALPHA-HUMULENE	0.00700	0.0200	TESTED	<0.0200	<0.200	
BORNEOL	0.0130	0.0400	TESTED	<0.0130	<0.400	
CAMPHOR	0.00700	0.0200	TESTED	<0.00700	<0.200	
CARYOPHYLLENE OXIDE	0.00700	0.0200	TESTED	<0.00700	<0.200	
CEDROL	0.00700	0.0200	TESTED	<0.00700	<0.200	
FARNESENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
FENCHONE	0.00700	0.0200	TESTED	<0.00700	<0.200	
GERANIOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
GERANYL ACETATE	0.00700	0.0200	TESTED	<0.00700	<0.200	
GUAIOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
HEXAHYDROTHYMOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
ISOBORNEOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
ISOPULEGOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
NEROL	0.00700	0.0200	TESTED	<0.00700	<0.200	
PULEGONE	0.00700	0.0200	TESTED	<0.00700	<0.200	
SABINENE HYDRATE	0.00700	0.0200	TESTED	<0.00700	<0.200	
VALENCENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
ALPHA-CEDRENE	0.00500	0.0160	TESTED	<0.00500	<0.160	
CIS-NEROLIDOL	0.00300	0.00800	TESTED	<0.00300	<0.0800	
TRANS-NEROLIDOL	0.00500	0.0160	TESTED	<0.00500	<0.160	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
INFUSED DISTILLATE 510 CART 0.5G - Durban Poison
Strain: DURBAN POISON
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate



Certificate of Analysis

Pages 3 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 4451, 585, 5268	Weight: 0.206g	Extraction date: 06/25/26 14:31:31			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI100120TER						
Instrument Used : DA-GCMS-009						
Batch Date : 06/25/26 09:06:00						
Analyzed Date : 06/26/26 11:17:26						
Dilution : 10						
Reagent : 041326.45						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
INFUSED DISTILLATE 510 CART 0.5G - Durban Poison
Strain: DURBAN POISON
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate



Certificate of Analysis

Pages 4 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 5268	Weight: 0.2135g	Extraction date: 06/25/26 11:30:16	Extracted by: 4451,3335
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100112PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 06/25/26 08:56:20
Analyzed Date : 06/26/26 11:07:57

Dilution : 250
Reagent : 062326.R09; 012026.01; 062426.R03; 062326.R05; 062326.R04; 061626.R24; 062426.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 5268	Weight: 0.2135g	Extraction date: 06/25/26 11:30:16	Extracted by: 4451,3335
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI100115VOL
Instrument Used : DA-GCMS-011
Batch Date : 06/25/26 08:56:58
Analyzed Date : 06/26/26 11:02:11

Dilution : 250
Reagent : 062326.R09; 012026.01; 062426.R10; 062426.R13
Consumables : 947.110; 030125CH01; 6822423-02; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
INFUSED DISTILLATE 510 CART 0.5G - Durban Poison
Strain: DURBAN POISON
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate



Certificate of Analysis

Pages 5 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	500	PASS	<50.0	
ACETONE	ppm	75.0	375	750	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	60	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	400	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	500	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	250	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	150	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by:
4571, 585, 5268

Weight:
0.0258g

Extraction date:
06/25/26 11:07:02

Extracted by:
4571,585

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100128SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 06/26/26 11:45:13

Batch Date : 06/25/26 10:51:26

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER	pass/fail	10000	10000	10000	PASS	Not Present	
ASPERGILLUS TERREUS	pass/fail	10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA	pass/fail	1900	1900	1949	PASS	Not Present	
SALMONELLA SPECIFIC GENE	pass/fail	10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
INFUSED DISTILLATE 510 CART 0.5G - Durban Poison
Strain: DURBAN POISON
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate



Certificate of Analysis

Pages 6 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 4892, 585, 5268	Weight: 1.158g	Extraction date: 06/25/26 10:42:29		Extracted by: 4520,4892			
Analysis Method : SOP.T.40.056C							
Analytical Batch : MI100110MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)							Batch Date : 06/25/26 07:43:23
Analyzed Date : 06/27/26 12:36:18							
Dilution : 10							
Reagent : 040726.38; 040726.55; 051326.R45; 031026.17							
Consumables : 7590001013							
Pipette : N/A							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 4520, 4892, 585, 5268	Weight: 1.151g	Extraction date: 06/25/26 10:41:07	Extracted by: 4520,4892
Analysis Method : SOP.T.40.209.FL			
Analytical Batch : MI100111TYM			
Instrument Used : DA-328 (25°C Incubator)		Batch Date : 06/25/26 07:43:27	
Analyzed Date : 06/27/26 15:30:46			
Dilution : 10			
Reagent : 022626.27; 022626.28; 041526.R47			
Consumables : N/A			
Pipette : N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			



Mycotoxins

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1		ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2		ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A		ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1		ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2		ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 585, 5268		Weight: 0.2135g	Extraction date: 06/25/26 11:30:16			Extracted by: 4451,3335		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL								
Analytical Batch : MI100113MYC								
Instrument Used : DA-LCMS-003 (MYC)				Batch Date : 06/25/26 08:56:54				
Analyzed Date : 06/26/26 11:09:19								
Dilution : 250								
Reagent : 062326.R09; 012026.01; 062426.R03; 062326.R05; 062326.R04; 061626.R24; 062426.R01								
Consumables : 947.110; 030125CH01; 6822423-02								
Pipette : DA-093; DA-094; DA-219								
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.63	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
INFUSED DISTILLATE 510 CART 0.5G - Durban Poison
Strain: DURBAN POISON
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate



Certificate of Analysis

Pages 7 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60624011-003

Batch #: 6199039636408830
Harvest/Lot ID: 20260602-DRP-0.5
Seed to sale: 4871767859566663

Ordered: 06/24/26
Sampled: 06/24/26
Completed: 06/28/26

PASSED



Water Activity

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Analyzed by: 4056, 585, 5268	Weight: 0.894g	Extraction date: 06/25/26 15:35:00	Extracted by: 4056
Analysis Method : SOP.T.40.019		Batch Date : 06/25/26 13:57:29	
Analytical Batch : MI100134WAT			
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)			
Analyzed Date : 06/26/26 10:41:41			
Dilution : N/A			
Reagent : 050726.03			
Consumables : PS-14			
Pipette : N/A			



Heavy Metals

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800
ARSENIC	ppm	0.0200	0.100	0.2	PASS	<0.0200
CADMIUM	ppm	0.0200	0.100	0.2	PASS	<0.0200
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200
MERCURY	ppm	0.0200	0.100	0.2	PASS	<0.0200
Analyzed by: 1022, 5122, 585, 5268		Weight: 0.2585g		Extraction date: 06/25/26 13:34:14		Extracted by: 1022,5122
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : MI100122HEA						
Instrument Used : DA-ICPMS-005				Batch Date : 06/25/26 09:41:26		
Analyzed Date : 06/27/26 12:37:04						
Dilution : 50						
Reagent : 060126.R03; 061726.R78; 062426.R44; 062326.R03; 061826.R13; 062326.R01; 062326.R02; 050626.11; 052826.R08; 032326.01						
Consumables : 030125CH01; J609879-0193; 179436						
Pipette : DA-061; DA-191; DA-215						

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

FILTH AND FOREIGN MATERIAL		%	0.100	0.500	1	PASS	<0.100
Analyzed by: 4571, 585, 5268	Weight: 1g	Extraction date: 06/25/26 14:31:28				Extracted by: 4571	
Analysis Method : SOP.T.40.090							
Analytical Batch : MI100135FIL							
Instrument Used : Filth/Foreign Material Microscope		Batch Date : 06/25/26 14:30:05					
Analyzed Date : 06/26/26 11:10:16							
Dilution : N/A							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/28/26
Laboratory License #: 900013