



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 20260526-BSL-H283
Retail Batch #: 2360300779308525
Batch Date: 07/31/26
Harvest Date: 05/26/26
Production Method: Cured
Total Amount: 1,200 units (3,000 grams)
Cultivation Facility: Homestead
Processing Facility: Homestead
Retail Product Size: 2.5 gram
Retail Serving Size: 2.5 gram
Servings: 1
Seed To Sale #: 2927680040389603

Lab ID: MI60804006-001
Sampled: 08/03/26
Sampling Method: SOP.T.20.010
Sample Size: 11 units
Completed: 08/11/26
Expires: 08/04/27
Manifest #: 6941239162811704
Source Facility: Homestead

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co

License # : M00020CULPROHomestead002

THE FLOWERY

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign Material
PASSED



Water Activity
PASSED



Moisture Content
PASSED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
22.8%

Total THC/Container : 571 mg



Total CBD
0.0442%

Total CBD/Container : 1.10 mg



Total Cannabinoids
27.0%

Total Cannabinoids/Container : 674 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.485	25.5	<0.00100	0.0504	<0.00100	0.0563	0.722	<0.00100	<0.00100	<0.00100	0.0545	0.112
mg/unit	12.1	637	<0.00100	1.26	<0.00100	1.41	18.0	<0.00100	<0.00100	<0.00100	1.36	2.79
Qualifier												
LOD (%)	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
LOQ (%)	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100
Weight	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g	0.2048 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 3379, 5150, 1440

Extraction date:
08/04/26 11:55:09

Extracted by:
5150, 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101043POT

Instrument Used : DA-LC-005 (Flower)

Analyzed Date : 08/04/26 16:40:00

Batch Date : 08/04/26 09:08:28

Reagent : 071726.R10; 071326.26; 071726.R09

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
08/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

PACKS PREMIUM HANDROLL 2.5G PACKS: Blue Slushie #3
Strain: PACKS: BLUE SLUSHIE #3
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 2 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Extraction date:	Extracted by:
Analysis Method : N/A		
Analytical Batch : N/A		
Instrument Used : N/A	Batch Date : N/A	
Analyzed Date : 08/06/26 08:49:07		



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.8992 g	1 ml	1 x	0.00700	0.0200	1.76	44.0		TESTED
BETA-CARYOPHYLLENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.674	16.9		TESTED
LIMONENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.342	8.55		TESTED
ALPHA-HUMULENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.290	7.24		TESTED
LINALOOL	0.8992 g	1 ml	1 x	0.00700	0.0200	0.131	3.28		TESTED
ALPHA-BISABOLOL	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0549	1.37		TESTED
BETA-PINENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0544	1.36		TESTED
FENCHYL ALCOHOL	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0507	1.27		TESTED
ALPHA-TERPINEOL	0.8992 g	1 ml	1 x	0.00700	0.0110	0.0433	1.08		TESTED
BETA-MYRCENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0300	0.751		TESTED
ALPHA-PINENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0268	0.669		TESTED
CARYOPHYLLENE OXIDE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0195	0.487	J	TESTED
GERANIOL	0.8992 g	1 ml	1 x	0.00700	0.0200	0.0116	0.289	J	TESTED
CAMPHENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.00978	0.245	J	TESTED
OCIMENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.00924	0.231	J	TESTED
ALPHA-TERPINOLENE	0.8992 g	1 ml	1 x	0.00700	0.0200	0.00807	0.202	J	TESTED
CIS-NEROLIDOL	0.8992 g	1 ml	1 x	0.00300	0.00800	0.00590	0.148	J	TESTED
3-CARENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
BORNEOL	0.8992 g	1 ml	1 x	0.0130	0.0400	<0.0130	<0.400		TESTED
CAMPOR	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
FARNESENE	0.8992 g	1 ml	1 x	0.00100	0.00100	<0.00100	<0.0100		TESTED
FENCHONE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GUAIOL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
HEXAHYDROTHYMOL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.8992 g	1 ml	1 x	0.00500	0.0160	<0.00500	<0.160		TESTED
ALPHA-PHELLANDRENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GAMMA-TERPINENE	0.8992 g	1 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
TRANS-NEROLIDOL	0.8992 g	1 ml	1 x	0.00500	0.0160	<0.00500	<0.160		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

PACKS PREMIUM HANDROLL 2.5G PACKS: Blue Slushie #3
Strain: PACKS: BLUE SLUSHIE #3
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 3 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 3379, 1440

Extraction date:
08/04/26 13:29:21

Extracted by:
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI101048TER

Instrument Used : DA-GCMS-004

Analyzed Date : 08/05/26 03:50:00

Batch Date : 08/04/26 11:31:46

Reagent : 041326.43

Consumables : 24197251; 04312111; 2240626; 0000214700

Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.9415 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.9415 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.9415 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.9415 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.9415 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.9415 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.9415 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.9415 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.9415 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

PACKS PREMIUM HANDROLL 2.5G PACKS: Blue Slushie #3
Strain: PACKS: BLUE SLUSHIE #3
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 4 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.9415 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.9415 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.9415 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.9415 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.9415 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.9415 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.9415 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.9415 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.9415 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.9415 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.9415 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.9415 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.9415 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.9415 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by: 4451, 3379, 1440	Extraction date: 08/04/26 10:20:13	Extracted by: 4451
----------------------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101039PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 08/04/26 08:10:14

Analyzed Date : 08/04/26 17:32:00

Reagent : 073126.R05; 012026.01; 072826.R16; 073126.R22; 080326.R02; 061626.R24; 072926.R01

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : DA-093; DA-094; DA-488

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 3379, 1440	Extraction date: 08/04/26 10:20:13	Extracted by: 4451
----------------------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101041VOL

Instrument Used : DA-GCMS-001

Batch Date : 08/04/26 08:10:50

Analyzed Date : 08/04/26 18:12:00

Reagent : 073126.R05; 012026.01; 072926.R29; 072926.R28

Consumables : 24197251; DMAX06C26S; 6894944-01; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

PACKS PREMIUM HANDROLL 2.5G. PACKS: Blue Slushie #3
Strain: PACKS: BLUE SLUSHIE #3
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 5 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.824 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.097 g	1 ml	10 x	100000	10.0	10.0	12300	CFU/g		PASS
Analyzed by: 4520, 3379, 1440			Extraction date: 08/04/26 10:24:01			Extracted by: 4892				
Analysis Method : SOP.T.40.056C										
Analytical Batch : MI101034MIC										
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)										
										Batch Date : 08/04/26 08:06:39
Analyzed Date : 08/06/26 11:21:05										
Reagent : 041326.30; 041326.35; 061226.R05; 031026.13										
Consumables : 7589003087										
Pipette : N/A										
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.										

Analyzed by: 4520, 3379, 3621, 5008, 1440		Extraction date: 08/04/26 10:23:28		Extracted by: 4892,4520	
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : MI101035TYM					
Instrument Used : DA-328 (25°C Incubator)				Batch Date : 08/04/26 08:06:43	
Analyzed Date : 08/10/26 09:27:00					
Reagent : 022626.73; 022626.74; 041526.R47					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.9415 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.9415 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.9415 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.9415 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.9415 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
Analyzed by: 4451, 3379, 1440		Extraction date: 08/04/26 10:20:13						Extracted by: 4451		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL										
Analytical Batch : MI101040MYC										
Instrument Used : DA-LCMS-004 (MYC)					Batch Date : 08/04/26 08:10:47					
Analyzed Date : 08/04/26 17:32:00										
Reagent : 073126.R05; 012026.01; 072826.R16; 073126.R22; 080326.R02; 061626.R24; 072926.R01										
Consumables : 24197251; DMAX06C26S; 6894944-01										
Pipette : DA-093; DA-094; DA-488										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013



Certificate of Analysis

Pages 6 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License #: M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	1.1985 g			0.65	0.010	0.10	0.51	aw		PASS
Analyzed by: 4056, 3379, 1440		Extraction date: 08/04/26 13:32:32						Extracted by: 4056		
Analysis Method : SOP.T.40.019										
Analytical Batch : MI101050WAT										
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)										
Analyzed Date : 08/04/26 16:41:34										
Batch Date : 08/04/26 13:01:27										
Reagent : 050726.03										
Consumables : PS-14										
Pipette : N/A										



Moisture Content

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.51 g			15	1.0	1.0	10.4	%		PASS
Analyzed by: 4056, 3379, 1440		Extraction date: 08/04/26 15:08:31				Extracted by: 4056				
Analysis Method : SOP.T.40.021.FL										
Analytical Batch : MI101049MOI										
Instrument Used : DA-003 Moisture Analyzer				Batch Date : 08/04/26 13:01:21						
Analyzed Date : 08/04/26 16:40:25										
Reagent : 071626.12; 070626.02										
Consumables : N/A										
Pipette : DA-066										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2693 g	50 ml	1 x	1.1	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2693 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2693 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2693 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2693 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2693 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2693 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS
Analyzed by: 1022, 3379, 1440		Extraction date: 08/04/26 10:48:13					Extracted by: 1022,5122			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : MI101045HEA										
Instrument Used : DA-ICPMS-004										
Analyzed Date : 08/04/26 15:53:00										
Batch Date : 08/04/26 09:21:36										
Reagent : 070826.R29; 071726.R13; 080326.R14; 073026.R05; 072826.R02; 072826.R21; 070626.02; 071726.R12; 032326.01										
Consumables : DMAX06C265; J609879-0193; 179436										
Pipette : DA-191; DA-215; DA-435										

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

PACKS PREMIUM HANDROLL 2.5G PACKS: Blue Slushie #3
Strain: PACKS: BLUE SLUSHIE #3
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 7 of 7

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI60804006-001

Batch #: 2360300779308525
Harvest/Lot ID: 20260526-BSL-H283
Seed to sale: 2927680040389603

Expires: 08/04/27

Ordered: 08/03/26
Sampled: 08/03/26
Completed: 08/11/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL 1 g 1 0.100 0.500 <0.100 % PASS

Analyzed by: 3379, 1440 Extraction date: 08/04/26 17:03:27 Extracted by: 3379

Analysis Method : SOP.T.40.090

Analytical Batch : MI101052FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/04/26 17:05:38

Batch Date : 08/04/26 16:47:45

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
08/11/26
Laboratory License #: 900013