



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 20260330-PGLULU-H267FF  
**Retail Batch #:** 5697673875961882  
**Batch Date:** 08/11/26  
**Harvest Date:** 03/30/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 301 units (301 grams)  
**Cultivation Facility:** Homestead  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Seed To Sale #:** 1890716914225626

**Lab ID:** MI60813007-003  
**Sampled:** 08/12/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 16 units  
**Completed:** 08/16/26  
**Expires:** 08/13/27  
**Manifest #:** 6494440712022805  
**Source Facility:** Homestead

### The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co

License #: M00020CULPROHomestead002

# THE FLOWERY

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**77.2%**

Total THC/Container : 772 mg



**Total CBD**  
**0.0780%**

Total CBD/Container : 0.780 mg



**Total Cannabinoids**  
**88.4%**

Total Cannabinoids/Container : 884 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 3.73     | 83.8     | <0.00200 | 0.0890   | <0.00200 | 0.103    | 0.382    | <0.00200 | <0.00200 | <0.00200 | 0.0658   | 0.188    |
| mg/unit   | 37.3     | 838      | <0.00200 | 0.890    | <0.00200 | 1.03     | 3.82     | <0.00200 | <0.00200 | <0.00200 | 0.658    | 1.88     |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g | 0.1088 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
4640, 1665, 585, 1440

Extraction date:  
08/13/26 12:25:08

Extracted by:  
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101280POT

Instrument Used : DA-LC-008 (Derivative)

Analyzed Date : 08/13/26 19:20:05

Batch Date : 08/13/26 09:16:46

Reagent : 080426.56; 080726.R02; 080726.R01

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164



Signature  
08/16/26  
**Laboratory License #: 900013**



# Certificate of Analysis

Pages 2 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

|                                   |                  |               |
|-----------------------------------|------------------|---------------|
| Analyzed by:                      | Extraction date: | Extracted by: |
| Analysis Method : N/A             |                  |               |
| Analytical Batch : N/A            |                  |               |
| Instrument Used : N/A             | Batch Date : N/A |               |
| Analyzed Date : 08/14/26 10:45:05 |                  |               |



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |          |       |     |         |         |          |         |   |        |
|---------------------|----------|-------|-----|---------|---------|----------|---------|---|--------|
| TOTAL TERPENES      | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 2.17     | 21.7    |   | TESTED |
| LIMONENE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.601    | 6.01    |   | TESTED |
| BETA-CARYOPHYLLENE  | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.456    | 4.56    |   | TESTED |
| LINALOOL            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.328    | 3.28    |   | TESTED |
| BETA-MYRCENE        | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.260    | 2.60    |   | TESTED |
| ALPHA-HUMULENE      | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.194    | 1.94    |   | TESTED |
| ALPHA-BISABOLOL     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0839   | 0.839   |   | TESTED |
| BETA-PINENE         | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0712   | 0.712   |   | TESTED |
| ALPHA-TERPINEOL     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0512   | 0.512   |   | TESTED |
| FENCHYL ALCOHOL     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0496   | 0.496   |   | TESTED |
| ALPHA-PINENE        | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0405   | 0.405   |   | TESTED |
| TRANS-NEROLIDOL     | 0.2218 g | 10 ml | 1 x | 0.00500 | 0.0160  | 0.0189   | 0.189   |   | TESTED |
| CAMPHERE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0107   | 0.107   | J | TESTED |
| ALPHA-TERPINOLENE   | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.00739  | 0.0739  | J | TESTED |
| 3-CARENE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| BORNEOL             | 0.2218 g | 10 ml | 1 x | 0.0130  | 0.0400  | <0.0130  | <0.400  |   | TESTED |
| CAMPHOR             | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CARYOPHYLLENE OXIDE | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CEDROL              | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| EUCALYPTOL          | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FARNESENE           | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FENCHONE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANIOL            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANYL ACETATE     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GUAJOL              | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| HEXAHYDROTHYMOL     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOBORNEOL          | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOPULEGOL          | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| NEROL               | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| OCIMENE             | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| PULEGONE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE            | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE HYDRATE    | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| VALENCENE           | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-CEDRENE       | 0.2218 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  |   | TESTED |
| ALPHA-PHELLANDRENE  | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-TERPINENE     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CIS-NEROLIDOL       | 0.2218 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 |   | TESTED |
| GAMMA-TERPINENE     | 0.2218 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
08/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
PREFERRED CONCENTRATE DIAMONDS - LIVE\_1G Preferred: Lulu Lemons  
Strain: PREFERRED: LULU LEMONS  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Diamonds



# Certificate of Analysis

Pages 3 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

PASSED



## Terpenes

TESTED

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:  
4531, 585, 1440

Extraction date:  
08/13/26 11:56:22

Extracted by:  
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI101294TER

Instrument Used : DA-GCMS-009

Analyzed Date : 08/14/26 02:06:00

Batch Date : 08/13/26 10:39:58

Reagent : 041326.43

Consumables : 24197251; 04312111; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenes testing is performed utilizing Gas Chromatography Mass Spectrometry.



## Pesticide

PASSED

### ANALYTES

| ANALYTES                            | WEIGHT  | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|---------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.209 g | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL DIMETHOMORPH                  | 0.209 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PERMETHRIN                    | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PYRETHRINS                    | 0.209 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINETORAM                    | 0.209 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINOSAD                      | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ABAMECTIN B1A                       | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEPHATE                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEQUINOCYL                         | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACETAMIPRID                         | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ALDICARB                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| AZOXYSTROBIN                        | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENAZATE                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORPYRIFOS                        | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENTHRIN                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BOSCALID                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBARYL                            | 0.209 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CLOFENTEZINE                        | 0.209 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBOFURAN                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| COUMAPHOS                           | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORANTRANILIPROLE                 | 0.209 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.209 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| DAMINOZIDE                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIAZINON                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DICHLORVOS                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIMETHOATE                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETHOPROPHOS                         | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOFENPROX                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOXAZOLE                           | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENHEXAMID                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENOXYCARB                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENPYROXIMATE                       | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FIPRONIL                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLONICAMID                          | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLUDIOXONIL                         | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| HEXYTHIAZOX                         | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMAZALIL                            | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMIDACLOPRID                        | 0.209 g | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| KRESOXIM-METHYL                     | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian  
Celestino  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
08/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33090, US  
(954) 368-7664

Kaycha Labs

PREFERRED CONCENTRATE DIAMONDS - LIVE\_1G Preferred: Lulu Lemons  
Strain: PREFERRED: LULU LEMONS  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Diamonds



# Certificate of Analysis

Pages 4 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | WEIGHT  | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|---------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.209 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.209 g | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.209 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.209 g | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.209 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.209 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.209 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.209 g | 25 ml  | 1 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.209 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.209 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.209 g | 25 ml  | 1 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.209 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.209 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.209 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

|                                 |                                       |                       |
|---------------------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4451, 585, 1440 | Extraction date:<br>08/13/26 12:32:21 | Extracted by:<br>4451 |
|---------------------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101284PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 08/13/26 09:49:09

Analyzed Date : 08/13/26 23:45:00

Reagent : 081126.R04; 012026.01; 081226.R03; 081226.R22; 081226.R21; 061626.R24; 081226.R01

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : DA-093; DA-094; DA-488

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                |                                       |                       |
|--------------------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>450, 585, 1440 | Extraction date:<br>08/13/26 12:32:21 | Extracted by:<br>4451 |
|--------------------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101286VOL

Instrument Used : DA-GCMS-011

Batch Date : 08/13/26 09:50:53

Analyzed Date : 08/14/26 03:25:00

Reagent : 081126.R04; 012026.01

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : N/A

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
08/16/26  
Laboratory License #: 900013



# Certificate of Analysis

Pages 5 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | WEIGHT  | VOLUME | DILUTION | LIMIT | LOD   | LOQ   | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------------|---------|--------|----------|-------|-------|-------|--------|------|-----------|-----------|
| 1,1-DICHLOROETHENE   | 0.026 g | 1 ml   | 1 x      | 8     | 0.800 | 4.00  | <0.800 | ppm  |           | PASS      |
| 1,2-DICHLOROETHANE   | 0.026 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| 2-PROPANOL           | 0.026 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ACETONE              | 0.026 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| ACETONITRILE         | 0.026 g | 1 ml   | 1 x      | 60    | 6.00  | 30.0  | <6.00  | ppm  |           | PASS      |
| BENZENE              | 0.026 g | 1 ml   | 1 x      | 1     | 0.100 | 0.500 | <0.100 | ppm  |           | PASS      |
| BUTANES (N-BUTANE)   | 0.026 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| CHLOROFORM           | 0.026 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| DICHLOROMETHANE      | 0.026 g | 1 ml   | 1 x      | 125   | 12.5  | 62.5  | <12.5  | ppm  |           | PASS      |
| ETHANOL              | 0.026 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| ETHYL ACETATE        | 0.026 g | 1 ml   | 1 x      | 400   | 40.0  | 200   | <40.0  | ppm  |           | PASS      |
| ETHYL ETHER          | 0.026 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ETHYLENE OXIDE       | 0.026 g | 1 ml   | 1 x      | 5     | 0.500 | 2.50  | <0.500 | ppm  |           | PASS      |
| HEPTANE              | 0.026 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| METHANOL             | 0.026 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| N-HEXANE             | 0.026 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| PENTANES (N-PENTANE) | 0.026 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| PROPANE              | 0.026 g | 1 ml   | 1 x      | 5000  | 500   | 1080  | <500   | ppm  |           | PASS      |
| TOLUENE              | 0.026 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TOTAL XYLENES        | 0.026 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TRICHLOROETHYLENE    | 0.026 g | 1 ml   | 1 x      | 25    | 2.50  | 12.5  | <2.50  | ppm  |           | PASS      |

Analyzed by:  
4444, 585, 1440

Extraction date:  
08/13/26 13:44:41

Extracted by:  
4444

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : MI101297SOL  
Instrument Used : DA-GCMS-013  
Analyzed Date : 08/13/26 22:09:20

Batch Date : 08/13/26 11:59:57

Reagent : 061323.06

Consumables : 432860; 338006

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | WEIGHT  | VOLUME | DILUTION | LIMIT             | LOD  | LOQ  | RESULT      | UNIT  | QUALIFIER | PASS/FAIL |
|--------------------------|---------|--------|----------|-------------------|------|------|-------------|-------|-----------|-----------|
| ASPERGILLUS FLAVUS       | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FUMIGATUS    | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS NIGER        | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS TERREUS      | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ECOLI - SHIGELLA         | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| SALMONELLA SPECIFIC GENE | 0.947 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| TOTAL YEAST AND MOLD     | 1.028 g | 1 ml   | 10 x     | 100000            | 10.0 | 10.0 | <10.0       | CFU/g |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164



Signature  
08/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
PREFERRED CONCENTRATE DIAMONDS - LIVE\_1G Preferred: Lulu Lemons  
Strain: PREFERRED: LULU LEMONS  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Diamonds



# Certificate of Analysis

Pages 6 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

PASSED

|  |                  |               |
|--|------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                | WEIGHT | VOLUME | DILUTION | LIMIT                                 | LOD | LOQ | RESULT                     | UNIT | QUALIFIER | PASS/FAIL |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|----------|---------------------------------------|-----|-----|----------------------------|------|-----------|-----------|
| Analyzed by:<br>4520, 4892, 585, 1440                                                                                                                                                                                                                                                                                                                                                                                                                   |        |        |          | Extraction date:<br>08/13/26 10:53:57 |     |     | Extracted by:<br>3621,4520 |      |           |           |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI101282MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 08/15/26 18:16:32<br>Reagent : 063026.06; 041326.13; 061226.R05; 031026.14<br>Consumables : 7589003089<br>Pipette : N/A<br>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. |        |        |          |                                       |     |     |                            |      |           |           |
| Batch Date : 08/13/26 09:47:15                                                                                                                                                                                                                                                                                                                                                                                                                          |        |        |          |                                       |     |     |                            |      |           |           |

|                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  |                                       |  |  |                       |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------------------------|--|--|-----------------------|--|--|--|
| Analyzed by:<br>4520, 3621, 585, 1440                                                                                                                                                                                                                                                                                                                                                             |  |  |  | Extraction date:<br>08/13/26 10:55:36 |  |  | Extracted by:<br>4520 |  |  |  |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI101283TYM<br>Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)<br>Analyzed Date : 08/15/26 18:18:01<br>Reagent : 022626.58; 022626.62; 070726.R01<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |  |  |  |                                       |  |  |                       |  |  |  |
| Batch Date : 08/13/26 09:49:05                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |                                       |  |  |                       |  |  |  |

|  |                   |               |
|--|-------------------|---------------|
|  | <b>Mycotoxins</b> | <b>PASSED</b> |
|--|-------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | WEIGHT  | VOLUME | DILUTION | LIMIT                                 | LOD     | LOQ    | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|----------|---------------------------------------|---------|--------|-----------------------|------|-----------|-----------|
| AFLATOXIN B1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.209 g | 25 ml  | 10 x     | 0.02                                  | 0.00200 | 0.0100 | <0.00200              | ppm  |           | PASS      |
| AFLATOXIN B2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.209 g | 25 ml  | 10 x     | 0.02                                  | 0.00200 | 0.0100 | <0.00200              | ppm  |           | PASS      |
| OCHRATOXIN A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.209 g | 25 ml  | 10 x     | 0.02                                  | 0.00200 | 0.0100 | <0.00200              | ppm  |           | PASS      |
| AFLATOXIN G1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.209 g | 25 ml  | 10 x     | 0.02                                  | 0.00200 | 0.0100 | <0.00200              | ppm  |           | PASS      |
| AFLATOXIN G2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.209 g | 25 ml  | 10 x     | 0.02                                  | 0.00200 | 0.0100 | <0.00200              | ppm  |           | PASS      |
| Analyzed by:<br>4451, 585, 1440                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |        |          | Extraction date:<br>08/13/26 12:32:21 |         |        | Extracted by:<br>4451 |      |           |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI101285MYC<br>Instrument Used : DA-LCMS-003 (MYC)<br>Analyzed Date : 08/13/26 23:45:00<br>Reagent : 081126.R04; 012026.01; 081226.R03; 081226.R22; 081226.R21; 061626.R24; 081226.R01<br>Consumables : 24197251; DMAX06C26S; 6894944-01<br>Pipette : DA-093; DA-094; DA-488<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |         |        |          |                                       |         |        |                       |      |           |           |
| Batch Date : 08/13/26 09:50:48                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |          |                                       |         |        |                       |      |           |           |

|  |                       |               |
|--|-----------------------|---------------|
|  | <b>Water Activity</b> | <b>PASSED</b> |
|--|-----------------------|---------------|

| ANALYTES       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ  | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------|----------|--------|----------|-------|-------|------|--------|------|-----------|-----------|
| WATER ACTIVITY | 0.5241 g |        |          | 0.85  | 0.010 | 0.10 | 0.63   | aw   |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/JLA-Testing  
97164

Signature  
08/16/26  
Laboratory License #: 900013





# Certificate of Analysis

Pages 7 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60813007-003

Batch #: 5697673875961882  
Harvest/Lot ID: 20260330-PGLULU-H267FF  
Seed to sale: 1890716914225626

Expires: 08/13/27

Ordered: 08/12/26  
Sampled: 08/12/26  
Completed: 08/16/26

**PASSED**



## Water Activity

**PASSED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:  
4056, 585, 1440

Extraction date:  
08/13/26 13:51:24

Extracted by:  
4056

Analysis Method : SOP.T.40.019  
Analytical Batch : MI101300WAT  
Instrument Used : DA-325 (Hygrometer, Probe)  
Analyzed Date : 08/14/26 10:17:24

Batch Date : 08/13/26 13:00:29

Reagent : 072926.01  
Consumables : PS-14  
Pipette : N/A



## Heavy Metals

**PASSED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.2564 g

50 ml

1 x

1.1

0.0200

0.100

<0.0200

ppm

PASS

ARSENIC

0.2564 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

CADMIUM

0.2564 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

LEAD

0.2564 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

PASS

MERCURY

0.2564 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

NICKEL

0.2564 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

PASS

TIN

0.2564 g

50 ml

1 x

4

0.400

2.00

<0.400

ppm

PASS

Analyzed by:  
1022, 585, 1440

Extraction date:  
08/13/26 12:14:49

Extracted by:  
1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : MI101277HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 08/13/26 22:00:00

Batch Date : 08/13/26 09:08:12

Reagent : 080626.R11; 080626.R12; 080326.R14; 081326.R01; 081126.R16; 081126.R15; 070626.02; 071726.R12; 032326.01  
Consumables : DMAX06C26S; J609879-0193; 179436  
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:  
4571, 585, 1440

Extraction date:  
08/13/26 11:51:18

Extracted by:  
4571

Analysis Method : SOP.T.40.090  
Analytical Batch : MI101295FIL  
Instrument Used : DA-027 (Filtration/Foreign Material Microscope)  
Analyzed Date : 08/14/26 10:26:00

Batch Date : 08/13/26 11:49:17

Reagent : N/A  
Consumables : N/A  
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164



Signature  
08/16/26  
Laboratory License #: 900013