



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 20260520-710GS5-F7H26  
**Retail Batch #:** 6727245718964236  
**Batch Date:** 09/04/26  
**Harvest Date:** 05/20/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 342 units (342 grams)  
**Cultivation Facility:** Homestead  
**Processing Facility:** Homestead  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Seed To Sale #:** 8777252211168800

**Lab ID:** MI60905011-007  
**Sampled:** 09/04/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 16 units  
**Completed:** 09/09/26  
**Expires:** 09/05/27  
**Manifest #:** 4040839985783361  
**Source Facility:** Homestead

### The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co

License #: M00020CULPROHomestead002

# THE FLOWERY

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**NOT TESTED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**70.1%**

Total THC/Container : 701 mg



**Total CBD**  
**0.171%**

Total CBD/Container : 1.71 mg



**Total Cannabinoids**  
**85.7%**

Total Cannabinoids/Container : 857 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 1.44     | 78.3     | <0.00200 | 0.195    | 0.0761   | 0.412    | 4.46     | <0.00200 | <0.00200 | <0.00200 | 0.122    | 0.685    |
| mg/unit   | 14.4     | 783      | <0.00200 | 1.95     | 0.761    | 4.12     | 44.6     | <0.00200 | <0.00200 | <0.00200 | 1.22     | 6.85     |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g | 0.0983 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
4640, 1665, 585, 1440

Extraction date:  
09/05/26 16:41:11

Extracted by:  
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101934POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 09/08/26 23:32:19

Batch Date : 09/05/26 11:41:01

Reagent : 090526.R06; 080426.49; 090526.R05

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33090, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 2 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License # : M00020CULPROHomestead002

Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

|                                   |                  |               |
|-----------------------------------|------------------|---------------|
| Analyzed by:                      | Extraction date: | Extracted by: |
| Analysis Method : N/A             |                  |               |
| Analytical Batch : N/A            |                  |               |
| Instrument Used : N/A             | Batch Date : N/A |               |
| Analyzed Date : 09/09/26 09:49:29 |                  |               |



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |        |       |     |         |         |          |         |   |        |
|---------------------|--------|-------|-----|---------|---------|----------|---------|---|--------|
| TOTAL TERPENES      | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 5.16     | 51.6    |   | TESTED |
| BETA-MYRCENE        | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.46     | 14.6    |   | TESTED |
| LIMONENE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.957    | 9.57    |   | TESTED |
| BETA-CARYOPHYLLENE  | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.804    | 8.04    |   | TESTED |
| LINALOOL            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.782    | 7.82    |   | TESTED |
| ALPHA-HUMULENE      | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.249    | 2.49    |   | TESTED |
| GUAIOL              | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.224    | 2.24    |   | TESTED |
| ALPHA-BISABOLOL     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.174    | 1.74    |   | TESTED |
| BETA-PINENE         | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.144    | 1.44    |   | TESTED |
| ALPHA-PINENE        | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0819   | 0.819   |   | TESTED |
| TRANS-NEROLIDOL     | 0.22 g | 10 ml | 1 x | 0.00500 | 0.0160  | 0.0766   | 0.766   |   | TESTED |
| ALPHA-TERPINEOL     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0707   | 0.707   |   | TESTED |
| FENCHYL ALCOHOL     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0700   | 0.700   |   | TESTED |
| CAMPHERE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0240   | 0.240   |   | TESTED |
| BORNEOL             | 0.22 g | 10 ml | 1 x | 0.0130  | 0.0400  | 0.0201   | 0.201   | J | TESTED |
| ALPHA-TERPINOLENE   | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0119   | 0.119   | J | TESTED |
| CARYOPHYLLENE OXIDE | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0117   | 0.117   | J | TESTED |
| 3-CARENE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CAMPHOR             | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CEDROL              | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| EUCALYPTOL          | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FARNESENE           | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FENCHONE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANIOL            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANYL ACETATE     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| HEXAHYDROTHYMOL     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOBORNEOL          | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOPULEGOL          | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| NEROL               | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| OCIMENE             | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| PULEGONE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE            | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE HYDRATE    | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| VALENCENE           | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-CEDRENE       | 0.22 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  |   | TESTED |
| ALPHA-PHELLANDRENE  | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-TERPINENE     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CIS-NEROLIDOL       | 0.22 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 |   | TESTED |
| GAMMA-TERPINENE     | 0.22 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 3 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

**PASSED**



## Terpenes

**TESTED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:  
4531, 585, 1440

Extraction date:  
09/08/26 14:20:16

Extracted by:  
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI101958TER

Instrument Used : DA-GCMS-009

Analyzed Date : 09/09/26 01:07:00

Batch Date : 09/08/26 11:42:14

Reagent : 063026.03

Consumables : 242011899; 04402004; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenes testing is performed utilizing Gas Chromatography Mass Spectrometry.



## Pesticide

**PASSED**

### ANALYTES

| ANALYTES                            | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.8681 g | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL DIMETHOMORPH                  | 0.8681 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PERMETHRIN                    | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PYRETHRINS                    | 0.8681 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINETORAM                    | 0.8681 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINOSAD                      | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ABAMECTIN B1A                       | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEPHATE                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEQUINOCYL                         | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACETAMIPRID                         | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ALDICARB                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| AZOXYSTROBIN                        | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENAZATE                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORPYRIFOS                        | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENTHRIN                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BOSCALID                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBARYL                            | 0.8681 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CLOFENTEZINE                        | 0.8681 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBOFURAN                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| COUMAPHOS                           | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORANTRANILIPROLE                 | 0.8681 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.8681 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| DAMINOZIDE                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIAZINON                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DICHLORVOS                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIMETHOATE                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETHOPROPHOS                         | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOFENPROX                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOXAZOLE                           | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENHEXAMID                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENOXYCARB                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENPYROXIMATE                       | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FIPRONIL                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLONICAMID                          | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLUDIOXONIL                         | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| HEXYTHIAZOX                         | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMAZALIL                            | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMIDACLOPRID                        | 0.8681 g | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| KRESOXIM-METHYL                     | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33092, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 4 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

## Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

## Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.8681 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.8681 g | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.8681 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.8681 g | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.8681 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.8681 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.8681 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.8681 g | 25 ml  | 5 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.8681 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.8681 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.8681 g | 25 ml  | 5 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.8681 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.8681 g | 25 ml  | 5 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.8681 g | 25 ml  | 5 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

|                                 |                                       |                       |
|---------------------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4451, 585, 1440 | Extraction date:<br>09/05/26 15:26:54 | Extracted by:<br>4451 |
|---------------------------------|---------------------------------------|-----------------------|

|                                                                                                                                                                  |                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI101940PES<br>Instrument Used : DA-LCMS-003 (PES)<br>Analyzed Date : 09/09/26 11:35:00 | Batch Date : 09/05/26 12:31:30 |
| Reagent : 090326.R01; 012026.01; 090226.R03; 090826.R02; 090426.R01<br>Consumables : 24197251; DMAX06C26S; 6894944-01<br>Pipette : DA-093; DA-094                |                                |

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                      |                                       |                           |
|--------------------------------------|---------------------------------------|---------------------------|
| Analyzed by:<br>4451, 450, 585, 1440 | Extraction date:<br>09/05/26 15:26:54 | Extracted by:<br>4451,450 |
|--------------------------------------|---------------------------------------|---------------------------|

|                                                                                                                                                             |                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL<br>Analytical Batch : MI101942VOL<br>Instrument Used : DA-GCMS-011<br>Analyzed Date : 09/08/26 23:47:00 | Batch Date : 09/05/26 12:34:43 |
| Reagent : 090326.R01; 012026.01; 082826.R10; 082826.R09<br>Consumables : 24197251; DMAX06C26S; 6894944-01; 17473601<br>Pipette : DA-146                     |                                |

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/JLA-Testing  
97164

Signature  
09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 5 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License #: M00020CULPROHomestead002

Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

PASSED



## Microbial

PASSED

| ANALYTES                                                                                                                                        | WEIGHT   | VOLUME | DILUTION | LIMIT             | LOD                                   | LOQ  | RESULT      | UNIT                       | QUALIFIER | PASS/FAIL                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|----------|-------------------|---------------------------------------|------|-------------|----------------------------|-----------|--------------------------------|
| ASPERGILLUS FLAVUS                                                                                                                              | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| ASPERGILLUS FUMIGATUS                                                                                                                           | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| ASPERGILLUS NIGER                                                                                                                               | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| ASPERGILLUS TERREUS                                                                                                                             | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| ECOLI - SHIGELLA                                                                                                                                | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| LISTERIA MONOCYTOGENES                                                                                                                          | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| SALMONELLA SPECIFIC GENE                                                                                                                        | 1.1391 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00                                  | 1.00 | Not Present | CFU/g                      |           | PASS                           |
| TOTAL YEAST AND MOLD                                                                                                                            | 0.9667 g | 1 ml   | 10 x     | 100000            | 10.0                                  | 10.0 | <10.0       | CFU/g                      |           | PASS                           |
| Analyzed by:<br>4892, 4520, 585, 1440                                                                                                           |          |        |          |                   | Extraction date:<br>09/05/26 12:59:16 |      |             | Extracted by:<br>3621,5008 |           |                                |
| Analysis Method : SOP.T.40.056C                                                                                                                 |          |        |          |                   |                                       |      |             |                            |           |                                |
| Analytical Batch : MI101938MIC                                                                                                                  |          |        |          |                   |                                       |      |             |                            |           |                                |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) |          |        |          |                   |                                       |      |             |                            |           |                                |
|                                                                                                                                                 |          |        |          |                   |                                       |      |             |                            |           | Batch Date : 09/05/26 12:18:56 |
| Analyzed Date : 09/09/26 09:36:51                                                                                                               |          |        |          |                   |                                       |      |             |                            |           |                                |
| Reagent : 063026.11; 063026.14; 063026.15; 072926.R27; 062526.04                                                                                |          |        |          |                   |                                       |      |             |                            |           |                                |
| Consumables : 7590004018                                                                                                                        |          |        |          |                   |                                       |      |             |                            |           |                                |
| Pipette : N/A                                                                                                                                   |          |        |          |                   |                                       |      |             |                            |           |                                |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                            |          |        |          |                   |                                       |      |             |                            |           |                                |

|                                                                                                                              |  |                                              |  |                                       |  |
|------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------|--|---------------------------------------|--|
| <b>Analyzed by:</b><br>4892, 4571, 585, 1440                                                                                 |  | <b>Extraction date:</b><br>09/05/26 13:00:08 |  | <b>Extracted by:</b><br>3621,5008     |  |
| <b>Analysis Method :</b> SOP.T.40.209.FL                                                                                     |  |                                              |  |                                       |  |
| <b>Analytical Batch :</b> MI101939TYM                                                                                        |  |                                              |  |                                       |  |
| <b>Instrument Used :</b> DA-096 (25°C Incubator),DA-420 (25°C Incubator)                                                     |  |                                              |  | <b>Batch Date :</b> 09/05/26 12:20:20 |  |
| <b>Analyzed Date :</b> 09/08/26 11:38:17                                                                                     |  |                                              |  |                                       |  |
| <b>Reagent :</b> 022626.49; 022626.50; 070726.R01                                                                            |  |                                              |  |                                       |  |
| <b>Consumables :</b> N/A                                                                                                     |  |                                              |  |                                       |  |
| <b>Pipette :</b> N/A                                                                                                         |  |                                              |  |                                       |  |
| Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |  |                                              |  |                                       |  |



## Mycotoxins

PASSED

| ANALYTES                                                                                                                            | WEIGHT   | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ    | RESULT   | UNIT                  | QUALIFIER | PASS/FAIL |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|----------|-------|--------------------------------|--------|----------|-----------------------|-----------|-----------|
| AFLATOXIN B1                                                                                                                        | 0.8681 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN B2                                                                                                                        | 0.8681 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| OCHRATOXIN A                                                                                                                        | 0.8681 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G1                                                                                                                        | 0.8681 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G2                                                                                                                        | 0.8681 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| Analyzed by:<br>4451, 585, 1440                                                                                                     |          | Extraction date:<br>09/05/26 15:26:54 |          |       |                                |        |          | Extracted by:<br>4451 |           |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                  |          |                                       |          |       |                                |        |          |                       |           |           |
| Analytical Batch : MI101941MYC                                                                                                      |          |                                       |          |       |                                |        |          |                       |           |           |
| Instrument Used : DA-LCMS-003 (MYC)                                                                                                 |          |                                       |          |       | Batch Date : 09/05/26 12:34:37 |        |          |                       |           |           |
| Analyzed Date : 09/09/26 11:35:00                                                                                                   |          |                                       |          |       |                                |        |          |                       |           |           |
| Reagent : 090326.R01; 012026.01; 090226.R03; 090826.R02; 090426.R01; 061626.R24; 090226.R01                                         |          |                                       |          |       |                                |        |          |                       |           |           |
| Consumables : 24197251; DMA06C26S; 6894944-01                                                                                       |          |                                       |          |       |                                |        |          |                       |           |           |
| Pipette : DA-093; DA-094                                                                                                            |          |                                       |          |       |                                |        |          |                       |           |           |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |          |                                       |          |       |                                |        |          |                       |           |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation # ISO/IEC 17025:2017  
Accreditation PJLA-Testing 97164

Signature 09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 6 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License # : M00020CULPROHomestead002

Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

PASSED



## Water Activity

PASSED

| ANALYTES                                         | WEIGHT  | VOLUME                                | DILUTION | LIMIT | LOD   | LOQ  | RESULT | UNIT                  | QUALIFIER | PASS/FAIL |
|--------------------------------------------------|---------|---------------------------------------|----------|-------|-------|------|--------|-----------------------|-----------|-----------|
| WATER ACTIVITY                                   | 0.567 g |                                       |          | 0.85  | 0.010 | 0.10 | 0.61   | aw                    |           | PASS      |
| Analyzed by:<br>4571, 585, 1440                  |         | Extraction date:<br>09/05/26 16:45:19 |          |       |       |      |        | Extracted by:<br>4571 |           |           |
| Analysis Method : SOP.T.40.019                   |         |                                       |          |       |       |      |        |                       |           |           |
| Analytical Batch : MI101921WAT                   |         |                                       |          |       |       |      |        |                       |           |           |
| Instrument Used : DA-256 (Hygrometer, Base Unit) |         |                                       |          |       |       |      |        |                       |           |           |
| Analyzed Date : 09/08/26 11:24:31                |         |                                       |          |       |       |      |        |                       |           |           |
| Batch Date : 09/05/26 10:55:51                   |         |                                       |          |       |       |      |        |                       |           |           |
| Reagent : 072926.01                              |         |                                       |          |       |       |      |        |                       |           |           |
| Consumables : PS-14                              |         |                                       |          |       |       |      |        |                       |           |           |
| Pipette : N/A                                    |         |                                       |          |       |       |      |        |                       |           |           |



## Moisture Content

TESTED

| ANALYTES                                   | WEIGHT                                | VOLUME | DILUTION | LIMIT | LOD | LOQ | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------------------|---------------------------------------|--------|----------|-------|-----|-----|-----------------------|------|-----------|-----------|
| MOISTURE CONTENT                           | 0.503 g                               |        |          |       | 0.1 | 0.1 | 1.4                   | %    |           | TESTED    |
| Analyzed by:<br>4571, 585, 1440            | Extraction date:<br>09/05/26 16:33:00 |        |          |       |     |     | Extracted by:<br>4571 |      |           |           |
| Analysis Method : SOP.T.40.021.FL          |                                       |        |          |       |     |     |                       |      |           |           |
| Analytical Batch : MI101943MOI             |                                       |        |          |       |     |     |                       |      |           |           |
| Instrument Used : DA-003 Moisture Analyzer |                                       |        |          |       |     |     |                       |      |           |           |
| Analyzed Date : 09/08/26 11:11:25          |                                       |        |          |       |     |     |                       |      |           |           |
| Batch Date : 09/05/26 13:09:50             |                                       |        |          |       |     |     |                       |      |           |           |
| Reagent : 071626.13; 090126.01             |                                       |        |          |       |     |     |                       |      |           |           |
| Consumables : N/A                          |                                       |        |          |       |     |     |                       |      |           |           |
| Pipette : DA-066                           |                                       |        |          |       |     |     |                       |      |           |           |



## Heavy Metals

PASSED

| ANALYTES                                                                                                                       | WEIGHT   | VOLUME                                | DILUTION | LIMIT | LOD    | LOQ   | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|----------|-------|--------|-------|-----------------------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                  | 0.2119 g | 50 ml                                 | 1 x      | 1.1   | 0.0200 | 0.100 | <0.0200               | ppm  |           | PASS      |
| ARSENIC                                                                                                                        | 0.2119 g | 50 ml                                 | 1 x      | 0.2   | 0.0200 | 0.100 | <0.0200               | ppm  |           | PASS      |
| CADMIUM                                                                                                                        | 0.2119 g | 50 ml                                 | 1 x      | 0.2   | 0.0200 | 0.100 | <0.0200               | ppm  |           | PASS      |
| LEAD                                                                                                                           | 0.2119 g | 50 ml                                 | 1 x      | 0.5   | 0.0500 | 0.250 | <0.0500               | ppm  |           | PASS      |
| MERCURY                                                                                                                        | 0.2119 g | 50 ml                                 | 1 x      | 0.2   | 0.0200 | 0.100 | <0.0200               | ppm  |           | PASS      |
| NICKEL                                                                                                                         | 0.2119 g | 50 ml                                 | 1 x      | 0.5   | 0.0500 | 0.250 | <0.0500               | ppm  |           | PASS      |
| TIN                                                                                                                            | 0.2119 g | 50 ml                                 | 1 x      | 4     | 0.400  | 2.00  | <0.400                | ppm  |           | PASS      |
| Analyzed by:<br>1022, 585, 1440                                                                                                |          | Extraction date:<br>09/08/26 15:07:19 |          |       |        |       | Extracted by:<br>1022 |      |           |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                             |          |                                       |          |       |        |       |                       |      |           |           |
| Analytical Batch : MI101926HEA                                                                                                 |          |                                       |          |       |        |       |                       |      |           |           |
| Instrument Used : DA-ICPMS-004                                                                                                 |          |                                       |          |       |        |       |                       |      |           |           |
| Analyzed Date : 09/08/26 23:52:00                                                                                              |          |                                       |          |       |        |       |                       |      |           |           |
| Batch Date : 09/05/26 11:05:34                                                                                                 |          |                                       |          |       |        |       |                       |      |           |           |
| Reagent : 080626.R11; 090226.R46; 080326.R14; 082626.R61; 090126.R13; 090126.R12; 090226.R34; 090126.01; 071726.R12; 032326.01 |          |                                       |          |       |        |       |                       |      |           |           |
| Consumables : DMAX06C265; J609879-0193; 179436                                                                                 |          |                                       |          |       |        |       |                       |      |           |           |
| Pipette : DA-191; DA-215; DA-435                                                                                               |          |                                       |          |       |        |       |                       |      |           |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian  
Celestino  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

710 LIVE ROSIN BADDER - 1G 710 Labs Gak Smoovie #5  
Strain: 710 LABS GAK SMOOVIE #5  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin Badder



# Certificate of Analysis

Pages 7 of 7

## The Flowery

Samples From:  
Homestead, FL, 33090, US  
theflowery.co  
License # : M00020CULPROHomestead002

Sample: MI60905011-007

Batch #: 6727245718964236  
Harvest/Lot ID: 20260520-710GS5-F7H26  
Seed to sale: 8777252211168800

Expires: 09/05/27

Ordered: 09/04/26  
Sampled: 09/04/26  
Completed: 09/09/26

**PASSED**



## Filth/Foreign Material

**PASSED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:  
4571, 585, 1440

Extraction date:  
09/07/26 13:08:29

Extracted by:  
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI101951FIL

Instrument Used : DA-027 (Filth/Foreign Material Microscope)

Analyzed Date : 09/08/26 11:36:42

Batch Date : 09/07/26 13:06:51

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
09/09/26  
Laboratory License #: 900013