kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 20250730-710HBRJ-RSO
Retail Batch #: 3633973403825758
Batch Date: 10/29/26
Harvest Date: 07/30/26
Production Method: Other - Not Listed
Total Amount: 1,018 units (1,018 grams)
Cultivation Facility: Homestead
Processing Facility: Homestead
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 6347630446127604

Lab ID: MI61030012-003
Sampled: 10/30/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/04/26
Expires: 10/30/27
Manifest #: 4942086895972250
Source Facility: Homestead

The Flowery

Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

THE FLOWERY

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
71.9%
Total THC/Container : 719 mg

Total CBD J
0.153%
Total CBD/Container : 1.53 mg

Total Cannabinoids
75.4%
Total Cannabinoids/Container : 754 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	71.9	<0.00194	0.153	<0.0194	<0.0194	1.90	0.267	0.558	0.205	<0.00194	0.364	<0.0194
mg/unit	719	<0.00194	1.53	<0.0194	<0.0194	19.0	2.67	5.58	2.05	<0.00194	3.64	<0.0194
Qualifier			J									
LOD (%)	0.00194	0.00194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.00194	0.00194	0.0194	0.0194
LOQ (%)	0.0194	0.0194	0.194	0.194	0.194	0.194	0.194	0.194	0.0194	0.0194	0.194	0.194
Weight	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g	0.1032 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 5268
Extraction date: 11/02/26 20:39:20
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103405POT
Instrument Used : DA-LC-003
Analyzed Date : 11/02/26 15:45:00
Batch Date : 11/02/26 10:00:00

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.14; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/03/26 09:36:01

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2132 g	10 ml	1 x		0.0328	0.0938	1.13	11.3		TESTED
BETA-CARYOPHYLLENE	0.2132 g	10 ml	1 x		0.0328	0.0938	0.326	3.26		TESTED
LINALOOL	0.2132 g	10 ml	1 x		0.0328	0.0938	0.249	2.49		TESTED
ALPHA-BISABOLOL	0.2132 g	10 ml	1 x		0.0328	0.0938	0.136	1.36		TESTED
ALPHA-HUMULENE	0.2132 g	10 ml	1 x		0.0328	0.0938	0.129	1.29		TESTED
ALPHA-TERPINEOL	0.2132 g	10 ml	1 x		0.0328	0.0938	0.0893	0.893	J	TESTED
TRANS-NEROLIDOL	0.2132 g	10 ml	1 x		0.0235	0.0750	0.0838	0.838		TESTED
FENCHYL ALCOHOL	0.2132 g	10 ml	1 x		0.0328	0.0938	0.0735	0.735	J	TESTED
GERANIOL	0.2132 g	10 ml	1 x		0.0328	0.0938	0.0412	0.412	J	TESTED
BORNEOL	0.2132 g	10 ml	1 x		0.0610	0.188	<0.0610	<1.88		TESTED
CARYOPHYLLENE OXIDE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
GUAIOL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ISOBORNEOL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
LIMONENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
BETA-MYRCENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
3-CARENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
CAMPHENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
CAMPHOR	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
CEDROL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
EUCALYPTOL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
FARNESENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
FENCHONE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
GERANYL ACETATE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
HEXAHYDROTHYMOL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ISOPULEGOL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
NEROL	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
OCIMENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
PULEGONE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
SABINENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
SABINENE HYDRATE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
VALENCENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ALPHA-CEDRENE	0.2132 g	10 ml	1 x		0.0235	0.0750	<0.0235	<0.750		TESTED
ALPHA-PHELLANDRENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ALPHA-PINENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ALPHA-TERPINENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
ALPHA-TERPINOLENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
BETA-PINENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED
CIS-NEROLIDOL	0.2132 g	10 ml	1 x		0.0141	0.0375	<0.0141	<0.375		TESTED
GAMMA-TERPINENE	0.2132 g	10 ml	1 x		0.0328	0.0938	<0.0328	<0.938		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5268
Extraction date: 11/02/26 13:29:02
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103412TER
Instrument Used : DA-GCMS-009
Analyzed Date : 11/02/26 18:19:00
Batch Date : 11/02/26 10:34:56

Reagent : 100526.14; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.1479 g	25 ml	10 x	30	0.00871	0.0436	<0.00871	ppm		PASS
TOTAL DIMETHOMORPH	1.1479 g	25 ml	10 x	3	0.00854	0.0427	<0.00854	ppm		PASS
TOTAL PERMETHRIN	1.1479 g	25 ml	10 x	1	0.00871	0.0436	<0.00871	ppm		PASS
TOTAL PYRETHRINS	1.1479 g	25 ml	10 x	1	0.0262	0.131	<0.0262	ppm		PASS
TOTAL SPINETORAM	1.1479 g	25 ml	10 x	3	0.00854	0.0427	<0.00854	ppm		PASS
TOTAL SPINOSAD	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
ABAMECTIN B1A	1.1479 g	25 ml	10 x	0.3	0.00836	0.0418	<0.00836	ppm		PASS
ACEPHATE	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
ACEQUINOCYL	1.1479 g	25 ml	10 x	2	0.00871	0.0436	<0.00871	ppm		PASS
ACETAMIPRID	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
ALDICARB	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
AZOXYSTROBIN	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
BIFENAZATE	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
BIFENTHRIN	1.1479 g	25 ml	10 x	0.5	0.00871	0.0436	<0.00871	ppm		PASS
BOSCALID	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
CHLORPYRIFOS	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
CARBARYL	1.1479 g	25 ml	10 x	0.5	0.00871	0.0436	<0.00871	ppm		PASS
CLOFENTEZINE	1.1479 g	25 ml	10 x	0.5	0.00871	0.0436	<0.00871	ppm		PASS
CARBOFURAN	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
COUMAPHOS	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
CHLORANTRANILIPROLE	1.1479 g	25 ml	10 x	3	0.0871	0.436	<0.0871	ppm		PASS
CHLORMEQUAT CHLORIDE	1.1479 g	25 ml	10 x	3	0.0871	0.436	<0.0871	ppm		PASS
DAMINOZIDE	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
DIAZINON	1.1479 g	25 ml	10 x	0.2	0.00871	0.0436	<0.00871	ppm		PASS
DICHLORVOS	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
DIMETHOATE	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
ETHOPROPHOS	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
ETOFENPROX	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
ETOXAZOLE	1.1479 g	25 ml	10 x	1.5	0.00871	0.0436	<0.00871	ppm		PASS
FENHEXAMID	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
FENOXYCARB	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
FENPYROXIMATE	1.1479 g	25 ml	10 x	2	0.00871	0.0436	<0.00871	ppm		PASS
FIPRONIL	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
FLONICAMID	1.1479 g	25 ml	10 x	2	0.00871	0.0436	<0.00871	ppm		PASS
FLUDIOXONIL	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
HEXYTHIAZOX	1.1479 g	25 ml	10 x	2	0.00871	0.0436	<0.00871	ppm		PASS
IMAZALIL	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
IMIDACLOPRID	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.1479 g	25 ml	10 x	1	0.00871	0.0436	<0.00871	ppm		PASS
MALATHION	1.1479 g	25 ml	10 x	2	0.00871	0.0436	<0.00871	ppm		PASS
METALAXYL	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
METHIOCARB	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
METHOMYL	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
MEVINPHOS	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
MYCLOBUTANIL	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
NALED	1.1479 g	25 ml	10 x	0.5	0.00871	0.0436	<0.00871	ppm		PASS
OXAMYL	1.1479 g	25 ml	10 x	0.5	0.00871	0.0436	<0.00871	ppm		PASS
PACLOBUTRAZOL	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
PHOSMET	1.1479 g	25 ml	10 x	0.2	0.00871	0.0436	<0.00871	ppm		PASS
PIPERONYL BUTOXIDE	1.1479 g	25 ml	10 x	3	0.0871	0.436	<0.0871	ppm		PASS
PRALLETHRIN	1.1479 g	25 ml	10 x	0.4	0.00871	0.0436	<0.00871	ppm		PASS
PROPICONAZOLE	1.1479 g	25 ml	10 x	1	0.00871	0.0436	<0.00871	ppm		PASS
PROPOXUR	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
PYRIDABEN	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
SPIROMESIFEN	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
SPIROTETRAMAT	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
SPIROXAMINE	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
TEBUCONAZOLE	1.1479 g	25 ml	10 x	1	0.00871	0.0436	<0.00871	ppm		PASS
THIACLOPRID	1.1479 g	25 ml	10 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
THIAMETHOXAM	1.1479 g	25 ml	10 x	1	0.00871	0.0436	<0.00871	ppm		PASS
TRIFLOXYSTROBIN	1.1479 g	25 ml	10 x	3	0.00871	0.0436	<0.00871	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.1479 g	25 ml	5 x	0.2	0.00871	0.0653	<0.00871	ppm		PASS
TOTAL CHLORDANE	1.1479 g	25 ml	5 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
PARATHION-METHYL	1.1479 g	25 ml	5 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
CAPTAN	1.1479 g	25 ml	5 x	3	0.0610	0.305	<0.0610	ppm		PASS
CHLORFENAPYR	1.1479 g	25 ml	5 x	0.1	0.00871	0.0436	<0.00871	ppm		PASS
CYFLUTHRIN	1.1479 g	25 ml	5 x	1	0.0436	0.218	<0.0436	ppm		PASS
CYPERMETHRIN	1.1479 g	25 ml	5 x	1	0.0436	0.218	<0.0436	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
11/02/26 10:21:35

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103398PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/02/26 07:48:06
Analyzed Date : 11/02/26 20:51:00

Reagent : 103026.R04; 082426.12; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5268

Extraction date:
11/02/26 10:21:35

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103400VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/02/26 07:49:30
Analyzed Date : 11/03/26 04:05:00

Reagent : 103026.R04; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0237 g	1 ml	1 x	8	0.675	3.38	<0.675	ppm		PASS
1,2-DICHLOROETHANE	0.0237 g	1 ml	1 x	2	0.169	0.844	<0.169	ppm		PASS
2-PROPANOL	0.0237 g	1 ml	1 x	5000	42.2	211	<42.2	ppm		PASS
ACETONE	0.0237 g	1 ml	1 x	5000	63.3	316	<63.3	ppm		PASS
ACETONITRILE	0.0237 g	1 ml	1 x	410	5.06	25.3	<5.06	ppm		PASS
BENZENE	0.0237 g	1 ml	1 x	1	0.0844	0.422	<0.0844	ppm		PASS
BUTANES (N-BUTANE)	0.0237 g	1 ml	1 x	5000	422	2110	<422	ppm		PASS
CHLOROFORM	0.0237 g	1 ml	1 x	2	0.169	0.844	<0.169	ppm		PASS
DICHLOROMETHANE	0.0237 g	1 ml	1 x	125	10.5	52.7	<10.5	ppm		PASS
ETHANOL	0.0237 g	1 ml	1 x		422	2110	<422	ppm		TESTED
ETHYL ACETATE	0.0237 g	1 ml	1 x	5000	33.8	169	40.6	ppm	J	PASS
ETHYL ETHER	0.0237 g	1 ml	1 x	5000	42.2	211	<42.2	ppm		PASS
ETHYLENE OXIDE	0.0237 g	1 ml	1 x	5	0.422	2.11	<0.422	ppm		PASS
HEPTANE	0.0237 g	1 ml	1 x	5000	422	2110	<422	ppm		PASS
METHANOL	0.0237 g	1 ml	1 x	3000	21.1	105	<21.1	ppm		PASS
N-HEXANE	0.0237 g	1 ml	1 x	250	21.1	105	<21.1	ppm		PASS
PENTANES (N-PENTANE)	0.0237 g	1 ml	1 x	5000	63.3	316	<63.3	ppm		PASS
PROPANE	0.0237 g	1 ml	1 x	5000	422	911	<422	ppm		PASS
TOLUENE	0.0237 g	1 ml	1 x	890	12.7	63.3	<12.7	ppm		PASS
TOTAL XYLENES	0.0237 g	1 ml	1 x	2170	12.7	63.3	<12.7	ppm		PASS
TRICHLOROETHYLENE	0.0237 g	1 ml	1 x	25	2.11	10.5	<2.11	ppm		PASS

Analyzed by:
4444, 585, 5268

Extraction date:
10/31/26 14:16:04

Extracted by:
4571,4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103385SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 10/31/26 19:58:00

Batch Date : 10/31/26 13:53:57

Reagent : 092326.R09; 092326.R10; 092326.R11; 061323.06
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.937 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.9159 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 5268
Extraction date: 10/31/26 13:28:10
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103371MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/03/26 12:12:07
Batch Date : 10/31/26 07:14:03

Reagent : 071526.20; 101426.R26; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006076
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 585, 5268
Extraction date: 10/31/26 13:27:31
Extracted by: 4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103372TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/03/26 10:16:37
Batch Date : 10/31/26 07:14:06

Reagent : 022626.03; 022626.26; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS
AFLATOXIN B1	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS
AFLATOXIN B2	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS
AFLATOXIN G1	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS
AFLATOXIN G2	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS
OCHRATOXIN A	1.1479 g	25 ml	10 x	0.02	0.00174	0.00871	<0.00174	ppm		PASS

Analyzed by: 4451, 585, 5268
Extraction date: 11/02/26 10:21:35
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103399MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 11/02/26 20:51:00
Batch Date : 11/02/26 07:49:24

Reagent : 103026.R04; 082426.12; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.323 g			0.85	0.010	0.10	0.56	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

710 LABS RSO SYRINGE 1G 710 Labs Banana Rickscotti
Strain: 710 LABS BANANA RICKSCOTTI
Matrix: Derivative
Classification: Derivative Product Not Intended for Inhalation
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

The Flowery
Samples From:
Homestead, FL, 33090, US
theflowery.co
License # : M00020CULPROHomestead002

Sample: MI61030012-003
Batch #: 3633973403825758
Harvest/Lot ID: 20250730-710HBRJ-RSO
Seed to sale: 6347630446127604

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 5268
Extraction date: 11/02/26 18:01:54
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103419WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/02/26 13:49:30
Analyzed Date : 11/03/26 10:26:24

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2881 g	50 ml	1 x	5	0.0174	0.0868	<0.0174	ppm		PASS
ARSENIC	0.2881 g	50 ml	1 x	1.5	0.0174	0.0868	<0.0174	ppm		PASS
CADMIUM	0.2881 g	50 ml	1 x	0.5	0.0174	0.0868	<0.0174	ppm		PASS
LEAD	0.2881 g	50 ml	1 x	0.5	0.0434	0.217	<0.0434	ppm		PASS
MERCURY	0.2881 g	50 ml	1 x	3	0.0174	0.0868	<0.0174	ppm		PASS
NICKEL	0.2881 g	50 ml	1 x	3	0.0434	0.217	<0.0434	ppm		PASS
TIN	0.2881 g	50 ml	1 x	4	0.347	1.74	<0.347	ppm		PASS

Analyzed by: 1022, 585, 5268
Extraction date: 10/31/26 15:48:56
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103383HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/31/26 10:01:14
Analyzed Date : 11/02/26 17:46:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5268
Extraction date: 11/01/26 13:01:50
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103391FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/01/26 12:59:53
Analyzed Date : 11/03/26 09:28:00

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013