

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver Sundae Driver

Matrix: Derivative Type: Live Rosin

Sample:DA31128011-010 Harvest/Lot ID: 20230810-710SD-FL1H1

Batch#: 1000150922

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

> Seed to Sale# LFG-00002745 **Batch Date:** 11/27/23

Sample Size Received: 16 gram Total Amount: 407 units Retail Product Size: 1 gram

Ordered: 11/28/23 Sampled: 11/28/23

Completed: 12/01/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

#FLOWERY

PRODUCT IMAGE

Samples From:

Homestead, FL, 33090, US

SAFETY RESULTS

Dec 01, 2023 | The Flowery



Pesticides





Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 711.66 mg

71.166%



Total CBD 0.285% Total CBD/Container: 2.85 mg

Reviewed On: 11/30/23 10:53:31 Batch Date: 11/29/23 09:47:09



Total Cannabinoids

Total Cannabinoids/Container: 879.33 mg



11/29/23 11:59:01

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066830POT Instrument Used : DA-LC-003

Analyzed Date: 11/29/23 12:05:50

Reagent: 111423.R05; 060723.24; 111423.R04

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/01/23



Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver

Sundae Driver Matrix : Derivative Type: Live Rosin



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA31128011-010 Harvest/Lot ID: 20230810-710SD-FL1H1

Batch#: 1000150922

Sampled: 11/28/23 Ordered: 11/28/23 Sample Size Received : 16 gram
Total Amount : 407 units

Completed: 12/01/23 Expires: 12/01/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	55.40	5.540		VALENCENE		0.007	ND	ND	
IMONENE	0.007	15.90	1.590		ALPHA-CEDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	11.67	1.167		ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	10.43	1.043		ALPHA-TERPINENE		0.007	ND	ND	
INALOOL	0.007	5.19	0.519		ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	3.33	0.333		CIS-NEROLIDOL		0.007	ND	ND	
UAIOL	0.007	2.38	0.238		GAMMA-TERPINENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.74	0.174		TRANS-NEROLIDOL		0.007	ND	ND	
ETA-PINENE	0.007	1.67	0.167		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
LPHA-PINENE	0.007	1.18	0.118		2076, 585, 4351	1.1763g		11/29/23 15		2076
ENCHYL ALCOHOL	0.007	0.82	0.082		Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL				
OTAL TERPINEOL	0.007	0.78	0.078		Analytical Batch : DA066834TER					/01/23 10:33:19 9/23 10:05:40
ERANIOL	0.007	0.31	0.031		Instrument Used: DA-GCMS-009 Analyzed Date: 11/29/23 15:13:22			Batch	Date: 11/2	9/23 10:05:40
ORNEOL	0.013	< 0.40	< 0.040		Dilution: 10					
ARYOPHYLLENE OXIDE	0.007	< 0.20	< 0.020		Reagent : 121622.26					
ENCHONE	0.007	< 0.40	< 0.040		Consumables: 210414634; MKCN999	5; CE0123; R1KB14	270			
CARENE	0.007	ND	ND		Pipette : N/A					
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	s Chromatography Ma	ss Spectro	ometry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND		l İ					
EDROL	0.007	ND	ND		l İ					
UCALYPTOL	0.007	ND	ND		l İ					
ARNESENE	0.001	ND	ND		l į					
ERANYL ACETATE	0.007	ND	ND		l į					
EXAHYDROTHYMOL	0.007	ND	ND		l į					
OBORNEOL	0.007	ND	ND		l į					
SOPULEGOL	0.007	ND	ND		l į					
EROL	0.007	ND	ND		i					
CIMENE	0.007	ND	ND		İ					
ULEGONE	0.007	ND	ND		İ					
ABINENE	0.007	ND	ND		i					
ABINENE HYDRATE	0.007	ND	ND							
otal (%)			5.540							

Total (%)

5.540

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

ccreditation PJLAng 97164 Signature 12/01/23



Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver

Sundae Driver Matrix : Derivative Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample: DA31128011-010 Harvest/Lot ID: 20230810-710SD-FL1H1

Batch#: 1000150922

Sampled: 11/28/23 Ordered: 11/28/23 Sample Size Received: 16 gram
Total Amount: 407 units

Total Amount: 407 units Completed: 12/01/23 Expires: 12/01/24 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

|--|

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010	1.1	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5 0.1		ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS PASS	ND ND	PENTACHLORONITROBENZE	ENE (PCNB) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND ND	PARATHION-METHYL *	(. 0)	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
LORPYRIFOS		1.1.	0.1	PASS	ND			0.010		0.1	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *						
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
AZINON CHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
	0.010	11.11	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted l	oy:
METHOATE HOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 4351	0.2012g		16:32:17		450,3379	
DEENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.	101.FL (Gainesville)), SOP.T.30.10	2.FL (Davie)), SOP.T.40.101	L.FL (Gainesville),
OXAZOLE	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch: DA066845	DEC		Daviewed	On:12/01/23	10.20.20	
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-				e:11/29/23 11		
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A	005 (125)		Date Date	0.11/13/13 11		
NPYROXIMATE	0.010	1.1	0.1	PASS	ND	Dilution: 250						
PRONIL	0.010		0.1	PASS	ND	Reagent: 112823.R13; 0404	123.08; 112723.R01	; 112923.R04;	112823.R0	3; 112123.R13	3; 112923.R05	
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW	4 210					
UDIOXONIL	0.010	1.1	0.1	PASS	ND	Pipette: DA-093; DA-094; Da		a Liauid Ch	ataaraak: . 7	Frinla Ouadr	la Mass Caaster-	noto: :-
XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents accordance with F.S. Rule 64E		y Liquia Criron	іасодгарпу І	ripie-Quadrupo	ne mass spectror	netry in
AZALIL	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted b	v:
IDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4351	0.2012g	11/29/23			450,3379	,
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.	151.FL (Gainesville)), SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010	1.1.	0.2	PASS	ND	Analytical Batch : DA066849				:11/30/23 11:		
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS		Ва	tch Date :	11/29/23 11:34	:48	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/29/23 16	:35:53					
THOMYL	0.010	1.1.	0.1	PASS	ND	Dilution: 250 Reagent: 112823.R13: 0404	122 00: 112722 014	I. 112722 P1F				
VINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 1		r, 112/23.K13				
CLOBUTANIL	0.010	11.11	0.1	PASS	ND	Pipette : DA-080; DA-146; DA						
ALED	0.010		0.25	PASS	ND	Testing for agricultural agents		0 0 1		-1- 0	M C	Annual Inc

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 12/01/23



Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver

Sundae Driver Matrix : Derivative Type: Live Rosin



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA31128011-010 Harvest/Lot ID: 20230810-710SD-FL1H1

Batch#: 1000150922

Sampled: 11/28/23 Ordered: 11/28/23

Sample Size Received: 16 gram Total Amount: 407 units Completed: 12/01/23 Expires: 12/01/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	tracted by:	

Batch Date: 11/29/23 12:44:09

850, 585, 4351 0.0277g 11/30/23 05:13:54 Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066853SOL Reviewed On: 11/30/23 10:15:23

Instrument Used: DA-GCMS-002 **Analyzed Date:** 11/29/23 12:49:54Dilution: 1

 $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: G201.062; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23



Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver

Sundae Driver Matrix : Derivative Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA31128011-010

Harvest/Lot ID: 20230810-710SD-FL1H1

Batch#: 1000150922 Sampled: 11/28/23 Ordered: 11/28/23

Sample Size Received: 16 gram Total Amount: 407 units Completed: 12/01/23 Expires: 12/01/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 12/01/23 10:21:00

Batch Date: 11/29/23 16:16:16



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA066854MYC

Analyzed Date: 11/30/23 17:49:54

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Consumables: 326250IW

Dilution: 250

112923.R05

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TER	REUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIG	ER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUN	IIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLA	VUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPE	CIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:	Weight:	Extraction dat			xtract
TOTAL YEAST AND	MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4351	0.2012g	11/29/23 16:3	32:17	4	50,33
Analyzed by:	Weight:	Extr	action date:		Extracted	by:	Analysis Method : SOF	.T.30.101.FL (Ga	inesville), SOP.T.	40.101.F	L (Gainesv	ille).

Analyzed by Weight: **Extraction date:** 3621, 585, 4351 11/29/23 10:39:11 0.8113g

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA066828MIC

Reviewed On: 11/30/23

Extracted by:

3621

Batch Date: 11/29/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 09:35:30

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Weight

0.8113g

Isotemp Heat Block DA-021

Analyzed Date: 11/29/23 12:50:45

Reagent: 101123.02; 101123.08; 112423.R01; 081023.07; 091523.41

Consumables: 7568001003

Pipette: N/A Analyzed by: 3621, 585, 4351

accordance with	111.5. Naic 04EN20 55.	
Hg	Heavy Metals	PASSED

Reagent: 112823.R13; 040423.08; 112723.R01; 112923.R04; 112823.R03; 112123.R13;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64FR20-39

Analysis Method: SOP.T.40.208 (Gainesville), SOI	P.T.40.209.FL
Analytical Batch : DA066829TYM	Reviewed On: 12/01/23 12:41:16
Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 11/29/23 12:56:38	Batch Date : 11/29/23 09:36:19
Dilution: N/A	

Extraction date

11/29/23 10:39:11

Reagent: 101123.02; 101123.08; 112423.R02 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4351	Weight: 0.2744g	Extraction da 11/29/23 11:3			Extracted 1022	by:

Batch Date: 11/29/23 10:25:55

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 11/30/23 14:49:52

Analytical Batch : DA066837HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 11/29/23 16:05:40

Dilution: 50 Reagent: 112723.R04; 111623.R11; 112723.R02; 112723.R03; 112023.R22; 110123.49; 111023.R06

Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 12/01/23



Kaycha Labs

710 Labs Live Rosin 1g - Sundae Driver

Sundae Driver Matrix : Derivative Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA31128011-010

Harvest/Lot ID: 20230810-710SD-FL1H1 Batch#: 1000150922

Sampled: 11/28/23 Ordered: 11/28/23

Sample Size Received: 16 gram Total Amount: 407 units Completed: 12/01/23 Expires: 12/01/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4351 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA066910FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 11/30/23 21:50:30 Batch Date: 11/30/23 20:18:42 Analyzed Date: 11/30/23 21:40:06

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010 a	Jnits W	Result 0.432	P/F PASS	Action Level 0.85
Analyzed by: 4371, 585, 4351	Weight: 0.302a		action d 9/23 14		Ex 43	tracted by: 71

Analysis Method: SOP.T.40.019 Analytical Batch: DA066847WAT

Reviewed On: 11/30/23 10:53:26 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 11/29/23 11:33:26

Analyzed Date : N/A

Dilution: N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/01/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors