



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40202008-004  
Harvest/Lot ID: 20231122-710GT2-F2H9  
Batch#: 1000175400  
Cultivation Facility: Homestead  
Processing Facility: Homestead  
Source Facility: Homestead  
Seed to Sale# LFG-00003172  
Batch Date: 02/01/24  
Sample Size Received: 16 gram  
Total Amount: 407 units  
Retail Product Size: 1 gram  
Ordered: 02/02/24  
Sampled: 02/02/24  
Completed: 02/06/24  
Sampling Method: SOP.T.20.010

Feb 06, 2024 | The Flowery

Samples From:  
Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

**PASSED**



Total THC

**78.759%**

Total THC/Container : 787.59 mg



Total CBD

**0.201%**

Total CBD/Container : 2.01 mg



Total Cannabinoids

**92.631%**

Total Cannabinoids/Container : 926.31 mg

|         | D9-THC | THCA   | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 0.547  | 89.182 | ND    | 0.230 | 0.039  | 0.327 | 2.145 | 0.031 | ND    | ND    | 0.130 |
| mg/unit | 5.47   | 891.82 | ND    | 2.30  | 0.39   | 3.27  | 21.45 | 0.31  | ND    | ND    | 1.30  |
| LOD     | 0.001  | 0.001  | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
|         | %      | %      | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1004g

Extraction date:  
02/05/24 09:44:36

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069032POT

Instrument Used : DA-LC-003

Analyzed Date : 02/05/24 09:44:58

Reviewed On : 02/06/24 08:29:40

Batch Date : 02/04/24 20:52:13

Dilution : 400

Reagent : 013024.R01; 060723.24; 011824.R01

Consumables : 947.100; 280670723; CE0123; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin 1g - Ginger Tea #2  
Ginger Tea #2  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40202008-004

Harvest/Lot ID: 20231122-710GT2-F2H9

Batch# : 1000175400

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 02/06/24 Expires: 02/06/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

| Terpenes            | LOD (%) | mg/unit | %     | Result (%) | Terpenes                                                                                                                                             | LOD (%) | mg/unit                         | %             | Result (%) |
|---------------------|---------|---------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------|---------------|------------|
| TOTAL TERPENES      | 0.007   | 41.78   | 4.178 |            | SABINENE HYDRATE                                                                                                                                     | 0.007   | ND                              | ND            |            |
| LIMONENE            | 0.007   | 13.39   | 1.339 |            | VALENCENE                                                                                                                                            | 0.007   | ND                              | ND            |            |
| BETA-MYRCENE        | 0.007   | 12.73   | 1.273 |            | ALPHA-CEDRENE                                                                                                                                        | 0.007   | ND                              | ND            |            |
| BETA-CARYOPHYLLENE  | 0.007   | 4.43    | 0.443 |            | ALPHA-PHELLANDRENE                                                                                                                                   | 0.007   | ND                              | ND            |            |
| LINALOOL            | 0.007   | 3.79    | 0.379 |            | ALPHA-TERPINENE                                                                                                                                      | 0.007   | ND                              | ND            |            |
| BETA-PINENE         | 0.007   | 1.62    | 0.162 |            | CIS-NEROLIDOL                                                                                                                                        | 0.007   | ND                              | ND            |            |
| ALPHA-HUMULENE      | 0.007   | 1.34    | 0.134 |            | GAMMA-TERPINENE                                                                                                                                      | 0.007   | ND                              | ND            |            |
| FENCHYL ALCOHOL     | 0.007   | 1.15    | 0.115 |            | TRANS-NEROLIDOL                                                                                                                                      | 0.007   | ND                              | ND            |            |
| ALPHA-PINENE        | 0.007   | 1.08    | 0.108 |            | Analysis by:                                                                                                                                         | Weight: | Extraction date:                | Extracted by: |            |
| TOTAL TERPINEOL     | 0.007   | 0.89    | 0.089 |            | 795, 1665, 585, 1440                                                                                                                                 | 0.9113g | 02/04/24 14:21:09               | 1879.795      |            |
| ALPHA-BISABOLOL     | 0.007   | 0.76    | 0.076 |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                                                                                                 |         |                                 |               |            |
| ALPHA-TERPINOLENE   | 0.007   | 0.37    | 0.037 |            | Analytical Batch : DA069007TER                                                                                                                       |         | Reviewed On : 02/06/24 08:32:20 |               |            |
| CAMPHENE            | 0.007   | 0.23    | 0.023 |            | Instrument Used : DA-GCMS-008                                                                                                                        |         | Batch Date : 02/03/24 22:51:55  |               |            |
| 3-CARENE            | 0.007   | ND      | ND    |            | Analyzed Date : 02/04/24 19:38:26                                                                                                                    |         |                                 |               |            |
| BORNEOL             | 0.013   | ND      | ND    |            | Dilution : 50                                                                                                                                        |         |                                 |               |            |
| CAMPHOR             | 0.007   | ND      | ND    |            | Reagent : N/A                                                                                                                                        |         |                                 |               |            |
| CARYOPHYLLENE OXIDE | 0.007   | ND      | ND    |            | Consumables : N/A                                                                                                                                    |         |                                 |               |            |
| CEDROL              | 0.007   | ND      | ND    |            | Pipette : N/A                                                                                                                                        |         |                                 |               |            |
| EUCALYPTOL          | 0.007   | ND      | ND    |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |                                 |               |            |
| FARNESENE           | 0.001   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| FENCHONE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| GERANIOL            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| GERANYL ACETATE     | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| GUAIOL              | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| ISOBORNEOL          | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| ISOPULEGOL          | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| NEROL               | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| OCIMENE             | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| PULEGONE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| SABINENE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                                 |               |            |
| Total (%)           |         |         | 4.178 |            |                                                                                                                                                      |         |                                 |               |            |

Total (%) 4.178

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/24



# Certificate of Analysis

**PASSED**

The Flowery

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40202008-004

Harvest/Lot ID: 20231122-710GT2-F2H9

Batch# : 1000175400

Sampled : 02/02/24

Ordered : 02/02/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 02/06/24 Expires: 02/06/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOD   | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0.010 | ppm   | 0.5          | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.010 | ppm   | 3            | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.010 | ppm   | 0.2          | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.010 | ppm   | 0.1          | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.010 | ppm   | 0.5          | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.010 | PPM   | 0.15         | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.070 | PPM   | 0.7          | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.050 | PPM   | 0.5          | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.050 | PPM   | 0.5          | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | <div>Analyzed by: 3379, 585, 1440Weight: 0.2979gExtraction date: 02/05/24 14:04:59Extracted by: 4056,3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA069017PESReviewed On : 02/06/24 11:17:28</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 02/04/24 13:45:44</div> <div>Analyzed Date : 02/05/24 14:11:43</div> <div>Dilution : 250</div> <div>Reagent : 013024.R05; 040423.08; 013124.R26; 013124.R03; 013124.R27; 011024.R01; 013124.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> |       |       |              |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |              |           |        |



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin 1g - Ginger Tea #2  
Ginger Tea #2  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40202008-004

Harvest/Lot ID: 20231122-710GT2-F2H9

Batch# : 1000175400

Sampled : 02/02/24

Ordered : 02/02/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 02/06/24 Expires: 02/06/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
850, 585, 1440

Weight:  
0.0253g

Extraction date:  
02/05/24 13:15:34

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA06900250L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 02/04/24 15:27:23

Reviewed On : 02/05/24 16:29:17  
Batch Date : 02/03/24 14:08:27

Dilution : 1  
Reagent : N/A  
Consumables : R2017.167; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin 1g - Ginger Tea #2  
Ginger Tea #2  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40202008-004

Harvest/Lot ID: 20231122-710GT2-F2H9

Batch# : 1000175400

Sampled : 02/02/24

Ordered : 02/02/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 02/06/24 Expires: 02/06/25

Sample Method : SOP.T.20.010

Page 5 of 6

|  |                  |               |  |                   |               |
|--|------------------|---------------|--|-------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |  | <b>Mycotoxins</b> | <b>PASSED</b> |
|--|------------------|---------------|--|-------------------|---------------|

| Analyte                  | LOD                                                                                                                                                  | Units              | Result                                      | Pass / Fail      | Action Level      | Analyte           | LOD                                                                               | Units                                                                                                                               | Result                                                                                                         | Pass / Fail      | Action Level           |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------|------------------|-------------------|-------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|------------------------|
| ASPERGILLUS TERREUS      |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   | AFLATOXIN B2      | 0.002                                                                             | ppm                                                                                                                                 | ND                                                                                                             | PASS             | 0.02                   |
| ASPERGILLUS NIGER        |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   | AFLATOXIN B1      | 0.002                                                                             | ppm                                                                                                                                 | ND                                                                                                             | PASS             | 0.02                   |
| ASPERGILLUS FUMIGATUS    |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   | OCHRATOXIN A      | 0.002                                                                             | ppm                                                                                                                                 | ND                                                                                                             | PASS             | 0.02                   |
| ASPERGILLUS FLAVUS       |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   | AFLATOXIN G1      | 0.002                                                                             | ppm                                                                                                                                 | ND                                                                                                             | PASS             | 0.02                   |
| SALMONELLA SPECIFIC GENE |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   | AFLATOXIN G2      | 0.002                                                                             | ppm                                                                                                                                 | ND                                                                                                             | PASS             | 0.02                   |
| ECOLI SHIGELLA           |                                                                                                                                                      |                    | Not Present                                 | PASS             |                   |                   |                                                                                   |                                                                                                                                     |                                                                                                                |                  |                        |
| TOTAL YEAST AND MOLD     | 10                                                                                                                                                   | CFU/g              | <10                                         | PASS             | 100000            | Analyzed by:      | 3379, 585, 1440                                                                   | Weight:                                                                                                                             | 0.2979g                                                                                                        | Extraction date: | 02/05/24 14:04:59      |
| Analyzed by:             | 3390, 3621, 585, 1440                                                                                                                                | Weight:            | 0.9997g                                     | Extraction date: | 02/03/24 14:04:43 | Extracted by:     | 3621, 3390                                                                        | Analysis Method :                                                                                                                   | SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | Reviewed On :    | 02/06/24 11:18:25      |
| Analysis Method :        | SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL                                                                                                      | Analytical Batch : | DA068986MIC                                 | Reviewed On :    | 02/06/24 11:31:19 | Instrument Used : | N/A                                                                               | Analyzed Date :                                                                                                                     | 02/05/24 14:12:09                                                                                              | Batch Date :     | 02/04/24 13:47:33      |
| Instrument Used :        | PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 | Batch Date :       | 02/03/24 10:58:36                           | Dilution :       | 250               | Reagent :         | 013024.R05; 040423.08; 013124.R26; 013124.R03; 013124.R27; 011024.R01; 013124.R01 | Consumables :                                                                                                                       | 326250IW                                                                                                       | Pipette :        | DA-093; DA-094; DA-219 |
| Analyzed Date :          | 02/05/24 13:43:44                                                                                                                                    | Reagent :          | 010924.59; 010924.60; 011624.R29; 100223.11 | Consumables :    | 7567003060        | Pipette :         | N/A                                                                               | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                                                                                                                |                  |                        |

|  |                     |               |
|--|---------------------|---------------|
|  | <b>Heavy Metals</b> | <b>PASSED</b> |
|--|---------------------|---------------|

|                                                                                                                                          |  |                                 |  |                                                                                             |                 |                                    |        |                         |              |
|------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------|--|---------------------------------------------------------------------------------------------|-----------------|------------------------------------|--------|-------------------------|--------------|
| Analytical Batch : DA068999TYM                                                                                                           |  | Reviewed On : 02/06/24 08:29:43 |  | Metal                                                                                       | LOD             | Units                              | Result | Pass / Fail             | Action Level |
| Instrument Used : Incubator (25-27°C) DA-096                                                                                             |  | Batch Date : 02/03/24 14:05:16  |  |                                                                                             |                 |                                    |        |                         |              |
| Analyzed Date : 02/03/24 15:55:25                                                                                                        |  |                                 |  |                                                                                             |                 |                                    |        |                         |              |
| Dilution : 10                                                                                                                            |  |                                 |  |                                                                                             |                 |                                    |        |                         |              |
| Reagent : 010924.59; 010924.60; 012524.R09                                                                                               |  |                                 |  |                                                                                             |                 |                                    |        |                         |              |
| Consumables : N/A                                                                                                                        |  |                                 |  | TOTAL CONTAMINANT LOAD METALS                                                               | 0.080           | ppm                                | ND     | PASS                    | 1.1          |
| Pipette : N/A                                                                                                                            |  |                                 |  | ARSENIC                                                                                     | 0.020           | ppm                                | ND     | PASS                    | 0.2          |
|                                                                                                                                          |  |                                 |  | CADMIUM                                                                                     | 0.020           | ppm                                | ND     | PASS                    | 0.2          |
|                                                                                                                                          |  |                                 |  | MERCURY                                                                                     | 0.020           | ppm                                | ND     | PASS                    | 0.2          |
|                                                                                                                                          |  |                                 |  | LEAD                                                                                        | 0.020           | ppm                                | ND     | PASS                    | 0.5          |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |  |                                 |  | Analyzed by: 1022, 585, 1440                                                                | Weight: 0.2631g | Extraction date: 02/03/24 16:13:02 |        | Extracted by: 4306,1022 |              |
|                                                                                                                                          |  |                                 |  | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                          |                 |                                    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Analytical Batch : DA068995HEA                                                              |                 | Reviewed On : 02/06/24 08:28:56    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Instrument Used : DA-ICPMS-004                                                              |                 | Batch Date : 02/03/24 14:01:54     |        |                         |              |
|                                                                                                                                          |  |                                 |  | Analyzed Date : 02/05/24 15:12:18                                                           |                 |                                    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Dilution : 50                                                                               |                 |                                    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Reagent : 010824.R08; 020524.R23; 012924.R01; 020524.R14; 020524.R15; 020524.01; 012924.R05 |                 |                                    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Consumables : 179436; 12532-225CD-225C; 210508058                                           |                 |                                    |        |                         |              |
|                                                                                                                                          |  |                                 |  | Pipette : DA-061; DA-191; DA-216                                                            |                 |                                    |        |                         |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin 1g - Ginger Tea #2  
Ginger Tea #2  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40202008-004

Harvest/Lot ID: 20231122-710GT2-F2H9

Batch# : 1000175400

Sampled : 02/02/24

Ordered : 02/02/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 02/06/24 Expires: 02/06/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                                 |               |                         |                      |
|---------------------------------|---------------|-------------------------|----------------------|
| Analyzed by:<br>1879, 585, 1440 | Weight:<br>NA | Extraction date:<br>N/A | Extracted by:<br>N/A |
|---------------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA069004FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/03/24 22:36:04

Reviewed On : 02/03/24 22:46:11

Batch Date : 02/03/24 22:26:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte        | LOD   | Units | Result | P/F  | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw    | 0.472  | PASS | 0.85         |

|                                       |                   |                                       |                       |
|---------------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4056, 1665, 585, 1440 | Weight:<br>0.895g | Extraction date:<br>02/03/24 16:58:52 | Extracted by:<br>4056 |
|---------------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA068993WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 02/03/24 13:44:49

Reviewed On : 02/04/24 21:38:25

Batch Date : 02/03/24 13:35:00

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/24