

Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative Type: Hash-Ice Water



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40228010-004 Harvest/Lot ID: LFG-00003344

Batch#: 1000184098

Cultivation Facility: Homestead Processing Facility: Homestead

Source Facility: Homestead

Seed to Sale# 20240104-710GB9-FL1H4

Batch Date: 02/27/24

Sample Size Received: 16 gram Total Amount: 331 units

> Retail Product Size: 1 gram **Ordered:** 02/28/24

> > Sampled: 02/28/24 Completed: 03/02/24

> > > **PASSED**

Sampling Method: SOP.T.20.010

Mar 02, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity

mg

%



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC 76.782%

Total THC/Container: 767.82 mg

THCA

87.141

871.41

0.001

%



CBDA

0.204

2.04

0.001

%

Total CBD 0.178%

CRG

0.569

5.69

0.001

%

Total CBD/Container: 1.78 mg



Total Cannabinoids .064%

Total Cannabinoids/Container: 910.64

THCV CRN CBC CRDV ND ND ND 0.147 ND ND ND 1.47 0.001 0.001 0.001 0.001

%

% Extracted by: Analyzed by: 3335, 1665, 1440 Weight: 0.1179g Extraction date: 02/29/24 14:15:36

D8-THC

0.059

0.59

0.001

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA069942POT Instrument Used : DA-LC-003

D9-THC

0.360

3.60

0.001

%

Analyzed Date: 02/29/24 14:16:53

ma/unit

LOD

Reagent: 022824.R30; 060723.24; 021424.R02 Consumables: 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

ND

ND

%

0.001

Reviewed On: 03/01/24 17:20:54 Batch Date: 02/29/24 10:43:59

CRGA

2.584

25.84

0.001

%

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

%

Signature 03/02/24



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA40228010-004 Harvest/Lot ID: LFG-00003344

Batch#:1000184098 Sampled:02/28/24 Ordered:02/28/24 Sample Size Received: 16 gram
Total Amount: 331 units

Completed: 03/02/24 Expires: 03/02/25 Sample Method: SOP.T.20.010 Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | | OD %) | mg/unit | % | Result (%) |
|---------------------|------------|---------|-------|------------|---|-----------------|----------|-----------------|---------------|--|
| TOTAL TERPENES | 0.007 | 79.64 | 7.964 | | PULEGONE | | | ND | ND | |
| LIMONENE | 0.007 | 19.13 | 1.913 | | SABINENE | 0. | 007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 17.98 | 1.798 | | VALENCENE | 0. | 007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 15.74 | 1.574 | | ALPHA-CEDRENE | 0. | 007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 6.09 | 0.609 | | ALPHA-PHELLANDRENE | 0. | 007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 5.05 | 0.505 | | CIS-NEROLIDOL | 0. | .007 | ND | ND | |
| BETA-PINENE | 0.007 | 3.22 | 0.322 | | GAMMA-TERPINENE | 0. | .007 | ND | ND | |
| DCIMENE | 0.007 | 2.14 | 0.214 | | TRANS-NEROLIDOL | 0. | .007 | ND | ND | |
| GUAIOL | 0.007 | 1.89 | 0.189 | | Analyzed by: | Weight: | | Extraction | date: | Extracted by: |
| ALPHA-BISABOLOL | 0.007 | 1.68 | 0.168 | | 1665, 1440 | NA | | N/A | | N/A |
| LINALOOL | 0.007 | 1.61 | 0.161 | | Analysis Method: SOP.T.30.061A.FL, SOP.T.4 | 10.061A.FL | | | | |
| ENCHYL ALCOHOL | 0.007 | 1.04 | 0.104 | | Analytical Batch : DA069958TER Instrument Used : DA-GCMS-009 | | | | | /02/24 18:52:50 9/24 14:59:26 |
| TOTAL TERPINEOL | 0.007 | 0.97 | 0.097 | | Analyzed Date : N/A | | | Batch | Date: 02/2 | 3/24 14.33.20 |
| ENCHONE | 0.007 | 0.84 | 0.084 | | Dilution : N/A | | | | | |
| BORNEOL | 0.013 | 0.82 | 0.082 | | Reagent : N/A | | | | | |
| CAMPHENE | 0.007 | 0.51 | 0.051 | | Consumables : N/A | | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.41 | 0.041 | | Pipette : N/A | | | | | |
| SABINENE HYDRATE | 0.007 | 0.31 | 0.031 | | Terpenoid testing is performed utilizing Gas Chrom | natograpny mass | Spectrom | etry. For all I | -lower sampii | s, the Total Terpenes % is dry-weight corrected. |
| ALPHA-TERPINENE | 0.007 | 0.21 | 0.021 | | | | | | | |
| 3-CARENE | 0.007 | ND | ND | | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | | |
| FARNESENE | 0.001 | ND | ND | | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | |
| SOBORNEOL | 0.007 | ND | ND | | | | | | | |
| SOPULEGOL | 0.007 | ND | ND | | | | | | | |
| | | | | | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | | |

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/02/24



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowerv.co Sample : DA40228010-004 Harvest/Lot ID: LFG-00003344

Batch#:1000184098 Sampled:02/28/24 Ordered:02/28/24 Sample Size Received: 16 gram
Total Amount: 331 units
Completed: 03/02/24 Expires: 03/02/25
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|-------|-------|-----------------|-----------|--------|---|----------------------|------------|----------------|--------------------------------|------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | | 5 | PASS | ND | OXAMYL | | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PHOSMET | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.010 | mag | 3 | PASS | ND |
| OTAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | | 0.010 | | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.010 | 1.1 | 0.1 | PASS | ND | PROPICONAZOLE | | 0.010 | | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.1 | PASS | ND | | | | | 0.1 | PASS | ND |
| CEPHATE | 0.010 | 1.1 | 0.1 | PASS | ND | PROPOXUR | | 0.010 | | | | |
| CEQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | | 0.010 | | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | | 0.010 | | 0.1 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.010 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | | 0.010 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.010 | | 0.1 | PASS | ND | THIAMETHOXAM | | 0.010 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.010 | | 0.1 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | PENTACHLORONITROBENZENE | (DCND) * | 0.010 | | 0.15 | PASS | ND |
| ILORANTRANILIPROLE | 0.010 | | 1 | PASS | ND | | (PCNB) * | 0.010 | | 0.13 | PASS | ND |
| ILORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | | | | | | |
| ILORPYRIFOS | 0.010 | | 0.1 | PASS | ND | CAPTAN * | | 0.070 | | 0.7 | PASS | ND |
| OFENTEZINE | 0.010 | | 0.2 | PASS | ND | CHLORDANE * | | 0.010 | | 0.1 | PASS | ND |
| UMAPHOS | 0.010 | | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.010 | PPM | 0.1 | PASS | ND |
| MINOZIDE | 0.010 | | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| AZINON | 0.010 | | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.010 | 1.1. | 0.1 | PASS | ND | Analyzed by: | Weight: | Extrac | tion date: | | Extracte | d hv: |
| METHOATE | 0.010 | | 0.1 | PASS | ND | 3379, 1665, 1440 | 0.2819g | | 24 16:42:54 | | 3379 | u 27. |
| HOPROPHOS | 0.010 | | 0.1 | PASS | ND | Analysis Method: SOP.T.30.101. | | | | SOP.T.40.101 | .FL (Gainesville |), |
| OFENPROX | 0.010 | | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | | |
| OXAZOLE | 0.010 | | 0.1 | PASS | ND | Analytical Batch: DA069927PES | | | | n:03/01/24 | | |
| NHEXAMID | 0.010 | | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 | | | Batch Date | :02/29/24 10 | :01:16 | |
| NOXYCARB | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 02/29/24 16:43:3 | 37 | | | | | |
| ENPYROXIMATE | 0.010 | | 0.1 | PASS | ND | Dilution: 250 Reagent: 022124.R12; 022824.F | 204- 022824 R01- 0 | 122624 R1 | 3: 021324 BC | 5· 022824 R0 | 2. 040423 08 | |
| PRONIL | 0.010 | | 0.1 | PASS | ND | Consumables: 326250IW | 104, 022024.1101, 1 | J22024.IVI | 5, 021524.110 | 5, 022024.110 | 2, 040425.00 | |
| ONICAMID | 0.010 | | 0.1 | PASS | ND | Pipette: DA-093; DA-094; DA-21 | 9 | | | | | |
| UDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is pe | rformed utilizing Li | quid Chrom | natography Tri | ple-Quadrupo | le Mass Spectror | metry in |
| EXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20- | | | | | | |
| IAZALIL | 0.010 | | 0.1 | PASS | ND | Analyzed by: | Weight: | | ion date: | | Extracte | d by: |
| IIDACLOPRID | 0.010 | 1.1. | 0.4 | PASS | ND | 450, 1665, 1440 | 0.2819g | | 4 16:42:54 | | 3379 | |
| RESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151. | | | | | | |
| ALATHION | 0.010 | | 0.2 | PASS | ND | Analytical Batch: DA069930VOL Instrument Used: DA-GCMS-001 | | | | 03/01/24 13:0 2/29/24 10:17 | | |
| TALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/29/24 16:58: | | Dd | nen pate : 02 | .12.7124 10.11 | . 4 / | |
| THIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | | |
| ETHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 022824.R01; 040423.0 | 08: 021424.R18: 02 | 21424.R19 | | | | |
| EVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725 | | | | | | |
| YCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA-21 | 8 | | | | | |
| ALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is pe | erformed utilizina G | as Chromat | ography Tripl | e-Quadrupole | Mass Spectrome | etry in |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 03/02/24



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

se Flowery Sample : DA40228010-004

Harvest/Lot ID: LFG-00003344
Batch#: 1000184098 S
Sampled: 02/28/24 T
Ordered: 02/28/24 C

Sample Size Received: 16 gram
Total Amount: 331 units
Completed: 03/02/24 Expires: 03/02/25
Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467

Fmail: hrian@theflowerv.co.

Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|---------------------------------|--------------------|------------------------------------|--------------|----------------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 1665, 1440 | Weight: 0.0205g | Extraction date: 03/01/24 16:04:32 | | Extract 850 | ed by: |

Reviewed On: 03/02/24 07:47:51

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA069959SOL Instrument Used: DA-GCMS-002

Dilution: 1
Reagent: N/A

Consumables : G201.062; G201.062 Pipette : DA-309 25 uL Syringe 35028

Instrument Used: DA-GCMS-002
Analyzed Date: 02/29/24 15:41:02

Batch Date: 02/29/24 15:01:04

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature

03/02/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40228010-004 Harvest/Lot ID: LFG-00003344

Batch#:1000184098 Sampled: 02/28/24 Ordered: 02/28/24

Sample Size Received: 16 gram Total Amount: 331 units Completed: 03/02/24 Expires: 03/02/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mvcotoxins

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Α |
|--------------------------|-----|-------|-------------|----------------|-----------------|----|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | Α |
| ASPERGILLUS NIGER | | | Not Present | PASS | | Α |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | О |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | Δ |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | Α |
| ECOLI SHIGELLA | | | Not Present | PASS | | Aı |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 33 |
| | | | | | | |

| | | . 3 | |
|------------------|---------|-------------------|---------------|
| Analyzed by: | Weight: | Extraction date: | Extracted by: |
| 3621, 1665, 1440 | 0.8g | 02/29/24 11:55:42 | 3621 |

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA069921MIC **Reviewed On:** 03/01/24

12:45:22

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 02/29/24 Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:23:38 DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : N/A

Dilution: N/A

Reagent: 010924.72; 012424.46; 022224.R10; 100223.12

Consumables: 7569001024

Pipette: N/A

| 240 | . Ty Co Co XIIII | | | | | |
|-------------|------------------|-------|-------|--------|----------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN I | 32 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN I | 81 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXII | N A | 0.002 | ppm | ND | PASS | 0.02 |
| | | | | | | |

| | | | | | | Fail | Level | |
|---|------------------|---------|--------------|--------|----|----------|-------|--|
| | AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| | AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| | OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 | |
| | AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| | AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| | Analyzed by: | Weight: | Extraction d | ate: | | Extracte | d by: | |
| ١ | 3379, 1665, 1440 | 0.2819g | 02/29/24 16 | :42:54 | | 3379 | | |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069929MYC

Reviewed On: 03/01/24 13:04:21 Instrument Used : N/A Batch Date: 02/29/24 10:17:23 Analyzed Date: 02/29/24 16:43:47

Dilution: 250

Reagent: 022124.R12; 022824.R04; 022824.R01; 022624.R13; 021324.R05; 022824.R02; 040423.08

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

| Analyzed by: 3621, 1665, 1440 | Weight: 0.8g | Extraction date: 02/29/24 11:55:42 | Extracted by: 3621 |
|--|------------------------------|------------------------------------|---|
| Analysis Method : SOP. Analytical Batch : DA06 Instrument Used : Incub Analyzed Date : 02/29/2 | 9922TYM pator (25-27*C) [| Reviewed Or | n: 03/02/24 16:35:55 : 02/29/24 09:25:29 |
| Dilution: N/A Reagent: 010924.72; 0 Consumables: N/A Pipette: N/A | 12424.46; 0125 | 24.R09 | |
| Total yeast and mold testi accordance with F.S. Rule | | lizing MPN and traditional cultu | ire based techniques in |

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|----------------------------------|--------------------|-----------------------------|-------|--------|-------------------|-----------------|
| TOTAL CONTAMINANT L | OAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 1665, 1440 | Weight: 0.2885g | Extraction d 02/29/24 12 | | | Extracted 1022 | l by: |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA069944HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 03/01/24 10:30:28 Reviewed On: 03/01/24 13:02:57 Batch Date: 02/29/24 10:45:08

Dilution: 50

Reagent: 020724.R07; 022624.R03; 022124.R13; 022624.R01; 022624.R02; 020524.01; 021324.R02

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/02/24



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowerv.co Sample : DA40228010-004 Harvest/Lot ID: LFG-00003344

Batch#:1000184098 Sampled:02/28/24 Ordered:02/28/24

Reviewed On: 03/01/24 14:11:21

Sample Size Received: 16 gram
Total Amount: 331 units
Completed: 03/02/24 Expires: 03/02/25
Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 1665, 1440
 NA
 N/A
 N/A

Analysis Method : SOP.T.40.090 Analytical Batch : DA070013FIL Instrument Used : N/A Analyzed Date : N/A

ument Used: N/A Batch Date: 03/01/24 14:08:25
yzed Date: N/A

Dilution: N/A
Reagent: N/A
Consumables: N/A
Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyzed by: | Weight: | Extraction | lator | Ev | tracted by: |
|----------------|---------|------------|--------|------|--------------|
| Water Activity | 0.0 | 10 aw | 0.482 | PASS | 0.85 |
| Analyte | LO | D Units | Result | P/F | Action Level |

Analytical Batch: DA069955WAT Instrument Used: DA-028 Rotronic Hygropalm Analyzed Date: 02/29/24 12:03:39 **Reviewed On :** 03/01/24 14:00:32 **Batch Date :** 02/29/24 11:49:00

Dilution: N/A
Reagent: 022024.28
Consumables: PS-14
Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Signature 03/02/24