

Kaycha Labs

710 Labs Starburst 36 #1 710 LABS HAND-ROLL 1g

710 Labs Starburst 36 #1

Matrix: Flower Type: Preroll



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40304003-014 Harvest/Lot ID: 20240207-710SB1-F8H11

Batch#: 1000187270

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

> Seed to Sale# LFG-00003414 Batch Date: 03/04/24

Sample Size Received: 26 gram Total Amount: 500 units Retail Product Size: 1 gram

Ordered: 03/04/24 Sampled: 03/04/24

Completed: 03/08/24

Sampling Method: SOP.T.20.010

Mar 08, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals Microbials



Mycotoxins PASSED



Residuals Solvents



Filth PASSED



Water Activity



Moisture PASSED



MISC.

Terpenes **TESTED**

PASSED



Cannabinoid

Total THC

16.298% Total THC/Container: 162.98 mg



Total CBD 0.040%

Total CBD/Container: 0.40 mg



Total Cannabinoids 9.079%

Total Cannabinoids/Container: 190.79 mg

		ш									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	0.184	18.375	ND	0.046	0.025	0.191	0.234	ND	ND	ND	0.024
mg/unit	1.84	183.75	ND	0.46	0.25	1.91	2.34	ND	ND	ND	0.24
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 1440			Weight: 0.2094g		Extraction da 03/06/24 14:				Ext i 333	racted by:	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA070153POT Instrument Used : DA-LC-002 Analyzed Date : N/A

Reagent: 022824.R28; 060723.24; 021424.R01 Consumables: 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 03/07/24 15:29:57 Batch Date: 03/06/24 10:19:12

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/08/24



Kaycha Labs

710 Labs Starburst 36 #1 710 LABS HAND-ROLL 1g

Matrix: Flower

710 Labs Starburst 36 #1 Type: Preroll

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40304003-014

Harvest/Lot ID: 20240207-710SB1-F8H11

Batch#:1000187270 Sampled: 03/04/24 Ordered: 03/04/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 03/08/24 Expires: 03/08/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

TATEMENS 0.07 0.24 0.29 0.29 0.29 0.29 0.29 0.29 0.29 0.29	Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
Mappen	TOTAL TERPENES	0.007	8.92	0.892			VALENCENE		0.007	ND	ND	
March Marc	BETA-CARYOPHYLLENE	0.007	2.49	0.249			ALPHA-CEDRENE		0.007	ND	ND	
Part	LIMONENE	0.007	1.25	0.125			ALPHA-PHELLANDRENE		0.007	ND	ND	
ALPHA-HUMULENE 0.007 0.07 0.07 0.075 CIS-HEROLIDE 0.007 ND ND ND ND ND ND ND N	LINALOOL	0.007	1.21	0.121			ALPHA-PINENE		0.007	ND	ND	
CIS-HEROLIDOL 0.007 0.0	BETA-MYRCENE	0.007	1.20	0.120			ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-BISABOLOL Display Displ	ALPHA-HUMULENE	0.007	0.93	0.093			ALPHA-TERPINOLENE		0.007	ND	ND	
BETA-PINENE 0.007 0.25 0.025 0.025 795, 51, 1665, 1440 0.9226 0.9226 0.306/24 1.59.02 1879,795 18	GUAIOL	0.007	0.75	0.075			CIS-NEROLIDOL		0.007	ND	ND	
Name	ALPHA-BISABOLOL	0.007	0.62	0.062			GAMMA-TERPINENE		0.007	ND	ND	
TABALS.RENOLIDOL 0,007 0,22 0,022 0,022 0,022 0,022 0,022 0,022 0,022 1,022 0,022	BETA-PINENE	0.007	0.25	0.025			Analyzed by:	Weight:		Extraction	date:	Extracted by:
3-CARENE 0.007 N D ND ND Analytical Batch: 10A070099TER (BACHOSO)4 Review On: 03/08/24 09:59:18 (Batch 10A070099TER) (Batch 10A07059)4 Review On: 03/08/24 09:59:18 (Batch 10A070599TER) (Batch 10A07059)4 Review On: 03/08/24 03:59:18 (Batch 10A070599TER) (Batch 10A07059)4 Review On: 03/08/24 03:59:18 (Batch 10A070599TER) (Batch 10A07059)4 Review On: 03/08/24 03:59:18 (Batch 10A07059TER) (Bat	TRANS-NEROLIDOL	0.007	0.22	0.022								
Instrument Used : D.A-GMS-0.04 Batch Date : 03/05/24 13:45:14 CAMPHENE	TOTAL TERPINEOL	0.007	< 0.20	< 0.020				0.061A.FL				
BORNEGL 0.13 ND ND Analyzed Date x NA CAMPPIENE 0.007 ND	3-CARENE	0.007	ND	ND								
CAMPHOR 0,07 ND ND ND Reagent: NDA CAMPORY CARYOPHYLENE QXIDE 0,007 ND ND AD	BORNEOL	0.013	ND	ND						Batch	Date: 03/0	5/24 13:45:14
CAMPOINT 0.07 ND ND Reager: NA CARYOPHILENE XIDE 0.07 ND ND Consumables: NA CEDROL 0.007 ND ND Consumables: NA EUCALYPTOL 0.007 ND ND Consumables: NA FARNESEME 0.001 ND ND Consumables: NA FENCHYLALCHONE 0.007 ND ND ND GERANIOL 0.007 ND ND ND GERANIVA LECTATE 0.007 ND ND ISOPOILEGO 0.007 ND ND ISOPOLIEGO 0.007 ND ND OLINEA 0.007 ND ND </th <th>CAMPHENE</th> <th>0.007</th> <th>ND</th> <th>ND</th> <th></th> <th>1 -</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	CAMPHENE	0.007	ND	ND		1 -						
Pipetta: NA	CAMPHOR	0.007	ND	ND		1.1	Reagent : N/A					
CEUCALYPTOL 0.007 ND	CARYOPHYLLENE OXIDE	0.007	ND	ND								
BOLAL PIPUL 0.007 ND ND ND ND ND ND ND N	CEDROL	0.007	ND	ND								
FENCHONE 0,007 0.00 ND ND FENCHYL ALCONG 0,007 ND ND GERANIOL 0,007 ND ND GERANIY ALETATE 0,007 ND ND ISDORINGO 0,007 ND ND ISDORINGO 0,007 ND ND NEROL 0,007 ND ND OLINEAR 0,007 ND ND MILLION ND ND SABINEN 0,007 ND ND	EUCALYPTOL	0.007	ND	ND			rerpendid testing is performed utilizing Gas Chroma	itograpny M	ass Spectron	netry. For all I	Flower sampii	es, the Total Terpenes % is dry-weight corrected.
FENCHYL ALCOHOL 0.007 ND ND GERAINIOL 0.007 ND ND GERAINYL ACETATE 0.007 ND ND HEXAHYDROTHYMOL 0.007 ND ND ISOBORIEGI 0.007 ND ND ISOPULEGOL 0.007 ND ND OLINEROL 0.007 ND ND OLINEROL 0.007 ND ND PULEGORE 0.007 ND ND SABINERO 0.007 ND ND	FARNESENE	0.001	ND	ND								
GERANIOL 0,007 0,007 ND ND GERANIA LECTATE 0,007 ND ND ND HEXEATYROTHYMOL 0,007 ND ND ISOBONEOL 0,007 ND ND NEROL 0,007 ND ND OLIMENE 0,007 ND ND VULGONE 0,007 ND ND SABINENE 0,007 ND ND	FENCHONE	0.007	ND	ND								
GERANYLACETATE 0.007 ND ND HEXALYDROTHYMOL 0.007 ND ND ISOBORNEOL 0.007 ND ND ISOPULEGOL 0.007 ND ND OCIMEND 0.007 ND ND PULEGOR 0.007 ND ND SABINENE 0.007 ND ND	FENCHYL ALCOHOL	0.007	ND	ND								
HEXAHYDROTHYMOL 0.007 VD VD LISGORINEL 0.007 VD VD ISOPULEGOL 0.007 VD VD NEROL 0.007 VD VD OCIMENE 0.007 VD VD PULEGORE 0.007 VD VD SABINENE 0.007 VD VD	GERANIOL	0.007	ND	ND								
ISOBORNEOL 0,007 ND ND ND ND ND ND ND N	GERANYL ACETATE	0.007	ND	ND								
ISOPULEGOL 0.007 ND ND NEROL 0.007 ND ND COLIMENT 0.007 ND ND PULEGORE 0.007 ND ND SABINENE 0.007 ND ND	HEXAHYDROTHYMOL	0.007	ND	ND								
NEROL 0.07 ND ND OCINENE 0.097 ND ND PULEGORE 0.007 ND ND SABINENE 0.007 ND ND	ISOBORNEOL	0.007	ND	ND								
OCIMENE 0.007 ND ND PULEGONE 0.007 ND ND SABINENE 0.007 ND ND	ISOPULEGOL	0.007	ND	ND								
PULEGONE 0.007 ND ND SABINENE 0.007 ND ND	NEROL	0.007	ND	ND								
SABINENE 0.007 ND ND	OCIMENE	0.007	ND	ND								
	PULEGONE	0.007	ND	ND								
SABINENE HYDRATE 0.007 ND ND	SABINENE	0.007	ND	ND								
	SABINENE HYDRATE	0.007	ND	ND								

Total (%)

0.892

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Starburst 36 #1 710 LABS HAND-ROLL 1g

710 Labs Starburst 36 #1 Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40304003-014 Harvest/Lot ID: 20240207-710SB1-F8H11

Batch#:1000187270

Sampled: 03/04/24 Ordered: 03/04/24

Sample Size Received: 26 gram Total Amount : 500 units

Completed: 03/08/24 Expires: 03/08/25 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	L	.OD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0	.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0	.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0	.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0	.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN			ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE			ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND							
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR			ppm	0.1	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN			ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0	.010	ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0	.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0	.010	ppm	0.1	PASS	ND
FENAZATE	0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE	0	.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID			ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM			ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN			ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND			.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				0.15	PASS	
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		.010				ND
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		.070		0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0	.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0	.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0	.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0	.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weig	nht. F	vtrac	tion date:		Extracte	d hv:
METHOATE	0.010		0.1	PASS	ND	3379, 1665, 1440 0.892			24 18:00:20		3379	, .
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine				SOP.T.40.101	.FL (Gainesville),
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070133PES				n:03/07/24 1		
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date	:03/06/24 09:	10:28	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 03/06/24 18:03:43 Dilution : 250						
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 030624.R05; 030624.R03; 030	324 R03: 03063	24 RO	4· 021324 R0	15: 030624 R0	1 · 040423 08	
PRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	324.1103, 03002		7, 021327.110	75, 050024.110	1, 040425.00	
ONICAMID	0.010	1.1.	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid (Chrom	atography Tr	iple-Quadrupol	e Mass Spectror	netry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weigh			ion date:		Extracted	l by:
IIDACLOPRID	0.010		0.4	PASS	ND	450, 1665, 1440 0.8929			4 18:00:20	COD T 40 11	3379	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gaine Analytical Batch: DA070135VOL	esville), SOP.T.:), SOP.T.40.15 03/07/24 14:1		
ALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001				3/06/24 09:11:		
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/06/24 18:31:57		-u		-, - 5, 2 . 0 5 . 1 1		
ETHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 030324.R03; 040423.08; 02142	24.R18; 021424	I.R19				
EVINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 14725401						
YCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	utilizing Gas Ch	romat	ography frip	e-Quadrupole	mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Starburst 36 #1 710 LABS HAND-ROLL 1q

710 Labs Starburst 36 #1 Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA40304003-014

Harvest/Lot ID: 20240207-710SB1-F8H11

Batch#: 1000187270 Sampled: 03/04/24 Ordered: 03/04/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 03/08/24 Expires: 03/08/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Mvcotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	_
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 0.8833g 3390, 53, 1665, 1440 03/06/24 12:04:37 3390,4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA070109MIC

Reviewed On: 03/08/24

Batch Date: 03/05/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 17:39:25

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 03/06/24 18:39:38

Dilution: N/A

Reagent: 012424.42; 012424.47; 022224.R10; 083123.107

Consumables: 7569001036

Pipette: N/A

200	,					
Analyte	L	OD (Jnits	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.	002 p	pm	ND	PASS	0.02
AFLATOXIN B1	0.	002 p	pm	ND	PASS	0.02
OCHRATOXIN A	0.	002 p	pm	ND	PASS	0.02

					Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction d	ate:		Extracte	d by:
3379, 1665, 1440	0.8929g	03/06/24 18	:00:20		3379	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070134MYC Reviewed On: 03/07/24 14:20:31 Instrument Used : N/A Batch Date: 03/06/24 09:11:51 Analyzed Date: 03/06/24 18:04:21

Dilution: 250

Reagent: 030624.R05; 030624.R03; 030324.R03; 030624.R04; 021324.R05; 030624.R01; 040423.08

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

Analyzed by: 3390, 1665, 1440	Weight: 0.8833g	Extraction date: 03/06/24 12:04:37	Extracted by: 3390,4044
Analysis Method: SOP. Analytical Batch: DA07 Instrument Used: Incul Analyzed Date: 03/06/	70110TYM bator (25-27*C) [On: 03/08/24 18:36:41 :: 03/05/24 17:41:58
Dilution: N/A Reagent: 012424.42; (Consumables: N/A Pipette: N/A	012424.47; 0125	24.R09	
Total yeast and mold test accordance with F.S. Rule		ilizing MPN and traditional cul	ture based techniques in

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT L	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 1665, 1440	Weight: 0.2651g	03/06/24 10			Extracted 1022	l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA070102HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 03/06/24 15:26:34 Reviewed On: 03/07/24 14:08:04 Batch Date: 03/05/24 14:00:47

Dilution: 50

Reagent: 030524.R01; 030424.R04; 030424.R01; 030424.R02; 030424.R03; 030424.01;

021324.R02

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Starburst 36 #1 710 LABS HAND-ROLL 1g 710 Labs Starburst 36 #1

Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40304003-014 Harvest/Lot ID: 20240207-710SB1-F8H11

Batch#: 1000187270 Sampled: 03/04/24 Ordered: 03/04/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 03/08/24 Expires: 03/08/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1 **Moisture Content** 1.00 % 9.71 PASS 15 Analyzed by: 1879, 1665, 1440 Analyzed by: 4056, 1665, 1440 Extraction date: NA N/A N/A 0.515q03/06/24 17:58:27 4056 Analysis Method: SOP.T.40.090 Analysis Method: SOP.T.40.021 Analytical Batch : DA070175FIL
Instrument Used : Filth/Foreign Material Microscope Analytical Batch: DA070162MOI Instrument Used: DA-003 Moisture Analyzer Reviewed On: 03/07/24 00:13:43 Reviewed On: 03/07/24 14:31:39 Batch Date: 03/06/24 22:36:32 Batch Date: 03/06/24 11:15:47 Analyzed Date: 03/06/24 23:37:31 Analyzed Date: 03/06/24 13:40:55

Dilution: N/AReagent: N/A Consumables : N/A

Pipette: N/A

Reagent: 092520.50; 020124.02 Consumables : N/A

Pipette: DA-066

Dilution: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Reviewed On: 03/07/24 14:23:20

Batch Date : 03/06/24 11:16:45

Analyte Water Activity	_	OD Units 0.010 aw	Result 0.515	P/F PASS	Action Level 0.65
Analyzed by: 4056, 1665, 1440	Weight: 1.164q	Extraction 03/06/24 1			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA070163WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date: 03/06/24 13:40:33

Dilution: N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164