

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Motorbreath #15 PRE-ROLL 2 X 0.5G

Motorbreath #15 Matrix: Flower Type: Preroll

Sample:DA40311003-007 Harvest/Lot ID: 20240117-MB15-H64

Batch#: 1000191468

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

> Seed to Sale# LFG-00003502 Batch Date: 03/11/24

Sample Size Received: 26 gram Total Amount: 1543 units Retail Product Size: 1 gram

Retail Serving Size: 0.5 gram

Servings: 2 Ordered: 03/11/24 Sampled: 03/11/24

Completed: 03/14/24 Revision Date: 03/25/24

Sampling Method: SOP.T.20.010

PASSED

Mar 25, 2024 | The Flowery Samples From:

Homestead, FL, 33090, US

#FLOWERY

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS





PASSED



PASSED



PASSED



PASSED



Residuals Solvents



PASSED



Water Activity PASSED



PASSED



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Weight: 0.2111g

Total CBD



Total Cannabinoids

Total Cannabinoids/Container: 313.99

		-									
		-									
		-									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
,	0.726	29.730	ND	0.062	0.041	0.069	0.724	ND	ND	ND	0.047
g/unit	7.26	297.30	ND	0.62	0.41	0.69	7.24	ND	ND	ND	0.47
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA070349POT

Instrument Used: DA-LC-002 Analyzed Date: 03/12/24 14:35:17

Dilution: 400

Analyzed by: 1665, 3335, 585, 1440

Reagent: 022124.R04; 071222.01; 021424.R04 Consumables: 947.109; 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

Reviewed On: 03/13/24 08:48:33

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #1 - Updated Total Amount



Kaycha Labs

Motorbreath #15 PRE-ROLL 2 X 0.5G Motorbreath #15

Matrix: Flower Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA40311003-007 Harvest/Lot ID: 20240117-MB15-H64

Batch#:1000191468 Sampled: 03/11/24 Ordered: 03/11/24

Sample Size Received: 26 gram Total Amount: 1543 units Completed: 03/14/24 Expires: 03/25/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Т	Terpenes	LOD (%)	mg/un	it %	Result (%)
TOTAL TERPENES	0.007	15.68	1.568		V	/ALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.76	0.476		A	ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	3.08	0.308		A	ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.85	0.185		A	ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.56	0.156		A	ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.41	0.141		A	ALPHA-TERPINOLENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.67	0.067		_ C	CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.63	0.063		G	GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.54	0.054		An	nalyzed by:	Weight:	Extr	action date:	Extracted by:
BETA-PINENE	0.007	0.32	0.032		36	605, 1665, 585, 1440	1.0091g	03/	12/24 14:52:37	3605
ALPHA-BISABOLOL	0.007	0.31	0.031			nalysis Method : SOP.T.30.061A.FL, SOP.T.40.	061A.FL			
GERANIOL	0.007	0.29	0.029			nalytical Batch : DA070373TER strument Used : DA-GCMS-008			viewed On: 03, tch Date: 03/1	/14/24 10:22:47
CARYOPHYLLENE OXIDE	0.007	0.26	0.026			nalyzed Date: 03/12/24 14:54:37		Ddl	cn Date: 03/1	2/24 11.01.07
3-CARENE	0.007	ND	ND		Dil	lution: 10				
BORNEOL	0.013	ND	ND		Re	eagent : N/A				
CAMPHENE	0.007	ND	ND			onsumables : N/A pette : N/A				
CAMPHOR	0.007	ND	ND			rpenoid testing is performed utilizing Gas Chromat	b Mass Casalasa	naha. Fas	all Flances assessed	to the Tetal Terrore W is decreased
CEDROL	0.007	ND	ND		Ter	rperiora testing is performed utilizing das Cirromat	ograpity mass spectror	neury. ror	all riower sample	rs, the rotal respenses % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND							
FARNESENE	0.001	ND	ND							
FENCHONE	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
Total (9/)			1 560							

Total (%)

1.568

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/14/24



Kaycha Labs

Motorbreath #15 PRE-ROLL 2 X 0.5G

Motorbreath #15 Matrix: Flower Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA40311003-007 Harvest/Lot ID: 20240117-MB15-H64

Batch#:1000191468 Sampled: 03/11/24 Ordered: 03/11/24

Sample Size Received: 26 gram Total Amount : 1543 units Completed: 03/14/24 Expires: 03/25/25 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					PASS	
AMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1		ND
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					PASS	
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1		ND
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.010		0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
IETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8899g	Extraction	on date: 16:31:21		Extracted I 450,3379	oy:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.				SOPT 40 101		1
DFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.101.1 L (Gairlesville,	,, 501.1.50.10.	Z.I L (Davie	, 301.1.40.10.	L.I L (Gairlesville	,,
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA07036	1PES		Reviewed	On:03/13/24	11:17:33	
HEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS	-003 (PES)		Batch Dat	e:03/12/24 10	:38:52	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date: 03/12/24 16	5:56:14					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250						
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 030324.R03; 0404	423.08; 031124.R01	.; u30624.R03;	U30624.R0)4; 021324.R05	; U30624.R01	
DNICAMID	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-093; DA-094; D	Δ_219					
JDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents		a Liauid Chrom	atography 7	Frinle-Quadrung	le Mass Spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64E		g Equiu Cilibii	acograpity i	p.c-Quuurupu	uss spectrur	111
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted b	v:
IDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.8899g	03/12/24			450,3379	•
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.	151.FL (Gainesville	, SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA07036				:03/13/24 11:		
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS		Ва	tch Date :	03/12/24 10:39	1:57	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 03/12/24 17	7:18:14					
THOMYL	0.010		0.1	PASS	ND	Dilution: 250	422 00. 021 424 010	. 021424 010				
VINPHOS	0.010		0.1	PASS	ND	Reagent: 030324.R03; 0404 Consumables: 326250IW; 1		, UZ14Z4.K19				
CLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; D						
LED		ppm	0.25	PASS	ND	Testing for agricultural agents						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/14/24



Kaycha Labs

Motorbreath #15 PRE-ROLL 2 X 0.5G

Motorbreath #15 Matrix: Flower Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40311003-007 Harvest/Lot ID: 20240117-MB15-H64

Batch#: 1000191468 Sampled: 03/11/24 Ordered: 03/11/24

Sample Size Received: 26 gram Total Amount: 1543 units Completed: 03/14/24 Expires: 03/25/25 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 03/13/24 11:16:41

Batch Date: 03/12/24 14:58:45



Microbial

PASSED



Instrument Used : N/A

Consumables: 326250IW

030624.R01

Metal

Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070394MYC

Analyzed Date: 03/12/24 16:57:02

Pipette: DA-093; DA-094; DA-219

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Action

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Result Pass /

Extracted by:

ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENI	E		Not Present	PASS PASS		AFLATOXIN G1 AFLATOXIN G2		0.002 0.002	ppm	ND ND	PAS
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10	CFU/g	Not Present 360	PASS PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.8899g	Extraction dat 03/12/24 16:3			xtrac 50,33
Analyzed by:	Weight:	Extraction	date:	Extracte	ed by:	Analysis Method : SOI	P.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	(Gainesv	ille),

3390, 1665, 585, 1440 1.0548g 03/12/24 12:58:16 3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA070350MIC

Reviewed On: 03/14/24

Batch Date: 03/12/24

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:37:38

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 03/13/24 17:20:53

Reagent: 012424.35; 012424.36; 012424.38; 022224.R10; 091523.43

Weight:

Consumables: 7569002019; 7569002034

Pipette: N/A Analyzed by:

accordance wit	h F.S. Rule 64ER20-39.	
Hg	Heavy Metals	PASSED

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in

Dilution: 250
Reagent: 030324.R03; 040423.08; 031124.R01; 030624.R03; 030624.R04; 021324.R05;

3390, 585, 1440	1.0548g	03/12/24 12:58:16	3390
Analysis Method : SOP Analytical Batch : DAO Instrument Used : N/A Analyzed Date : N/A		sville), SOP.T.40.209.FL Reviewed On: 03/14 Batch Date: 03/12/2	
Dilution: N/A Reagent: 012424.35; Consumables: N/A Pipette: N/A	012424.36; 0124	24.38; 012524.R09	

Extraction date:

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

				raii	Levei
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

LOD

Analyzed by: Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.2772g 03/12/24 11:37:32

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA070354HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 03/12/24 15:50:49

Reviewed On: 03/13/24 13:29:51 Batch Date: 03/12/24 10:21:58

Units

Dilution: 50

Reagent: 030524.R01; 031124.R06; 030424.R01; 031124.R04; 031124.R05; 030424.01;

021324.R02

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Million, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

03/14/24



Kaycha Labs

Motorbreath #15 PRE-ROLL 2 X 0.5G

Motorbreath #15 Matrix: Flower Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA40311003-007 Harvest/Lot ID: 20240117-MB15-H64

Batch#:1000191468 Sampled: 03/11/24 Ordered: 03/11/24

Sample Size Received: 26 gram Total Amount: 1543 units Completed: 03/14/24 Expires: 03/25/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material	LOD 0.100	Units) %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 11.61	P/F PASS	Action Level 15
Analyzed by: 1879, 585, 1440	Weight: NA	Extractio N/A	n date:	Extra N/A	acted by:	, , , , ,			xtraction o 3/13/24 11		Extracted by: 4444	
Analysis Method: SOP.T.40.03 Analytical Batch: DA070399F Instrument Used: Filth/Foreig Analyzed Date: 03/12/24 20:4	/24 21:11:40 4 20:31:43	Analysis Method : SOP.T.40.021 Analytical Batch : DA070387MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/13/24 10:40:45 Reviewed On : 03/14/24 10:16:22 Batch Date : 03/12/24 12:58:21										
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A						Dilution: N/A Reagent: 092520.50; 0 Consumables: N/A Pipette: DA-066	20124.02					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010 aw		0.497	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 1.449g		traction d /14/24 09			tracted by: 44
Analysis Method : SOF Analytical Batch : DA0				Reviewed On	: 03/14/24	4 10:17:54

Instrument Used: DA256 Rotronic HygroPalm **Analyzed Date:** $03/13/24 \ 10:41:51$

Batch Date: 03/12/24 12:58:45

Dilution: N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/14/24