



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40323003-001
Harvest/Lot ID: 20240221-710SB40-F1H11
Batch#: 1000195059
Cultivation Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00003614
Batch Date: 03/21/24
Sample Size Received: 16 gram
Total Amount: 379 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 03/22/24
Sampled: 03/23/24
Completed: 03/26/24
Sampling Method: SOP.T.20.010

Mar 26, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

78.460%

Total THC/Container : 392.30 mg



Total CBD

0.213%

Total CBD/Container : 1.07 mg



Total Cannabinoids

84.407%

Total Cannabinoids/Container : 422.04 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	70.936	8.580	0.120	0.107	0.452	1.928	0.844	0.064	0.501	ND	0.875
mg/unit	354.68	42.90	0.60	0.54	2.26	9.64	4.22	0.32	2.51	ND	4.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4351

Weight:
0.109g

Extraction date:
03/25/24 09:40:28

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070829POT

Instrument Used : DA-LC-003

Analyzed Date : 03/25/24 09:48:00

Reviewed On : 03/25/24 23:46:36

Batch Date : 03/23/24 23:49:59

Dilution : 400

Reagent : 022724.R01; 030624.05; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Pod 0.5g - Starburst 36 #40
Starburst 36 #40
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40323003-001

Harvest/Lot ID: 20240221-710SB40-F1H11

Batch# : 1000195059

Sample Size Received : 16 gram

Total Amount : 379 units

Completed : 03/26/24

Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	34.25	6.849		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.47	1.893		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	8.08	1.616		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	4.89	0.977		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.77	0.954		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.76	0.551		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.95	0.189		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.84	0.168		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.73	0.145		Analysis by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	0.54	0.108		3605, 585, 4351	0.305g	03/24/24 10:19:53	1879,795	
TOTAL TERPINEOL	0.007	0.52	0.104		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.007	0.41	0.081		Analytical Batch : DA070821TER			Reviewed On : 03/26/24 08:04:58	
CAMPHENE	0.007	0.20	0.039		Instrument Used : DA-GCMS-009			Batch Date : 03/23/24 12:21:54	
ALPHA-TERPINOLENE	0.007	0.12	0.024		Analyzed Date : N/A				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 022224.01				
CAMPOR	0.007	ND	ND		Consumables : 947.109; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-063				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			6.849						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Pod 0.5g - Starburst 36 #40

Starburst 36 #40

Matrix : Derivative

Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40323003-001

Harvest/Lot ID: 20240221-710SB40-F1H11

Batch # : 1000195059

Sampled : 03/23/24

Ordered : 03/23/24

Sample Size Received : 16 gram

Total Amount : 379 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4351Weight: 0.25gExtraction date: 03/24/24 15:33:34Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070814PESReviewed On : 03/26/24 12:10:40 Instrument Used : DA-LCMS-003 (PES)Batch Date : 03/23/24 11:51:08 Analyzed Date : 03/25/24 12:34:40 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 585, 4351Weight: 0.25gExtraction date: 03/24/24 15:33:34Extracted by: 4056 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA070815VOLReviewed On : 03/26/24 12:09:12 Instrument Used : DA-GCMS-001Batch Date : 03/23/24 11:52:34 Analyzed Date : 03/25/24 10:25:24 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Pod 0.5g - Starburst 36 #40
Starburst 36 #40
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40323003-001

Harvest/Lot ID: 20240221-710SB40-F1H11

Batch# : 1000195059

Sampled : 03/23/24

Ordered : 03/23/24

Sample Size Received : 16 gram

Total Amount : 379 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4351

Weight:
0.0203g

Extraction date:
03/24/24 15:41:22

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA070841SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/24/24 15:41:31

Reviewed On : 03/26/24 15:08:16
Batch Date : 03/24/24 14:15:53

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Pod 0.5g - Starburst 36 #40
Starburst 36 #40
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40323003-001
Harvest/Lot ID: 20240221-710SB40-F1H11
Batch# : 1000195059
Sample Size Received : 16 gram
Total Amount : 379 units
Sampled : 03/23/24
Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/23/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																													
<table><tr><td>Analyzed by: 3390, 4044, 585, 4351</td><td>Weight: 1.195g</td><td>Extraction date: 03/23/24 12:43:10</td><td>Extracted by: 3621</td></tr></table>	Analyzed by: 3390, 4044, 585, 4351	Weight: 1.195g	Extraction date: 03/23/24 12:43:10	Extracted by: 3621																																														
Analyzed by: 3390, 4044, 585, 4351	Weight: 1.195g	Extraction date: 03/23/24 12:43:10	Extracted by: 3621																																															
<table><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 03/26/24 17:30:26 Batch Date : 03/23/24 10:19:06</td></tr><tr><td>Analytical Batch : DA070797MIC</td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td>Analyzed Date : 03/25/24 11:38:12</td><td></td></tr></table>	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Reviewed On : 03/26/24 17:30:26 Batch Date : 03/23/24 10:19:06	Analytical Batch : DA070797MIC	Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021	Analyzed Date : 03/25/24 11:38:12																																													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Reviewed On : 03/26/24 17:30:26 Batch Date : 03/23/24 10:19:06																																																	
Analytical Batch : DA070797MIC																																																		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																		
Analyzed Date : 03/25/24 11:38:12																																																		
<table><tr><td>Dilution : N/A</td><td rowspan="4">Reagent : 012424.13; 012424.19; 031824.R18; 091523.42 Consumables : 7569002025 Pipette : N/A</td></tr><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table>	Dilution : N/A	Reagent : 012424.13; 012424.19; 031824.R18; 091523.42 Consumables : 7569002025 Pipette : N/A																																																
Dilution : N/A	Reagent : 012424.13; 012424.19; 031824.R18; 091523.42 Consumables : 7569002025 Pipette : N/A																																																	
<table><tr><td>Analyzed by: 4044, 3390, 585, 4351</td><td>Weight: 1.195g</td><td>Extraction date: 03/23/24 12:43:10</td><td>Extracted by: 3621</td></tr></table>	Analyzed by: 4044, 3390, 585, 4351	Weight: 1.195g	Extraction date: 03/23/24 12:43:10	Extracted by: 3621																																														
Analyzed by: 4044, 3390, 585, 4351	Weight: 1.195g	Extraction date: 03/23/24 12:43:10	Extracted by: 3621																																															
<table><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 03/25/24 19:58:51 Batch Date : 03/23/24 11:10:22</td></tr><tr><td>Analytical Batch : DA070803TYM</td></tr><tr><td>Instrument Used : Incubator (25-27°C) DA-097</td></tr><tr><td>Analyzed Date : 03/23/24 16:10:48</td><td></td></tr></table>	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Reviewed On : 03/25/24 19:58:51 Batch Date : 03/23/24 11:10:22	Analytical Batch : DA070803TYM	Instrument Used : Incubator (25-27°C) DA-097	Analyzed Date : 03/23/24 16:10:48																																													
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Reviewed On : 03/25/24 19:58:51 Batch Date : 03/23/24 11:10:22																																																	
Analytical Batch : DA070803TYM																																																		
Instrument Used : Incubator (25-27°C) DA-097																																																		
Analyzed Date : 03/23/24 16:10:48																																																		
<table><tr><td>Dilution : N/A</td><td rowspan="4">Reagent : 012424.13; 012424.19; 031824.R19 Consumables : N/A Pipette : N/A</td></tr><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table>	Dilution : N/A	Reagent : 012424.13; 012424.19; 031824.R19 Consumables : N/A Pipette : N/A																																																
Dilution : N/A	Reagent : 012424.13; 012424.19; 031824.R19 Consumables : N/A Pipette : N/A																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	Mycotoxins	PASSED																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																	
<table><tr><td>Analyzed by: 3379, 585, 4351</td><td>Weight: 0.25g</td><td>Extraction date: 03/24/24 15:33:34</td><td>Extracted by: 4056</td></tr></table>	Analyzed by: 3379, 585, 4351	Weight: 0.25g	Extraction date: 03/24/24 15:33:34	Extracted by: 4056																																		
Analyzed by: 3379, 585, 4351	Weight: 0.25g	Extraction date: 03/24/24 15:33:34	Extracted by: 4056																																			
<table><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td rowspan="3">Reviewed On : 03/26/24 08:03:16 Batch Date : 03/23/24 11:53:00</td></tr><tr><td>Analytical Batch : DA070816MYC</td></tr><tr><td>Instrument Used : N/A</td></tr><tr><td>Analyzed Date : 03/25/24 12:34:46</td><td></td></tr></table>	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On : 03/26/24 08:03:16 Batch Date : 03/23/24 11:53:00	Analytical Batch : DA070816MYC	Instrument Used : N/A	Analyzed Date : 03/25/24 12:34:46																																	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On : 03/26/24 08:03:16 Batch Date : 03/23/24 11:53:00																																					
Analytical Batch : DA070816MYC																																						
Instrument Used : N/A																																						
Analyzed Date : 03/25/24 12:34:46																																						
<table><tr><td>Dilution : 250</td><td rowspan="4">Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219</td></tr><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table>	Dilution : 250	Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219																																				
Dilution : 250	Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	Heavy Metals	PASSED																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																	
ARSENIC	0.020	ppm	ND	PASS	0.2																																	
CADMIUM	0.020	ppm	ND	PASS	0.2																																	
MERCURY	0.020	ppm	ND	PASS	0.2																																	
LEAD	0.020	ppm	ND	PASS	0.5																																	
<table><tr><td>Analyzed by: 1022, 585, 4351</td><td>Weight: 0.2906g</td><td>Extraction date: 03/23/24 14:59:35</td><td>Extracted by: 4306,1022</td></tr></table>	Analyzed by: 1022, 585, 4351	Weight: 0.2906g	Extraction date: 03/23/24 14:59:35	Extracted by: 4306,1022																																		
Analyzed by: 1022, 585, 4351	Weight: 0.2906g	Extraction date: 03/23/24 14:59:35	Extracted by: 4306,1022																																			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Pod 0.5g - Starburst 36 #40
Starburst 36 #40
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40323003-001
Harvest/Lot ID: 20240221-710SB40-F1H11
Batch# : 1000195059
Sample Size Received : 16 gram
Sampled : 03/23/24
Total Amount : 379 units
Ordered : 03/23/24
Completed : 03/26/24 Expires: 03/26/25
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA070843FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/24/24 16:49:27
Reviewed On : 03/26/24 15:02:35
Batch Date : 03/24/24 16:47:58

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.487	PASS	0.85

Analyzed by: 4444, 585, 4351	Weight: 1.107g	Extraction date: 03/23/24 16:02:58	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA070806WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 03/23/24 15:02:31
Reviewed On : 03/25/24 16:07:54
Batch Date : 03/23/24 11:35:07

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24