

Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15 Upside Down Frown #15

Matrix: Derivative Type: Live Badder



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40319012-003 Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#: 1000193960

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

Seed to Sale# LFG-00003577

Batch Date: 03/15/24 Sample Size Received: 16 gram

Total Amount: 480 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 1

> Ordered: 03/19/24 Sampled: 03/19/24 Completed: 03/23/24

Sampling Method: SOP.T.20.010

PASSED

#FLOWERY

Mar 23, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED





Heavy Metals PASSED



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents PASSED



PASSED



Pages 1 of 6

Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Total CBD



Total Cannabinoids

Extracted by:

1665 3335

Total Cannabinoids/Container: 916.02

									3		
		-									
		-									
		-									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
	7.237	78.598	ND	0.197	0.072	0.726	4.375	0.038	0.057	ND	0.302
ng/unit	72.37	785.98	ND	1.97	0.72	7.26	43.75	0.38	0.57	ND	3.02
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Extraction date

03/20/24 12:14:49

1665, 585, 1440 Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA070668POT Instrument Used: DA-LC-003 Analyzed Date: 03/20/24 12:44:33

Dilution: 400

LO

Reagent: 022724.R01; 060723.24; 030824.R01
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight

0.11690

Reviewed On: 03/21/24 08:43:07

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/23/24



Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15

Upside Down Frown #15 Matrix: Derivative

Type: Live Badder



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40319012-003

Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#:1000193960 Sampled: 03/19/24 Ordered: 03/19/24

Sample Size Received: 16 gram Total Amount: 480 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	57.41	5.741			SABINENE		0.007	ND	ND	
LIMONENE	0.007	20.59	2.059			VALENCENE		0.007	ND	ND	
INALOOL	0.007	8.18	0.818			ALPHA-CEDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.32	0.732			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-PINENE	0.007	3.46	0.346			ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-PINENE	0.007	3.21	0.321			CIS-NEROLIDOL		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	2.97	0.297			GAMMA-TERPINENE		0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.05	0.205			TRANS-NEROLIDOL		0.007	ND	ND	
TOTAL TERPINEOL	0.007	2.00	0.200			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
CIMENE	0.007	1.66	0.166			3605, 585, 1440	0.1989g		03/20/24 12	:09:05	3605
BETA-MYRCENE	0.007	1.25	0.125			Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	1.17	0.117			Analytical Batch : DA070669TER Instrument Used : DA-GCMS-004					03/21/24 09:25:13 8/20/24 09:58:16
BORNEOL	0.013	0.96	0.096			Analyzed Date: 03/20/24 12:09:52			DdTCII	Date: U.	7/20/24 03.30.10
CAMPHENE	0.007	0.70	0.070		ĺ	Dilution: 10					
ENCHONE	0.007	0.45	0.045			Reagent: 022224.01					
ARYOPHYLLENE OXIDE	0.007	0.42	0.042			Consumables: 947.109; CE123 Pipette: DA-063					
ALPHA-TERPINOLENE	0.007	0.39	0.039				Character annulus M	Casala	t Car all	Fla	pples, the Total Terpenes % is dry-weight corrected.
GUAIOL	0.007	0.32	0.032			rerpendid testing is performed utilizing Gas	Chromatography M	iss spectro	ometry. For all	Flower sam	iples, the Total Terpenes % is dry-weight corrected.
SABINENE HYDRATE	0.007	0.31	0.031								
-CARENE	0.007	ND	ND								
CAMPHOR	0.007	ND	ND								
CEDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ARNESENE	0.001	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
otal (%)			5.741								

Total (%)

5.741

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15

Upside Down Frown #15 Matrix: Derivative

Type: Live Badder



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40319012-003

Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#:1000193960 Sampled: 03/19/24 Ordered: 03/19/24

Sample Size Received: 16 gram Total Amount : 480 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

sticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND				0.1	PASS	
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010			PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND	CAPTAN *	0.010		0.7	PASS	ND
LORPYRIFOS	0.010			PASS PASS						PASS	
OFENTEZINE	0.010		0.2		ND	CHLORDANE *	0.010		0.1		ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	: Extract	ion date:		Extracted I	by:
METHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 0.2374	03/20/2	4 15:23:15		450,3379	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gaine	sville), SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville),
DFENPROX	0.010		0.1		ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070681PES Instrument Used : DA-LCMS-003 (PES)			On:03/21/24 :03/20/24 10		
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : N/A		שמננוו שמנפ	:.03/20/24 10	43	
NOXYCARB	0.010		0.1		ND	Dilution: 250					
NPYROXIMATE	0.010		0.1	PASS	ND ND	Reagent: 031324.R20; 040423.08					
PRONIL	0.010			PASS		Consumables: 326250IW					
ONICAMID	0.010		0.1	PASS	ND ND	Pipette: N/A					
UDIOXONIL	0.010		0.1	PASS	ND ND	Testing for agricultural agents is performed	utilizing Liquid Chror	natography T	riple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX				PASS		accordance with F.S. Rule 64ER20-39.	Posts 11			Protocolate 11	
AZALIL	0.010		0.1	PASS	ND ND	Analyzed by: Weight: 450, 585, 1440 0.2374q	Extraction 03/20/24			450,3379	y:
DACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine) SOPT 40 15		
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA070682VOL			:03/21/24 11:		
LATHION	0.010	P. P.	0.2	PASS	ND ND	Instrument Used : DA-GCMS-010			3/20/24 10:53		
TALAXYL			0.1			Analyzed Date : 03/20/24 15:47:04					
THIOCARB	0.010			PASS PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND ND	Reagent: 031324.R20; 040423.08; 03182	4.R05; 031824.R06	,			
EVINPHOS (CLOBUTANIL	0.010 0.010		0.1	PASS	ND	Consumables: 326250IW; 14725401 Pipette: DA-080: DA-146: DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15 Upside Down Frown #15

Matrix : Derivative Type: Live Badder



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA40319012-003

Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#: 1000193960 Sampled: 03/19/24 Ordered: 03/19/24 Sample Size Received: 16 gram
Total Amount: 480 units
Completed: 03/23/24 Expires: 03/23/25
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

D/	1 S	5	F	П
	7		ь.	\boldsymbol{L}

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0274g	Extraction date: 03/21/24 09:33:33			Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA070690SOL Instrument Used: DA-GCMS-003

Instrument Used: DA-GCMS-003 Analyzed Date: 03/20/24 13:14:57 Dilution: 1

Reagent: 030420.09 Consumables: 429651; 304486 Pipette: DA-309 25 uL Syringe 35028 **Reviewed On :** 03/21/24 10:56:57 **Batch Date :** 03/20/24 11:47:57

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15

Upside Down Frown #15

Matrix: Derivative Type: Live Badder



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40319012-003

Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#: 1000193960 Sampled: 03/19/24 Ordered: 03/19/24

Sample Size Received: 16 gram Total Amount: 480 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 5 of 6

ppm

ND

PASS

0.02



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TER	REUS			Not Present	PASS	
ASPERGILLUS NIG	ER			Not Present	PASS	
ASPERGILLUS FUN	/IIGATUS			Not Present	PASS	
ASPERGILLUS FLA	VUS			Not Present	PASS	
SALMONELLA SPE	CIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
TOTAL YEAST AND	TOTAL YEAST AND MOLD		CFU/g	<10	PASS	100000
Analysed by		Evelone	ation date.		Evenseted	les er

Extracted by: 3390, 585, 1440 0.9527g 03/20/24 11:36:21

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA070657MIC

Reviewed On: 03/22/24

09:59:45 Batch Date: 03/20/24

Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 08:27:06

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 03/20/24 11:36:39

Dilution: N/A

Reagent: 012424.18; 012424.22; 031824.R18; 091523.43

Instrument Used: PathogenDx Scanner DA-111.Applied

Consumables: 75690 Pipette: N/A									
Analyzed by: 4044, 585, 1440	Weight: 0.9527a	Extraction date: 03/20/24 11:36:21	Extracted by: 3390	பு பு	Hea				
		sville), SOP.T.40.209.FL	3330	Metal					

Analytical Batch : DA070677TYM Instrument Used : Incubator (25-27*C) DA-097 Reviewed On: 03/22/24 18:12:48 Batch Date: 03/20/24 10:47:57 **Analyzed Date :** 03/20/24 12:21:08

Dilution: N/A

Reagent: 012424.18; 012424.22; 012524.R09

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

240	Tycotoxiiis			. /				
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN	81	0.002	ppm	ND	PASS	0.02		
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02		

0.002

Analyzed by: **Extraction date:** Extracted by: Weight: 3379, 585, 1440 0.2374g 03/20/24 15:23:15 450,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070683MYC Reviewed On: 03/21/24 11:09:46

Instrument Used : N/A Batch Date: 03/20/24 10:54:50 Analyzed Date : N/A

Dilution: 250

AFLATOXIN G2

Reagent: 031324.R20; 040423.08

Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



avy Metals

PASSED

метаі		LOD	Units	Kesuit	Pass / Fail	Level
TOTAL CONTAMINAN	IT LOAD META	L S 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2447g	Extraction date 03/20/24 12:1			tracted b 022,1879	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA070673HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 03/22/24 18:45:32

Reviewed On: 03/23/24 08:47:36 Batch Date: 03/20/24 10:10:09

Reagent: 030524.R01; 031424.R03; 030424.01; 031124.R06; 031124.R04; 031124.R05

Consumables: 179436; 210618-336; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

710 Labs Live Rosin Badder 1g - Upside Down Frown #15

Upside Down Frown #15 Matrix: Derivative Type: Live Badder



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40319012-003

Harvest/Lot ID: 20231229-710UDF15-F1H10

Batch#: 1000193960 Sampled: 03/19/24 Ordered: 03/19/24

Sample Size Received: 16 gram Total Amount: 480 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA070692FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/20/24 22:16:29

Dilution: N/AReagent: N/A

Pipette: N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Consumables : N/A

Water Activity

Reviewed On: 03/20/24 22:29:45 Batch Date: 03/20/24 22:12:35

Reviewed On: 03/21/24 08:42:30

Batch Date: 03/20/24 11:13:27

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.482	PASS	0.85
Analyzed by: 4444, 585, 1440	Weight: 0.328a		traction d /20/24 16		Ex 44	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA070689WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date: 03/20/24 14:04:42

Dilution: N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha