



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40401003-001
Harvest/Lot ID: 20231117-710DDF5-F3H9
Batch#: 1000196324
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale#: LFG-00003637
Batch Date: 03/19/24
Sample Size Received: 0.5 units
Total Amount: 339 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 04/01/24
Sampled: 04/01/24
Completed: 04/04/24
Sampling Method: SOP.T.20.010

Apr 04, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

80.809%

Total THC/Container : 404.05 mg



Total CBD

0.138%

Total CBD/Container : 0.69 mg



Total Cannabinoids

85.451%

Total Cannabinoids/Container : 427.26 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	74.857	6.787	0.138	ND	0.372	1.583	0.728	0.086	0.323	ND	0.577
mg/unit	374.29	33.94	0.69	ND	1.86	7.92	3.64	0.43	1.62	ND	2.89
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1032g

Extraction date:
04/02/24 13:41:06

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071118POT

Instrument Used : DA-LC-003

Analyzed Date : 04/02/24 13:50:57

Reviewed On : 04/03/24 09:15:05

Batch Date : 04/02/24 10:14:24

Dilution : 400

Reagent : 032924.R03; 060723.24; 032924.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin Pod 0.5g - Dulce De Fresa #5

Dulce De Fresa

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40401003-001

Harvest/Lot ID: 20231117-710DDF5-F3H9

Batch# : 1000196324

Sampled : 04/01/24

Ordered : 04/01/24

Sample Size Received : 0.5 units

Total Amount : 339 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	34.03	6.805		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	11.28	2.256		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	8.67	1.734		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.32	0.863		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	3.21	0.641		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.29	0.257		ALPHA-TERPINENE	0.007	ND	ND	
GUAIOL	0.007	1.11	0.221		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	0.98	0.196		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.69	0.137		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	0.59	0.118		3605, 585, 1440	0.2119g	04/02/24 14:19:07	3605	
TOTAL TERPINEOL	0.007	0.52	0.104		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-PINENE	0.007	0.41	0.082		Analytical Batch : DA071114TER			Reviewed On : 04/03/24 09:15:30	
TRANS-NEROLIDOL	0.007	0.35	0.069		Instrument Used : DA-GCMS-009			Batch Date : 04/02/24 08:34:10	
BORNEOL	0.013	0.30	0.060		Analyzed Date : 04/02/24 14:19:40				
CAMPHENE	0.007	0.19	0.038		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.15	0.029		Reagent : 022224.01				
3-CARENE	0.007	ND	ND		Consumables : 947.109; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : DA-063				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			6.805						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin Pod 0.5g - Dulce De Fresa #5

Dulce De Fresa

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40401003-001

Harvest/Lot ID: 20231117-710DDF5-F3H9

Batch# : 1000196324

Sampled : 04/01/24

Ordered : 04/01/24

Sample Size Received : 0.5 units

Total Amount : 339 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2289g	Extraction date: 04/02/24 16:23:19	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071147PES			Reviewed On : 04/03/24 10:10:38		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/02/24 11:29:27		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/02/24 16:32:47					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2289g	Extraction date: 04/02/24 16:23:19	Extracted by: 3379		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071148VOL			Reviewed On : 04/03/24 10:09:17		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 04/02/24 11:31:55		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/02/24 16:44:26					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032624.R12; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin Pod 0.5g - Dulce De Fresa #5

Dulce De Fresa

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40401003-001

Harvest/Lot ID: 20231117-710DDF5-F3H9

Batch# : 1000196324

Sampled : 04/01/24

Ordered : 04/01/24

Sample Size Received : 0.5 units

Total Amount : 339 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0291g

Extraction date:
04/03/24 13:14:13

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07116250L
Instrument Used : DA-GCMS-003
Analyzed Date : 04/03/24 13:10:58

Reviewed On : 04/03/24 14:31:23
Batch Date : 04/02/24 14:32:21

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



Type: Live Rosin



PASSED

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40401003-001
Harvest/Lot ID: 20231117-710DDF5-F3H9

Batch# : 1000196324	Sample Size Received : 0.5 units
Sampled : 04/01/24	Total Amount : 339 units
Ordered : 04/01/24	Completed : 04/04/24 Expires: 04/04/25
	Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																																																																																			
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4044, 3390, 585, 1440</td><td>Weight: 0.985g</td><td>Extraction date: 04/02/24 13:17:05</td><td>Extracted by: 3390,4044</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA071135MIC</td><td colspan="3">Reviewed On : 04/04/24 18:04:25</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td><td colspan="3">Batch Date : 04/02/24 10:55:02</td></tr><tr><td colspan="6">Analyzed Date : 04/02/24 13:31:45</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 032624.02; 032624.05; 031824.R18; 091523.42</td></tr><tr><td colspan="6">Consumables : 7569003008</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td>Analyzed by: 3390, 4451, 585, 1440</td><td>Weight: 0.985g</td><td>Extraction date: 04/02/24 13:17:05</td><td>Extracted by: 3390,4044</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA071136TYM</td><td colspan="3">Reviewed On : 04/04/24 15:06:48</td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27°C) DA-096</td><td colspan="3">Batch Date : 04/02/24 10:56:20</td></tr><tr><td colspan="6">Analyzed Date : 04/02/24 19:05:31</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 032624.02; 032624.05; 031824.R19</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4044, 3390, 585, 1440	Weight: 0.985g	Extraction date: 04/02/24 13:17:05	Extracted by: 3390,4044			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA071135MIC			Reviewed On : 04/04/24 18:04:25			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 04/02/24 10:55:02			Analyzed Date : 04/02/24 13:31:45						Dilution : N/A						Reagent : 032624.02; 032624.05; 031824.R18; 091523.42						Consumables : 7569003008						Pipette : N/A						Analyzed by: 3390, 4451, 585, 1440	Weight: 0.985g	Extraction date: 04/02/24 13:17:05	Extracted by: 3390,4044			Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA071136TYM			Reviewed On : 04/04/24 15:06:48			Instrument Used : Incubator (25-27°C) DA-096			Batch Date : 04/02/24 10:56:20			Analyzed Date : 04/02/24 19:05:31						Dilution : N/A						Reagent : 032624.02; 032624.05; 031824.R19						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Mycotoxins	PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																	
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																	
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																	
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																	
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																	
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																
Analyzed by: 4044, 3390, 585, 1440	Weight: 0.985g	Extraction date: 04/02/24 13:17:05	Extracted by: 3390,4044																																																																																																																																																																		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																					
Analytical Batch : DA071135MIC			Reviewed On : 04/04/24 18:04:25																																																																																																																																																																		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 04/02/24 10:55:02																																																																																																																																																																		
Analyzed Date : 04/02/24 13:31:45																																																																																																																																																																					
Dilution : N/A																																																																																																																																																																					
Reagent : 032624.02; 032624.05; 031824.R18; 091523.42																																																																																																																																																																					
Consumables : 7569003008																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																					
Analyzed by: 3390, 4451, 585, 1440	Weight: 0.985g	Extraction date: 04/02/24 13:17:05	Extracted by: 3390,4044																																																																																																																																																																		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																					
Analytical Batch : DA071136TYM			Reviewed On : 04/04/24 15:06:48																																																																																																																																																																		
Instrument Used : Incubator (25-27°C) DA-096			Batch Date : 04/02/24 10:56:20																																																																																																																																																																		
Analyzed Date : 04/02/24 19:05:31																																																																																																																																																																					
Dilution : N/A																																																																																																																																																																					
Reagent : 032624.02; 032624.05; 031824.R19																																																																																																																																																																					
Consumables : N/A																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																					
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.2289g</td><td>Extraction date: 04/02/24 16:23:19</td><td>Extracted by: 3379</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA071149MYC</td><td colspan="3">Reviewed On : 04/03/24 10:14:02</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 04/02/24 11:33:39</td></tr><tr><td colspan="6">Analyzed Date : 04/02/24 16:35:54</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 032624.R12; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 0.2289g	Extraction date: 04/02/24 16:23:19	Extracted by: 3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA071149MYC			Reviewed On : 04/03/24 10:14:02			Instrument Used : N/A			Batch Date : 04/02/24 11:33:39			Analyzed Date : 04/02/24 16:35:54						Dilution : 250						Reagent : 032624.R12; 040423.08						Consumables : 326250IW						Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							Heavy Metals	PASSED																																																																		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																
Analyzed by: 3379, 585, 1440	Weight: 0.2289g	Extraction date: 04/02/24 16:23:19	Extracted by: 3379																																																																																																																																																																		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																					
Analytical Batch : DA071149MYC			Reviewed On : 04/03/24 10:14:02																																																																																																																																																																		
Instrument Used : N/A			Batch Date : 04/02/24 11:33:39																																																																																																																																																																		
Analyzed Date : 04/02/24 16:35:54																																																																																																																																																																					
Dilution : 250																																																																																																																																																																					
Reagent : 032624.R12; 040423.08																																																																																																																																																																					
Consumables : 326250IW																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																					
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2716g</td><td>Extraction date: 04/02/24 13:53:58</td><td>Extracted by: 1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="3">Analytical Batch : DA071125HEA</td><td colspan="3">Reviewed On : 04/03/24 10:15:57</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-004</td><td colspan="3">Batch Date : 04/02/24 10:27:52</td></tr><tr><td colspan="6">Analyzed Date : 04/03/24 09:50:18</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06</td></tr><tr><td colspan="6">Consumables : 179436; 34623011; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2716g	Extraction date: 04/02/24 13:53:58	Extracted by: 1022			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA071125HEA			Reviewed On : 04/03/24 10:15:57			Instrument Used : DA-ICPMS-004			Batch Date : 04/02/24 10:27:52			Analyzed Date : 04/03/24 09:50:18						Dilution : 50						Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06						Consumables : 179436; 34623011; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																										
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																
Analyzed by: 1022, 585, 1440	Weight: 0.2716g	Extraction date: 04/02/24 13:53:58	Extracted by: 1022																																																																																																																																																																		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																					
Analytical Batch : DA071125HEA			Reviewed On : 04/03/24 10:15:57																																																																																																																																																																		
Instrument Used : DA-ICPMS-004			Batch Date : 04/02/24 10:27:52																																																																																																																																																																		
Analyzed Date : 04/03/24 09:50:18																																																																																																																																																																					
Dilution : 50																																																																																																																																																																					
Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06																																																																																																																																																																					
Consumables : 179436; 34623011; 210508058																																																																																																																																																																					
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin Pod 0.5g - Dulce De Fresa #5

Dulce De Fresa

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40401003-001

Harvest/Lot ID: 20231117-710DDF5-F3H9

Batch# : 1000196324

Sampled : 04/01/24

Ordered : 04/01/24

Sample Size Received : 0.5 units

Total Amount : 339 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071211FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/03/24 17:12:03

Reviewed On : 04/03/24 17:22:54

Batch Date : 04/03/24 15:36:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.527	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.611g	Extraction date: 04/03/24 15:19:46	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071161WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 04/03/24 14:32:02

Reviewed On : 04/03/24 18:12:59

Batch Date : 04/02/24 12:54:30

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24