



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40409014-002
Harvest/Lot ID: 20231125-710DL10-F2H9
Batch#: 1000201225
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00003772
Batch Date: 04/08/24
Sample Size Received: 16 gram
Total Amount: 370 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 04/09/24
Sampled: 04/09/24
Completed: 04/12/24
Sampling Method: SOP.T.20.010

Apr 12, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.040%

Total THC/Container : 790.40 mg



Total CBD

0.200%

Total CBD/Container : 2.00 mg



Total Cannabinoids

92.460%

Total Cannabinoids/Container : 924.60 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	5.734	83.588	ND	0.229	0.086	0.410	2.220	ND	ND	ND	0.193
mg/unit	57.34	835.88	ND	2.29	0.86	4.10	22.20	ND	ND	ND	1.93
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
1665, 585, 1440

Weight:
0.1049g

Extraction date:
04/10/24 12:29:58

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA071434POT
Instrument Used : DA-LC-003
Analyzed Date : 04/10/24 13:11:16

Reviewed On : 04/11/24 08:55:12
Batch Date : 04/10/24 09:46:21

Dilution : 400
Reagent : 032924.R01; 060723.24; 031524.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Percy Sauce 1g - Do Lato #10
Do Lato #10
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40409014-002

Harvest/Lot ID: 20231125-710DL10-F2H9

Batch# : 1000201225

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 370 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	65.60	6.560		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	20.15	2.015		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	13.68	1.368		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	8.81	0.881		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.56	0.656		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	4.79	0.479		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.77	0.477		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.26	0.226		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.48	0.148		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	1.46	0.146		Analytical Batch : DA071438TER				
ALPHA-TERPINEOL	0.004	1.31	0.131		Instrument Used : DA-GCMS-009				
CAMPHENE	0.007	0.33	0.033		Analyzed Date : 04/10/24 13:25:21				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 022224.01				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-063				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			6.560						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Percy Sauce 1g - Do Lato #10

Do Lato #10

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40409014-002

Harvest/Lot ID: 20231125-710DL10-F2H9

Batch# : 1000201225

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 370 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2764g	04/10/24 15:47:52	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071451PES		Reviewed On : 04/11/24 10:54:23			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/10/24 10:29:42			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/10/24 15:54:07					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 040224.R43; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2764g	04/10/24 15:47:52	450,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071453VOL		Reviewed On : 04/11/24 10:15:14			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/10/24 10:32:13			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 040224.R43; 040423.08; 031824.R05; 031824.R06					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Percy Sauce 1g - Do Lato #10

Do Lato #10

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40409014-002

Harvest/Lot ID: 20231125-710DL10-F2H9

Batch# : 1000201225

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 370 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0263g

Extraction date:
04/12/24 00:21:19

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA071485SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 04/10/24 16:29:53

Reviewed On : 04/12/24 07:34:03
Batch Date : 04/10/24 16:14:12

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



PASSED

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40409014-002
Harvest/Lot ID: 20231125-710DL10-F2H9

Batch# : 1000201225	Sample Size Received : 16 gram
Sampled : 04/09/24	Total Amount : 370 units
Ordered : 04/09/24	Completed : 04/12/24 Expires: 04/12/25
	Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																																																																																																	
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4044, 3390, 585, 1440</td><td>Weight: 0.902g</td><td>Extraction date: 04/10/24 12:08:30</td><td>Extracted by: 4044</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td>Reviewed On : 04/12/24 18:31:32</td></tr><tr><td colspan="3">Analytical Batch : DA071437MIC</td><td>Batch Date : 04/10/24 10:10:00</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="4">Analized Date : 04/10/24 13:00:55</td></tr><tr><td colspan="4">Dilution : N/A</td></tr><tr><td colspan="4">Reagent : 032624.32; 032624.36; 031824.R18; 091523.44</td></tr><tr><td colspan="4">Consumables : 7569004033</td></tr><tr><td colspan="4">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analized by: 4044, 3390, 585, 1440	Weight: 0.902g	Extraction date: 04/10/24 12:08:30	Extracted by: 4044	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/12/24 18:31:32	Analytical Batch : DA071437MIC			Batch Date : 04/10/24 10:10:00	Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021				Analized Date : 04/10/24 13:00:55				Dilution : N/A				Reagent : 032624.32; 032624.36; 031824.R18; 091523.44				Consumables : 7569004033				Pipette : N/A				<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analized by: 3379, 585, 1440</td><td>Weight: 0.2764g</td><td>Extraction date: 04/10/24 15:47:52</td><td>Extracted by: 450,3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA071454MYC</td><td colspan="3">Reviewed On : 04/11/24 10:59:47</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 04/10/24 10:33:42</td></tr><tr><td colspan="6">Analized Date : 04/10/24 15:59:34</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 040224.R43; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analized by: 3379, 585, 1440	Weight: 0.2764g	Extraction date: 04/10/24 15:47:52	Extracted by: 450,3379	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA071454MYC			Reviewed On : 04/11/24 10:59:47			Instrument Used : N/A			Batch Date : 04/10/24 10:33:42			Analized Date : 04/10/24 15:59:34						Dilution : 250						Reagent : 040224.R43; 040423.08						Consumables : 326250IW						Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																															
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																															
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																															
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																														
Analized by: 4044, 3390, 585, 1440	Weight: 0.902g	Extraction date: 04/10/24 12:08:30	Extracted by: 4044																																																																																																																																																																																
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/12/24 18:31:32																																																																																																																																																																																
Analytical Batch : DA071437MIC			Batch Date : 04/10/24 10:10:00																																																																																																																																																																																
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																			
Analized Date : 04/10/24 13:00:55																																																																																																																																																																																			
Dilution : N/A																																																																																																																																																																																			
Reagent : 032624.32; 032624.36; 031824.R18; 091523.44																																																																																																																																																																																			
Consumables : 7569004033																																																																																																																																																																																			
Pipette : N/A																																																																																																																																																																																			
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																														
Analized by: 3379, 585, 1440	Weight: 0.2764g	Extraction date: 04/10/24 15:47:52	Extracted by: 450,3379																																																																																																																																																																																
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																			
Analytical Batch : DA071454MYC			Reviewed On : 04/11/24 10:59:47																																																																																																																																																																																
Instrument Used : N/A			Batch Date : 04/10/24 10:33:42																																																																																																																																																																																
Analized Date : 04/10/24 15:59:34																																																																																																																																																																																			
Dilution : 250																																																																																																																																																																																			
Reagent : 040224.R43; 040423.08																																																																																																																																																																																			
Consumables : 326250IW																																																																																																																																																																																			
Pipette : N/A																																																																																																																																																																																			
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																			
	Heavy Metals	PASSED																																																																																																																																																																																	
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analized by: 1022, 585, 1440</td><td>Weight: 0.2592g</td><td>Extraction date: 04/10/24 13:43:45</td><td>Extracted by: 1022,4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="3">Analytical Batch : DA071472HEA</td><td colspan="3">Reviewed On : 04/11/24 10:52:57</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-004</td><td colspan="3">Batch Date : 04/10/24 11:11:14</td></tr><tr><td colspan="6">Analized Date : 04/10/24 15:51:18</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06</td></tr><tr><td colspan="6">Consumables : 179436; 34623011; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analized by: 1022, 585, 1440	Weight: 0.2592g	Extraction date: 04/10/24 13:43:45	Extracted by: 1022,4056	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA071472HEA			Reviewed On : 04/11/24 10:52:57			Instrument Used : DA-ICPMS-004			Batch Date : 04/10/24 11:11:14			Analized Date : 04/10/24 15:51:18						Dilution : 50						Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06						Consumables : 179436; 34623011; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																										
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																														
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																														
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																														
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																														
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																														
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																														
Analized by: 1022, 585, 1440	Weight: 0.2592g	Extraction date: 04/10/24 13:43:45	Extracted by: 1022,4056																																																																																																																																																																																
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																			
Analytical Batch : DA071472HEA			Reviewed On : 04/11/24 10:52:57																																																																																																																																																																																
Instrument Used : DA-ICPMS-004			Batch Date : 04/10/24 11:11:14																																																																																																																																																																																
Analized Date : 04/10/24 15:51:18																																																																																																																																																																																			
Dilution : 50																																																																																																																																																																																			
Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06																																																																																																																																																																																			
Consumables : 179436; 34623011; 210508058																																																																																																																																																																																			
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																			
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Percy Sauce 1g - Do Lato #10
Do Lato #10
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40409014-002

Harvest/Lot ID: 20231125-710DL10-F2H9

Batch# : 1000201225

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 370 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071473FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/10/24 11:17:09

Reviewed On : 04/10/24 11:26:08

Batch Date : 04/10/24 11:14:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	PASS	0.85

Analyzed by: 1879, 585, 1440	Weight: 1.394g	Extraction date: 04/12/24 10:14:28	Extracted by: 1879
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071471WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 04/12/24 09:55:52

Reviewed On : 04/12/24 10:29:09

Batch Date : 04/10/24 11:10:58

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24