

## **Kaycha Labs**

710 Labs Queens Zugar Cookie #1 710 LABS HAND-ROLL 1G

710 Labs Queens Zugar Cookie #1

Matrix: Flower Type: Preroll



# **Certificate of Analysis**

## **COMPLIANCE FOR RETAIL**



Sample:DA40619005-009

Harvest/Lot ID: 20240520-710QZC1-F4H12

Batch#: 1000227643

**Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead** 

Seed to Sale# LFG-00004352

Batch Date: 06/19/24 Sample Size Received: 26 gram

Total Amount: 500 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 1

> Ordered: 06/19/24 Sampled: 06/19/24

**Completed:** 06/22/24 Sampling Method: SOP.T.20.010

PASSED

**#FLOWERY** 

Jun 22, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US

**SAFETY RESULTS** 



**Pesticides PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



Mycotoxins **PASSED** 



Residuals Solvents **NOT TESTED** 



**PASSED** 



Water Activity **PASSED** 



Pages 1 of 5

Moisture **PASSED** 



**Terpenes TESTED** 

**PASSED** 



LOD

### Cannabinoid

**Total THC** 

Fotal THC/Container: 236.950 mg



**Total CBD** 0.044%

Total CBD/Container: 0.440 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 274.050



Reviewed On: 06/21/24 09:39:07 Batch Date: 06/20/24 09:34:31

Extracted by: 1665 Analyzed by: 1665, 585, 1440 Extraction date: 06/20/24 12:13:04

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA074222POT Instrument Used: DA-LC-002 Analyzed Date: 06/20/24 12:13:41

Dilution: 400
Reagent: 060724.R06; 060723.24; 060724.R01
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



## **Kaycha Labs**

710 Labs Queens Zugar Cookie #1 710 LABS HAND-ROLL 1G 710 Labs Queens Zugar Cookie #1

Matrix: Flower

Type: Preroll

# **Certificate of Analysis**

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40619005-009

Harvest/Lot ID: 20240520-7100ZC1-F4H12 Batch#: 1000227643

Sampled: 06/19/24 Ordered: 06/19/24

Sample Size Received: 26 gram Total Amount : 500 units Completed: 06/22/24 Expires: 06/22/25 Sample Method: SOP.T.20.010

Page 2 of 5



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/uni	it %	Result (%)
TOTAL TERPENES	0.007	8.81	0.881		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	2.43	0.243		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.47	0.147		ALPHA-TERPINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.44	0.144		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	1.02	0.102		BETA-MYRCENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.90	0.090		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	0.49	0.049		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.46	0.046		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.30	0.030		Analyzed by:	Weight:	Extra	action date:	Extracted by:
ALPHA-PINENE	0.007	0.30	0.030		4451, 3605, 585, 1440	1.1312g		0/24 11:31:47	
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	10.061A.FL			
BORNEOL	0.013	ND	ND		Analytical Batch : DA074215TER				/21/24 09:41:36
CAMPHENE	0.007	ND	ND		Instrument Used: DA-GCMS-004 Analyzed Date: 06/20/24 11:32:25		Bate	ch Date : Ub/2	0/24 08:34:49
CAMPHOR	0.007	ND	ND		Dilution: 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent: 121622.26				
CEDROL	0.007	ND	ND		Consumables: 947.109; 7931220; CE123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-063				
FARNESENE	0.001	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	natography Mass Spectro	metry. For a	II Flower sample	es, the Total Terpenes % is dry-weight corrected.
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			0.881						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

710 Labs Queens Zugar Cookie #1 710 LABS HAND-ROLL 1G 710 Labs Queens Zugar Cookie #1

Matrix: Flower

Type: Preroll



# **Certificate of Analysis**

LOD Unite

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40619005-009

Harvest/Lot ID: 20240520-7100ZC1-F4H12

Pacc/Eail Pocult

Batch#: 1000227643 Sampled: 06/19/24 Ordered: 06/19/24

Sample Size Received: 26 gram Total Amount : 500 units Completed: 06/22/24 Expires: 06/22/25 Sample Method: SOP.T.20.010

Page 3 of 5



## **Pesticides**

## **PASSED**

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND			0.010		Level	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL		0.010		0.5		ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *				0.5		ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050			PASS	
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted b	y:
ETHOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 1440	0.9994g		18:09:09	00 T 10 101 T	450,585	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101	FL (Gainesville), SC	P.1.30.10	2.FL (Davie), S	OP.1.40.101.F	L (Gainesville),	
ETOXAZOLE	0.010			PASS	ND	Analytical Batch : DA074241PE	5	SOP.T.40.102.FL (Davie)  Analytical Batch : DA074241PES				
	0.010	mag	0.1			Instrument Used : DA-LCMS-004 (PES)  Batch Date : 06/20/24 11:13:13						
	0.010		0.1	PASS	ND							
FENHEXAMID	0.010	ppm	0.1		ND							
FENHEXAMID FENOXYCARB	0.010 0.010	ppm ppm	0.1 0.1	PASS		Instrument Used : DA-LCMS-004 Analyzed Date : N/A Dilution : 250	4 (PES)		Batch Date :	06/20/24 11:1	13:13	
FENHEXAMID FENOXYCARB FENPYROXIMATE	0.010 0.010 0.010	ppm ppm ppm	0.1	PASS PASS	ND ND	Instrument Used: DA-LCMS-004 Analyzed Date: N/A Dilution: 250 Reagent: 061724.R01; 061924	4 (PES)		Batch Date :	06/20/24 11:1	13:13	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010	ppm ppm ppm ppm	0.1 0.1 0.1	PASS PASS PASS	ND ND ND	Instrument Used: DA-LCMS-004 Analyzed Date: N/A Dilution: 250 Reagent: 061724.R01; 061924 Consumables: 326250IW	4 (PES) .R12; 061924.R11; 0		Batch Date :	06/20/24 11:1	13:13	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID	0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND	Instrument Used : DA-LCMS-004 Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2	4 (PES) .R12; 061924.R11; 0	061924.R38	Batch Date : 3; 052924.R31	06/20/24 11:1 ; 061924.R09	3:13	otov in
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND	Instrument Used: DA-LCMS-004 Analyzed Date: N/A Dilution: 250 Reagent: 061724.R01; 061924 Consumables: 326250IW	.R12; 061924.R11; 0	061924.R38	Batch Date : 3; 052924.R31	06/20/24 11:1 ; 061924.R09	3:13	etry in
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND ND	Instrument Used : DA-LCMS-004 Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is p	.R12; 061924.R11; 0	061924.R38	Batch Date: 3; 052924.R31 atography Trip	06/20/24 11:1 ; 061924.R09	3:13	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Instrument Used : DA-LCMS-00- Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is a accordance with F.S. Rule 64ER20	4 (PES)  .R12; 061924.R11; 0  19  performed utilizing Lic -39.  Weight:	061924.R38 quid Chrom	Batch Date:  3; 052924.R31  atography Trip  n date:	06/20/24 11:1 ; 061924.R09	3:13; 040423.08 Mass Spectrom	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND	Instrument Used : DA-LCMS-00- Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is p accordance with F.S. Rule 64ER20 Analyzed by:	4 (PES)  .R12; 061924.R11; 0  19  performed utilizing Lic -39.  Weight: 0.9994g	061924.R38 quid Chrom <b>Extractio</b> 06/20/24	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09	06/20/24 11:1 ; 061924.R09	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00-Analyzed Date : N/A Dilution : 250 Reagent : 06.1724.R0.1; 06.1924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA074243VO	.R12; 061924.R11; 0 19 performed utilizing Lic -3-3. Weight: 0.9994g L.L (Gainesville), SC LL	061924.R38 quid Chrom  Extractio 06/20/24 DP.T.30.15:	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie), viewed On:0	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00- Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analytical Batch : DA0742243VO Instrument Used : DA-CCMS-00	4 (PES)  R12; 061924.R11; 0  19 performed utilizing Lic 3-39.  Weight: 0,9994g  L.FL (Gainesville), SCO L1	061924.R38 quid Chrom  Extractio 06/20/24 DP.T.30.15:	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie),	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00-Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA0742243VO Instrument Used : DA-GCMS-00 Analyzed Date : 06/20/24 18:27	4 (PES)  R12; 061924.R11; 0  19 performed utilizing Lic 3-39.  Weight: 0,9994g  L.FL (Gainesville), SCO L1	061924.R38 quid Chrom  Extractio 06/20/24 DP.T.30.15:	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie), viewed On:0	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALI IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00-Analyzed Date : N/A Dilution : 250 Reagent : 06.1724.R0.1; 06.1924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA074243VO Instrument Used : DA-GCMS-00 Analyzed Date : 06/20/24 18:27 Dilution : 250	4 (PES)  R12; 061924.R11; 0  19 performed utilizing Lid3-3. Weight: 0.9994g 1.FL (Gainesville), SC L1 11::16	quid Chrom  Extractio 06/20/24  P.T.30.15: Re Ba	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie), viewed On:0	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHICARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00-Analyzed Date : N/A Dilution : 250 Reagent : 061724.R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA0742243VO Instrument Used : DA-GCMS-00 Analyzed Date : 06/20/24 18:27	4 (PES)  .R12; 061924.R11; 0  19 performed utilizing Lic3-39. Weight: 0.9994g L.FL (Gainesville), SCI L 1 :16 .08; 060324.R01; 06	quid Chrom  Extractio 06/20/24  P.T.30.15: Re Ba	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie), viewed On:0	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOZARB METHOMYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used: DA-LCMS-00-Analyzed Date: N/A Dilution: 250 Reagent: 06.1724.R01; 06.1924 Consumables: 326250IW Pipette: DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method: SOP.T.30.151 Analytical Batch: DA0742243VO Instrument Used: DA-GCMS-00 Analyzed Date: 06/20/24 18:27 Dilution: 250 Reagent: 06.1924.R11; 040423	4 (PES)  .R12; 061924.R11; 0  19 performed utilizing Licity .3-39. Weight: 0.9994g .IFL (Gainesville), SCO .11 .1 .108; 060324.R01; 06	quid Chrom  Extractio 06/20/24  P.T.30.15: Re Ba	Batch Date: 3; 052924.R31 atography Trip n date: 18:09:09 LA.FL (Davie), viewed On:0	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:40	13:13 1; 040423.08 Mass Spectrom Extracted by 450,585 .FL	
FENHEXAMID FENOXYCARB FENDYYCXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MEVINPHOS	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00-Analyzed Date : N/A Dilution : 250 Reagent : 061724,R01; 061924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T. 30.151 Analytical Batch : DA074243VO Instrument Used : DA-GCMS-00 Analyzed Date : 06/20/24 18:27 Dilution : 250 Reagent : 061924,R11; 040423 Consumables : 326250IW; 1477	4 (PES)  R12; 061924.R11; 0  19  performed utilizing Lic .3-39.  Weight: 0.9994g .FL (Gainesville), SC L .1 :16 .08; 060324.R01; 06 125401 18 performed utilizing Ga	quid Chrom  Extractio 06/20/24 P.T.30.15; Re Ba	Batch Date:  3; 052924.R31  atography Trip n date: 18:09:09  LA.FL (Davie), viewed On:0 tch Date:06/	06/20/24 11:1 ; 061924.R09 le-Quadrupole SOP.T.40.151 6/21/24 10:4( 20/24 11:14:5	3:13 (; 040423.08 Mass Spectrom Extracted by 450,585 .FL 3:59	y:

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

710 Labs Queens Zugar Cookie #1 710 LABS HAND-ROLL 1G

710 Labs Queens Zugar Cookie #1 Matrix: Flower

Type: Preroll



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40619005-009

Harvest/Lot ID: 20240520-710QZC1-F4H12

Batch#: 1000227643 Sampled: 06/19/24 Ordered: 06/19/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 06/22/24 Expires: 06/22/25 Sample Method: SOP.T.20.010

Page 4 of 5



## **Microbial**



## **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4520, 585, 1440 06/20/24 11:41:20 1.2g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA074218MIC

**Reviewed On:** 06/21/24 15:43:01

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 06/20/24

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:20:46 DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date:** 06/20/24 15:45:53

Dilution: N/A

Reagent: 060524.R52; 030724.38; 061324.24; 061324.25

Ç.	Mycotoxins			
nalyte		LOD	Units	Res
Ι ΔΤΟΧΙΝ Β	2	0.002	nnm	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	<b>Weight:</b> 0.9994g	Extraction date: 06/20/24 18:09:09			xtracted 50,585	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA074242MYC Reviewed On: 06/21/24 09:33:07 Instrument Used : N/A Batch Date: 06/20/24 11:14:53

Analyzed Date : N/A

Dilution: 250

Reagent: 061724.R01; 061924.R12; 061924.R11; 061924.R38; 052924.R31; 061924.R09;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Consumables : N/A Pipette: N/A

Analyzed by: 3390, 4044, 4351, 585, 1440	Weight: 1.2g	Extraction date: 06/20/24 11:41:20	Extracted by: 3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL								

Analytical Batch: DA074219TYM Reviewed On: 06/22/24 18:59:02 Instrument Used : Incubator (42\*C) DA- 328 Batch Date: 06/20/24 09:23:38 **Analyzed Date :** 06/20/24 13:22:29

Dilution: N/A Reagent: 060524.R53; 061324.24; 061324.25 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Hg

# **Heavy Metals**

0.26g

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD ARSENIC CADMIUM MERCURY	METALS	0.080	ppm	ND ND	PASS PASS	1.1 0.2	
		0.020	ppm				
		0.020	ppm	ND	PASS	0.2	
		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction	date:		Extracted	bv:	

06/20/24 11:25:08

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA074237HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 06/20/24 15:20:52

Reviewed On: 06/21/24 10:38:54 Batch Date: 06/20/24 10:26:41

Dilution: 50

1022, 3379, 585, 1440

Reagent: 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41

Consumables: 179436; 120423CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

710 Labs Queens Zugar Cookie #1 710 LABS HAND-ROLL 1G

710 Labs Queens Zugar Cookie #1 Matrix: Flower

Type: Preroll



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40619005-009

Harvest/Lot ID: 20240520-7100ZC1-F4H12

Batch#: 1000227643 Sampled: 06/19/24 Ordered: 06/19/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 06/22/24 Expires: 06/22/25 Sample Method: SOP.T.20.010

Page 5 of 5



## Filth/Foreign **Material**

## **PASSED**



## **Moisture**

**PASSED** 

Analyte Filth and Foreign Material

Analyzed Date: 06/20/24 11:42:39

LOD Units 0.100 %

P/F PASS

Reviewed On: 06/20/24 11:49:57 Batch Date: 06/20/24 11:37:37

Result

ND

Action Level Analyte 1

**Moisture Content** 

LOD Units 1.00 % Extraction date

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

06/20/24 15:14:28

Result P/F 13.74 PASS

15

4512

**Action Level** 

Analyzed by: 1879, 585, 1440 Analysis Method: SOP.T.40.090

Weight: 1g

Analytical Batch : DA074253FIL
Instrument Used : Filth/Foreign Material Microscope

Extraction date: 06/20/24 11:40:13 Extracted by: 1879

Analyzed by: 4512, 585, 1440 0.495qAnalysis Method: SOP.T.40.021

**Reviewed On:** 06/21/24

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Batch Date: 06/20/24 09:39:23 Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser

Analyzed Date: 06/20/24 15:24:59

Reagent: 092520.50; 020124.02

Consumables : N/A Pipette: DA-066

Pipette: N/A

Dilution: N/A

Reagent: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyzed by: 4512, 585, 1440

## **Water Activity**

LOD Units Analyte

Extraction date: 06/20/24 15:55:25

0.010 aw

Result P/F **Action Level** PASS 0.552 0.65

Extracted by: 4512

Analytical Batch: DA074231WAT

Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 06/20/24 16:00:27

Reviewed On: 06/21/24 08:11:36 Batch Date: 06/20/24 09:54:48

Dilution: N/A Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/22/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors