



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40621001-011
Harvest/Lot ID: 20240604-710X164-H

Batch#: 1000228177

Cultivation Facility: Homestead

Processing Facility: Homestead

Source Facility: Homestead

Seed to Sale# LFG-00004371

Batch Date: 06/19/24

Sample Size Received: 16 gram

Total Amount: 454 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 06/20/24

Sampled: 06/21/24

Completed: 06/24/24

Sampling Method: SOP.T.20.010

PASSED

Jun 24, 2024 | The Flowery

Samples From:

Homestead, FL, 33090, US

THE FLOWERY

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.015%

Total THC/Container : 830.150 mg



Total CBD

0.199%

Total CBD/Container : 1.990 mg



Total Cannabinoids

88.937%

Total Cannabinoids/Container : 889.370 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.755	0.297	0.199	ND	ND	3.796	0.088	0.111	0.638	ND	1.053
mg/unit	827.55	2.97	1.99	ND	ND	37.96	0.88	1.11	6.38	ND	10.53
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0979g

Extraction date:
06/21/24 12:45:42

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA074288POT

Instrument Used : DA-LC-007

Analyzed Date : 06/21/24 12:47:19

Reviewed On : 06/24/24 09:09:22

Batch Date : 06/21/24 10:02:06

Dilution : 400

Reagent : 060724.R06; 032123.11; 060724.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Sap 1g - Faux Fauna F2 #5 + Bad Apple #7
Faux Fauna F2 #5 + Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40621001-011

Harvest/Lot ID: 20240604-710X164-H

Batch# : 1000228177

Sampled : 06/21/24

Ordered : 06/21/24

Sample Size Received : 16 gram

Total Amount : 454 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	51.28	5.128		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	13.23	1.323		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.50	1.150		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	9.35	0.935		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.56	0.356		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	3.32	0.332		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.66	0.166		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.45	0.145		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	1.39	0.139		Analyzed by:		Weight:		Extraction date:
FENCHYL ALCOHOL	0.007	1.32	0.132		3605, 585, 1440		0.2128g		06/21/24 12:20:27
ALPHA-BISABOLOL	0.007	1.31	0.131		Analysis Method :		SOP.T.30.061A.FL, SOP.T.40.061A.FL		Extracted by:
BORNEOL	0.013	0.67	0.067		Analytical Batch :		DA074264TER		3605
CAMPHENE	0.007	0.41	0.041		Instrument Used :		DA-GCMS-004		Reviewed On : 06/24/24 22:47:04
FENCHONE	0.007	0.41	0.041		Analyzed Date :		06/21/24 12:20:50		Batch Date : 06/21/24 09:06:49
TRANS-NEROLIDOL	0.005	0.41	0.041		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.38	0.038		Reagent : 022224.07				
CARYOPHYLLENE OXIDE	0.007	0.34	0.034		Consumables : 947.109; 7931220; CE0123				
OCIMENE	0.007	0.29	0.029		Pipette : DA-063				
GAMMA-TERPINENE	0.007	0.28	0.028		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			5.128						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Sap 1g - Faux Fauna F2 #5 + Bad Apple #7
Faux Fauna F2 #5 + Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40621001-011

Harvest/Lot ID: 20240604-710X164-H

Batch # : 1000228177

Sampled : 06/21/24

Ordered : 06/21/24

Sample Size Received : 16 gram

Total Amount : 454 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 795, 3379, 585, 1440 Weight: 0.2528g Extraction date: 06/21/24 15:17:25 Extracted by: 795 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA074271PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 06/21/24 09:42:35 Reviewed On : 06/24/24 11:42:30 Batch Date : 06/21/24 09:42:35 Dilution : 250 Reagent : 061724.R03; 061924.R12; 061924.R11; 060624.R15; 052924.R31; 061924.R09; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 585, 1440 Weight: 0.2528g Extraction date: 06/21/24 15:17:25 Extracted by: 795 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA074275VOL Instrument Used : DA-GCMS-010 Batch Date : 06/21/24 09:47:19 Reviewed On : 06/24/24 10:55:51 Batch Date : 06/21/24 09:47:19 Dilution : 250 Reagent : 061924.R11; 040423.08; 060324.R01; 060324.R02 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Sap 1g - Faux Fauna F2 #5 + Bad Apple #7
Faux Fauna F2 #5 + Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40621001-011

Harvest/Lot ID: 20240604-710X164-H

Batch# : 1000228177

Sampled : 06/21/24

Ordered : 06/21/24

Sample Size Received : 16 gram

Total Amount : 454 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0255g

Extraction date:
06/24/24 11:03:14

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07430350L
Instrument Used : DA-GCMS-003
Analyzed Date : 06/24/24 11:15:02

Reviewed On : 06/24/24 12:26:02
Batch Date : 06/21/24 11:54:57

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Sap 1g - Faux Fauna F2 #5 + Bad Apple #7
Faux Fauna F2 #5 + Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40621001-011

Harvest/Lot ID: 20240604-710X164-H

Batch# : 1000228177

Sampled : 06/21/24

Ordered : 06/21/24

Sample Size Received : 16 gram

Total Amount : 454 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.8606g	Extraction date: 06/21/24 11:29:29	Extracted by: 4520	Reviewed On : 06/24/24 09:01:28 Batch Date : 06/21/24 09:45:57			
Analytical Batch : DA074273MIC							
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021							
Analyzed Date : 06/21/24 14:37:03							
Dilution : N/A							
Reagent : 061324.21; 061324.24; 060524.R52; 030724.38							
Consumables : N/A							
Pipette : N/A							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.8606g	Extraction date: 06/21/24 11:29:29	Extracted by: 4520	Reviewed On : 06/24/24 09:54:48 Batch Date : 06/21/24 09:48:11			
Analytical Batch : DA074276TYM							
Instrument Used : Incubator (42°C) DA- 328							
Analyzed Date : 06/21/24 13:03:02							
Dilution : N/A							
Reagent : 061324.21; 061324.24; 060524.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2528g	Extraction date: 06/21/24 15:17:25	Extracted by: 795	Reviewed On : 06/24/24 09:06:58 Batch Date : 06/21/24 09:47:17			
Analytical Batch : DA074274MYC							
Instrument Used : N/A							
Analyzed Date : 06/21/24 15:19:35							
Dilution : 250							
Reagent : 061724.R03; 061924.R12; 061924.R11; 060624.R15; 052924.R31; 061924.R09; 040423.08							
Consumables : 326250IW							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals	PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2677g	Extraction date: 06/21/24 14:02:32	Extracted by: 1022,4056	Reviewed On : 06/24/24 09:00:09 Batch Date : 06/21/24 11:25:48			
Analytical Batch : DA074299HEA							
Instrument Used : DA-ICPMS-004							
Analyzed Date : 06/21/24 16:47:31							
Dilution : 50							
Reagent : 061124.R16; 061724.R07; 061524.R01; 061724.R05; 061724.R06; 061724.01; 060524.R41							
Consumables : 179436; 120423CH01; 210508058							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Sap 1g - Faux Fauna F2 #5 + Bad Apple #7
Faux Fauna F2 #5 + Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40621001-011

Harvest/Lot ID: 20240604-710X164-H

Batch# : 1000228177

Sampled : 06/21/24

Ordered : 06/21/24

Sample Size Received : 16 gram

Total Amount : 454 units

Completed : 06/24/24 Expires: 06/24/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 06/21/24 19:51:41	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA074304FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/21/24 12:01:27

Reviewed On : 06/21/24 12:14:05

Batch Date : 06/21/24 11:59:04

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.491	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2155g	Extraction date: 06/21/24 16:13:53	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA074296WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/21/24 16:15:51

Reviewed On : 06/24/24 08:12:07

Batch Date : 06/21/24 10:53:01

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/24