



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40709013-002
Harvest/Lot ID: 20240522-710BA7-F7H13
Batch#: 1000236550
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00004515
Batch Date: 07/09/24
Sample Size Received: 16 gram
Total Amount: 437 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 07/09/24
Sampled: 07/09/24
Completed: 07/12/24
Sampling Method: SOP.T.20.010

Jul 12, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
73.542%

Total THC/Container : 735.420 mg



Total CBD
0.154%

Total CBD/Container : 1.540 mg



Total Cannabinoids
87.708%

Total Cannabinoids/Container : 877.080 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.374	83.430	ND	0.176	0.020	0.638	2.935	ND	ND	ND	0.135
mg/unit	3.74	834.30	ND	1.76	0.20	6.38	29.35	ND	ND	ND	1.35
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1044g

Extraction date:
07/10/24 10:21:45

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA075031POT
Instrument Used : DA-LC-003
Analyzed Date : 07/10/24 10:23:11

Reviewed On : 07/11/24 09:44:43
Batch Date : 07/10/24 08:42:45

Dilution : 400
Reagent : 071024.R01; 060723.24; 070524.R01
Consumables : 947.109; 120423CH01; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin 1g- Bad Apple #7
Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40709013-002

Harvest/Lot ID: 20240522-710BA7-F7H13

Batch# : 1000236550

Sampled : 07/09/24

Ordered : 07/09/24

Sample Size Received : 16 gram

Total Amount : 437 units

Completed : 07/12/24 Expires: 07/12/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	51.52	5.152		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	14.20	1.420		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	13.51	1.351		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.96	0.896		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.24	0.324		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.46	0.246		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	2.21	0.221		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.20	0.120		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.16	0.116		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	1.14	0.114		4451, 3605, 585, 1440	0.203g	07/10/24 10:21:04	4451	
ALPHA-BISABOLOL	0.007	1.12	0.112		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.74	0.074		Analytical Batch : DA075047TER		Reviewed On : 07/11/24 10:54:04		
CARYOPHYLLENE OXIDE	0.007	0.41	0.041		Instrument Used : DA-GCMS-004		Batch Date : 07/10/24 09:11:31		
CAMPHENE	0.007	0.40	0.040		Analyzed Date : 07/10/24 10:21:21				
ALPHA-TERPINOLENE	0.007	0.40	0.040		Dilution : 10				
FENCHONE	0.007	0.37	0.037		Reagent : 022224.07				
3-CARENE	0.007	ND	ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			5.152						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin 1g- Bad Apple #7
Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40709013-002

Harvest/Lot ID: 20240522-710BA7-F7H13

Batch # : 1000236550

Sampled : 07/09/24

Ordered : 07/09/24

Sample Size Received : 16 gram

Total Amount : 437 units

Completed : 07/12/24 Expires: 07/12/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2352g	07/10/24 13:39:24	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075051PES		Reviewed On : 07/11/24 10:53:18			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/10/24 09:56:37			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 070524.R17; 070324.R07; 070924.R04; 062824.R28; 062524.R04; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2352g	07/10/24 13:39:24	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA075053VOL		Reviewed On : 07/11/24 10:52:37			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/10/24 10:00:48			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/10/24 17:05:18					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 070924.R04; 040423.08; 041724.R34; 061824.R31					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-052					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin 1g- Bad Apple #7
Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40709013-002

Harvest/Lot ID: 20240522-710BA7-F7H13

Batch# : 1000236550

Sampled : 07/09/24

Ordered : 07/09/24

Sample Size Received : 16 gram

Total Amount : 437 units

Completed : 07/12/24 Expires: 07/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0252g

Extraction date:
07/11/24 11:05:10

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA075060SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 07/11/24 11:10:41

Reviewed On : 07/11/24 11:58:04
Batch Date : 07/10/24 14:04:18

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin 1g- Bad Apple #7
Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40709013-002

Harvest/Lot ID: 20240522-710BA7-F7H13

Batch# : 1000236550

Sampled : 07/09/24

Ordered : 07/09/24

Sample Size Received : 16 gram

Total Amount : 437 units

Completed : 07/12/24 Expires: 07/12/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED															
Analyte	LOD	Units	Result	Pass / Fail	Action Level												
ASPERGILLUS TERREUS			Not Present	PASS													
ASPERGILLUS NIGER			Not Present	PASS													
ASPERGILLUS FUMIGATUS			Not Present	PASS													
ASPERGILLUS FLAVUS			Not Present	PASS													
SALMONELLA SPECIFIC GENE			Not Present	PASS													
ECOLI SHIGELLA			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.125g	Extraction date: 07/10/24 10:56:38	Extracted by: 4044,4520	Reviewed On : 07/11/24 10:30:33													
Analytical Batch : DA075037MIC	Batch Date : 07/10/24 08:47:54																
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021																	
Analyzed Date : 07/10/24 14:51:34																	
Dilution : 10																	
Reagent : 061324.44; 062424.R02; 030724.34; 061324.33																	
Consumables : 7574002032																	
Pipette : N/A																	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.125g	Extraction date: 07/10/24 10:56:38	Extracted by: 4044,4520	Reviewed On : 07/12/24 16:30:04													
Analytical Batch : DA075039TYM																	
Instrument Used : Incubator (25°C) DA- 328																	
Analyzed Date : 07/10/24 15:29:06																	
Dilution : 10																	
Reagent : 061324.44; 070324.R35; 061324.33																	
Consumables : N/A																	
Pipette : N/A																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																	

	Mycotoxins	PASSED															
Analyte	LOD	Units	Result	Pass / Fail	Action Level												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02												
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2352g	Extraction date: 07/10/24 13:39:24	Extracted by: 3379	Reviewed On : 07/11/24 10:31:45													
Analytical Batch : DA075052MYC	Batch Date : 07/10/24 10:00:28																
Instrument Used : N/A																	
Analyzed Date : N/A																	
Dilution : 250																	
Reagent : 070524.R17; 070324.R07; 070924.R04; 062824.R28; 062524.R04; 040423.08																	
Consumables : 326250IW																	
Pipette : DA-093; DA-094; DA-219																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	

	Heavy Metals	PASSED															
Metal	LOD	Units	Result	Pass / Fail	Action Level												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1												
ARSENIC	0.020	ppm	ND	PASS	0.2												
CADMIUM	0.020	ppm	ND	PASS	0.2												
MERCURY	0.020	ppm	ND	PASS	0.2												
LEAD	0.020	ppm	ND	PASS	0.5												
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2546g	Extraction date: 07/10/24 09:30:38	Extracted by: 4056	Reviewed On : 07/11/24 10:32:38													
Analytical Batch : DA075044HEA	Batch Date : 07/10/24 08:55:25																
Instrument Used : DA-ICPMS-004																	
Analyzed Date : 07/10/24 19:15:10																	
Dilution : 50																	
Reagent : 070924.R14; 070824.R03; 070524.R27; 070824.R01; 070824.R02; 061724.01; 070524.R05																	
Consumables : 179436; 120423CH01; 210508058																	
Pipette : DA-061; DA-191; DA-216																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Live Rosin 1g- Bad Apple #7
Bad Apple #7
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40709013-002

Harvest/Lot ID: 20240522-710BA7-F7H13

Batch# : 1000236550

Sampled : 07/09/24

Ordered : 07/09/24

Sample Size Received : 16 gram

Total Amount : 437 units

Completed : 07/12/24 Expires: 07/12/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/10/24 20:40:36	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA075062FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/10/24 20:34:22

Reviewed On : 07/10/24 20:51:59

Batch Date : 07/10/24 20:21:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.508	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.471g	Extraction date: 07/10/24 12:23:23	Extracted by: 4512
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA075042WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 07/10/24 12:37:02

Reviewed On : 07/11/24 09:26:34

Batch Date : 07/10/24 08:52:18

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/12/24