

Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8 Sundae Driver + Zeven Up #8

Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample:DA40802010-008

Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

> Seed to Sale# LFG-00004758 Batch Date: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1 Ordered: 08/02/24

Sampled: 08/02/24 Completed: 08/06/24 Revision Date: 08/09/24

Sampling Method: SOP.T.20.010

PASSED

Aug 09, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents **PASSED**



PASSED



Water Activity PASSED



NOT TESTED



Terpenes TESTED

PASSED



Cannabinoid

Total THC

82.402% Total THC/Container: 824.020 mg



Total CBD .194%

Total CBD/Container: 1.940 mg



Total Cannabinoids

Total Cannabinoids/Container: 877.810



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA076256POT Instrument Used: DA-LC-003 Analyzed Date: 08/05/24 11:01:24

Dilution: 400
Reagent: 080224.R13; 062624.15; 080224.R10
Consumables: 947.109; 04311046; 280670723; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

Reviewed On: 08/06/24 08:59:28 Batch Date: 08/03/24 23:39:15

> State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #2 - Undated Total Amount

Signature 08/06/24



Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8

Sundae Driver + Zeven Up #8 Matrix: Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA40802010-008 Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Sampled: 08/02/24 Ordered: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units

Completed: 08/06/24 Expires: 08/09/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD	mg/unit	t %	Result (%)	Terpenes		LOD	mg/unit	%	Result (%)	
TOTAL TERPENES	(%) 0.007	42.28	4.228		VALENCENE		(%) 0.007	ND	ND		
LIMONENE	0.007	12.12	1.212		ALPHA-CEDRENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	9.45	0.945		ALPHA-CEDRENE ALPHA-PHELLANDRENE		0.005	ND ND	ND		
BETA-MYRCENE	0.007	5.34	0.534		ALPHA-TERPINENE		0.007	ND ND			
LINALOOL	0.007		0.396		ALPHA-TERPINOLENE		0.007	ND ND	ND		
ALPHA-HUMULENE		3.96			CIS-NEROLIDOL				ND		
	0.007	3.49	0.349				0.003	ND	ND		
ALPHA-BISABOLOL	0.007	1.53	0.153		GAMMA-TERPINENE		0.007	ND	ND		
ALPHA-PINENE	0.007	1.40	0.140		TRANS-NEROLIDOL		0.005	ND	ND		
BETA-PINENE	0.007	1.15	0.115		Analyzed by:	Weight:		xtraction dat			Extracted by:
FENCHYL ALCOHOL	0.007	1.06	0.106		3605, 585, 1440	0.2053g	0	8/04/24 12:4	5:35		1879,4451
ALPHA-TERPINEOL	0.007	1.01	0.101		Analysis Method : SOP.T.30.061A Analytical Batch : DA076248TER	A.FL, SOP.T.40.061A.FL		Dei-	mod Oc -	08/06/24 08:59:30	
GUAIOL	0.007	0.64	0.064		Instrument Used : DA-GCMS-009					8/03/24 17:06:23	
BORNEOL	0.013	0.45	0.045		Analyzed Date : N/A						
OCIMENE	0.007	0.36	0.036		Dilution : N/A						
CAMPHENE	0.007	0.32	0.032		Reagent : 022224.07						
3-CARENE	0.007	ND	ND		Consumables : 947.109; 230613- Pipette : DA-065	-634-D; 280670723; CE	0123				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing	an Can Channahananaha	laaa Caaaba	to: Car all		nalas kha Takal Taranasa	0/ is doisbt seconded
CARYOPHYLLENE OXIDE	0.007	ND	ND		respendid testing is performed utilization	ng das chromatography i	iass specin	onietry, ror an	riower sar	ripies, trie rotal resperies	% is dry-weight corrected.
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
Total (%)			4.228								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #2 - Updated Total Amount

08/06/24



Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8

Sundae Driver + Zeven Up #8 Matrix: Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA40802010-008 Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Sampled: 08/02/24 Ordered: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units

Completed: 08/06/24 Expires: 08/09/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND							
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010	1.1.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (DCND) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZEI	NE (PCNB) *					
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010	P.P.	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	l hv:
METHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.2018a		4 16:11:40		3379	> y .
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP.T.40.101.),
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)	,		11			
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA076216F				n:08/06/24 1		
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-0	003 (PES)		Batch Date	:08/03/24 13:	36:32	
NOXYCARB	0.010	F F	0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 072924.R15; 07312	04 DO4- 073134 DO3-	073134 03	0. 072224 01	Q- 073134 PO	1 . 091023 01	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW	NU4, U/3124.KU3;	U/3124.K3	u, u/2224.KI	o, 010124.KU	1, 001023.01	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is		iquid Chron	natography Tri	ple-Quadrupol	e Mass Spectron	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER						-
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2018g		16:11:40		3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1						
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA076218\ Instrument Used : DA-GCMS-(08/06/24 11:4 /03/24 13:38:		
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 08/05/24 18:		Ва	ittii Date : 00	103/24 13:30:	JU	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	55.55					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 073124.R03; 08102	23.01: 071024.R46: 0	71024.R47				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14						
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA	-218					
		ppm	0.25	PASS	ND	Testing for agricultural agents is			and the state of	. O d 1 - 1	4 Cb	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

08/06/24

Revision: #2 - Updated Total Amount



Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8 Sundae Driver + Zeven Up #8

Matrix: Derivative



Type: Live Rosin

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA40802010-008 Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Sampled: 08/02/24 Ordered: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units Completed: 08/06/24 Expires: 08/09/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:		Ex	xtracted by:

850, 585, 1440 0.0265g 08/05/24 17:41:37

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA076185SOL Instrument Used: DA-GCMS-002 Analyzed Date: 08/06/24 10:52:58

Dilution: 1 Reagent: 030420.09

Consumables: 429651; 306143 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Reviewed On: 08/06/24 13:12:05

Batch Date: 08/03/24 09:40:43

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #2 - Updated Total Amount



Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8

Sundae Driver + Zeven Up #8 Matrix: Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40802010-008 Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Sampled: 08/02/24 Ordered: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units Completed: 08/06/24 Expires: 08/09/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPE	CIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
ASPERGILLUS FLA	VUS			Not Present	PASS	
ASPERGILLUS FUI	MIGATUS			Not Present	PASS	
ASPERGILLUS TER	REUS			Not Present	PASS	
ASPERGILLUS NIG	ER			Not Present	PASS	
TOTAL YEAST AND	MOLD	10	CFU/g	<10	LO PASS 10	
Analyzed by:	Weight:	Evtra	action date:		hv	

3390, 585, 1440 0.868g 08/03/24 11:25:41 4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA076179MIC

Reviewed On: 08/06/24 Batch Date: 08/03/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55*C) 08:23:00 DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 08/05/24 11:14:47

Dilution: 10

Reagent: 071824.50; 071824.51; 070324.R37; 072424.11

Consumables: 7573003068

Pipette: N/A

Analyzed by: 4351, 4531, 585, 1440	Weight: 0.868g	Extraction date: 08/03/24 11:25:41		Extracted by: 4520
Analysis Method: SOP.T.40 Analytical Batch: DA07618 Instrument Used: Incubato DA-382] Analyzed Date: 08/03/24	0TYM r (25*C) DA- 328		Reviewed	On: 08/06/24 08:27:54 e: 08/03/24 08:24:20
Dilution: 10 Reagent: 071824.50; 0718 Consumables: N/A	24.51; 070324.R.	35		

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2018g	08/05/24 16:3			by:	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA076217MYC Reviewed On: 08/06/24 09:18:05 **Batch Date :** 08/03/24 13:38:36 Instrument Used : N/A Analyzed Date : N/A

Dilution: 250
Reagent: 072924.R15; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	S 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2337g	Extraction dat 08/04/24 15:5		Extracted by: 1022,3807		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA076189HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 08/05/24 11:22:31

Reviewed On: 08/06/24 08:38:41 Batch Date: 08/03/24 10:46:32

Dilution: 50

Reagent: 080224.R15; 072924.R21; 080224.R06; 072924.R19; 072924.R20; 061724.01;

071724.R10

Consumables: 179436; 120423CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #2 - Updated Total Amount

08/06/24



Kaycha Labs

710 Labs Rosin Sap 1g - Sundae Driver + Zeven Up #8

Sundae Driver + Zeven Up #8

Matrix: Derivative Type: Live Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40802010-008 Harvest/Lot ID: 20240712-710X180-H

Batch#: 1000246097

Sampled: 08/02/24 Ordered: 08/02/24

Sample Size Received: 16 gram Total Amount: 194 units Completed: 08/06/24 Expires: 08/09/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA076245FIL
Instrument Used : Filth/Foreign Material Microscope **Reviewed On:** 08/05/24 11:27:15Batch Date: 08/03/24 16:54:21 Analyzed Date: 08/05/24 11:00:43

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.010	aw	0.535	PASS	0.85

Extraction date: 08/04/24 16:51:13 Analyzed by: 4512, 585, 1440 Weight: 0.6639g

Analytical Batch: DA076241WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 08/04/24 16:56:09

Reviewed On: 08/06/24 08:40:42 Batch Date: 08/03/24 15:28:09

Dilution: N/A Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Analysis Method: SOP.T.40.019

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

08/06/24

Revision: #2 - Updated Total Amount