

# **Certificate of Analysis**

## **COMPLIANCE FOR RETAIL**



Sample: DA40730017-003 Harvest/Lot ID: 20240604-OJRO-H99FF

Ojos Rojos Matrix: Derivative

Type: Live Resin

**Kaycha Labs** 

Live Resin Badder1g- Ojos Rojos

Batch#: 1000244349

**Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead** 

> Seed to Sale# LFG-00004719 Batch Date: 07/29/24

Sample Size Received: 16 gram Total Amount: 496 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1 Ordered: 07/30/24

Sampled: 07/30/24 Completed: 08/02/24

Sampling Method: SOP.T.20.010

**PASSED** 

Aug 02, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY** 

Pages 1 of 6

**SAFETY RESULTS** 



**Pesticides PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**PASSED** 



Residuals Solvents **PASSED** 



**PASSED** 



Water Activity **PASSED** 



Moisture **NOT TESTED** 



**Terpenes TESTED** 

**PASSED** 



#### Cannabinoid

**Total THC** 80.537%

Total THC/Container: 805.370 mg



**Total CBD** 

Total CBD/Container: 1.920 mg

Reviewed On: 08/01/24 14:54:04 Batch Date: 07/31/24 07:51:07



**Total Cannabinoids** 

Total Cannabinoids/Container: 922.710

D9-TH CBDA D8-THC THCV CBDV THCA 1.826 89.751 ND 0.220 0.061 0.329 ND ND ND ND 0.084 18.26 897.51 ND 2.20 0.61 3.29 ND ND ND ND 0.84 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % % Extracted by: 3335 Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1015g Extraction date: 07/31/24 10:31:22

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA076018POT Instrument Used: DA-LC-007 Analyzed Date: 07/31/24 10:31:30

Dilution: 400
Reagent: 071924.R22; 060723.24; 072224.R18
Consumables: 947.109; 120423CH01; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### **Kaycha Labs**

Live Resin Badder1g- Ojos Rojos

Ojos Rojos Matrix : Derivative Type: Live Resin



# **Certificate of Analysis**

**PASSED** 

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA40730017-003 Harvest/Lot ID: 20240604-0JRO-H99FF

Batch#:1000244349

Sampled: 07/30/24 Ordered: 07/30/24 Sample Size Received: 16 gram
Total Amount: 496 units

Completed: 08/02/24 Expires: 08/02/25 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes			LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	61.04	6.104		VALENCENE			0.007	ND	ND		
BETA-MYRCENE	0.007	31.31	3.131		ALPHA-CED	RENE		0.005	ND	ND		
OCIMENE	0.007	6.78	0.678		ALPHA-PHE	LLANDRENE		0.007	ND	ND		
ALPHA-PINENE	0.007	6.73	0.673		ALPHA-TER	PINENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	4.98	0.498		ALPHA-TER	PINOLENE		0.007	ND	ND		
LIMONENE	0.007	3.61	0.361		CIS-NEROLI	DOL		0.003	ND	ND		
LINALOOL	0.007	2.76	0.276		GAMMA-TE	RPINENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	2.14	0.214		TRANS-NER	OLIDOL		0.005	ND	ND		
BETA-PINENE	0.007	1.92	0.192		Analyzed by:		Weight:		Extraction d	ate:	Extra	cted by:
ALPHA-BISABOLOL	0.007	0.41	0.041		4451, 585, 14	40	0.2312g		07/31/24 10		4451	
ALPHA-TERPINEOL	0.007	0.40	0.040			od: SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
3-CARENE	0.007	ND	ND			ch: DA076032TER sed: DA-GCMS-009					8/01/24 14:53:51 31/24 09:01:27	
BORNEOL	0.013	ND	ND			e: 07/31/24 10:51:28			Battr	Date: U/	31/24 09:01:27	
CAMPHENE	0.007	ND	ND		Dilution: 10							
CAMPHOR	0.007	ND	ND		Reagent: 022							
CARYOPHYLLENE OXIDE	0.007	ND	ND			: 947.109; 230613-634-D;	280670723; CE0	123				
CEDROL	0.007	ND	ND		Pipette : DA-0							
EUCALYPTOL	0.007	ND	ND		Terpenoid testi	ng is performed utilizing Gas C	.nromatograpny Ma	ss spectro	metry. For all	riower sam	oles, the Total Terpenes % is dry-weigh	nt corrected.
FARNESENE	0.007	ND	ND									
FENCHONE	0.007	ND	ND									
FENCHYL ALCOHOL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									
SABINENE HYDRATE	0.007	ND	ND									
= 1 · 1 (0()			6 104									

Total (%)

6.104

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Live Resin Badder1g- Ojos Rojos

Ojos Rojos Matrix : Derivative



Type: Live Resin

# **Certificate of Analysis**

**PASSED** 

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA40730017-003 Harvest/Lot ID: 20240604-0JRO-H99FF

Batch#: 1000244349

Sampled: 07/30/24 Ordered: 07/30/24 Sample Size Received: 16 gram
Total Amount: 496 units

Completed: 08/02/24 Expires: 08/02/25 Sample Method: SOP.T.20.010 Page 3 of 6



#### **Pesticides**

### **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (F	PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1		ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010	1.1.	0.1	PASS PASS	ND ND	CAPTAN *				0.7	PASS	ND
OFENTEZINE	0.010			PASS		CHLORDANE *		0.010				
UMAPHOS	0.010		0.1		ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS PASS	ND ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS		CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	11.11	0.1	PASS	ND ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	d by:
METHOATE			0.1	PASS	ND	3379, 585, 1440	0.2515g	07/31/2	4 13:42:38		3621	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.Fl	L (Gainesville),	SOP.T.30.102	2.FL (Davie)	), SOP.T.40.101	L.FL (Gainesville	),
OFENPROX	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie)				• 00/01/24	14.40.24	
OXAZOLE			0.1	PASS	ND	Analytical Batch : DA076037PES Instrument Used : DA-LCMS-003 (F	DEC)			On:08/01/24 e:07/31/24 09		
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : N/A	LJ)		Dateii Dati	<b>e :</b> 07/31/24 03	1.34.27	
NOXYCARB	0.010		0.1	PASS	ND ND	Dilution: 250						
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Reagent: 072924.R15; 073124.R0	04; 073124.R03	3; 072324.R0	5; 072224.F	R19; 073124.R0	01; 081023.01	
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW						
	0.010	1.1	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
UDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is peri accordance with F.S. Rule 64ER20-39		Liquid Chrom	atography T	riple-Quadrupo	le Mass Spectror	netry in
AZALIL	0.010	1.1.	0.1	PASS	ND			Evrtus etil	on date:		Evetenetoe	l borr
AZALIL IDACLOPRID	0.010		0.1	PASS	ND		<b>Neight:</b> 0.2515a	07/31/24	on date: 13:42:38		Extracted 3621	ı ısy:
ESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.Fl				e). SOP.T.40 1		
LATHION	0.010	1.1.	0.1	PASS	ND	Analytical Batch: DA076039VOL	_ (			:08/01/24 12:		
TALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010		Ва	tch Date :	07/31/24 09:37	:04	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 07/31/24 14:40:10	)					
THOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250						
EVINPHOS	0.010		0.1	PASS	ND	Reagent: 073124.R03; 081023.01 Consumables: 326250IW; 147254		U/1024.R47				
CLOBUTANIL	0.010	11.11	0.1	PASS	ND	Pipette: DA-080: DA-146: DA-218						
CLODOTANIL		ppm	0.25	PASS	ND	F					Mass Spectrome	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



#### **Kaycha Labs**

Live Resin Badder1g- Ojos Rojos

Ojos Rojos Matrix: Derivative Type: Live Resin



**Certificate of Analysis** 

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA40730017-003 Harvest/Lot ID: 20240604-0JRO-H99FF

Batch#: 1000244349 Sampled: 07/30/24 Ordered: 07/30/24

Sample Size Received: 16 gram Total Amount: 496 units Completed: 08/02/24 Expires: 08/02/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

3	л		E	
_	н	3	Е.	ш
		_	_	

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	<250.000	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:			Extracted by:	

0.0218g 08/01/24 13:20:01

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA076046SOL Instrument Used: DA-GCMS-002 **Analyzed Date:**  $08/01/24 \ 13:05:56$ 

Dilution: 1 Reagent: 030420.09

Consumables: 429651; 306143 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 08/01/24 14:46:16 Batch Date: 07/31/24 11:52:20

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### Kaycha Labs

Live Resin Badder1g- Ojos Rojos

Ojos Rojos Matrix: Derivative

Type: Live Resin



# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA40730017-003 Harvest/Lot ID: 20240604-OIRO-H99FF

Batch#: 1000244349

Sampled: 07/30/24 Ordered: 07/30/24

Sample Size Received: 16 gram Total Amount: 496 units Completed: 08/02/24 Expires: 08/02/25 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 08/01/24 14:48:13

Batch Date: 07/31/24 09:37:02

Dilution: 250
Reagent: 072924.R15; 073124.R04; 073124.R03; 072324.R05; 072224.R19; 073124.R01;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in



#### **Microbial**

# **PASSED**



# **Mycotoxins**

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA076038MYC

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Analyzed Date : N/A

### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TER	RREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIC	ER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUI	MIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLA	AVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPE	CIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA TOTAL YEAST ANI	D MOLD	10	CFU/a	Not Present <10	PASS PASS	100000	Analyzed by:	Weight:	Extraction da			Extra
			, 5	<10			3379, 585, 1440	0.2515g	07/31/24 13:			3621
Analyzed by:	Weight:	Extra	action date:		Extracted	by:	Analysis Method: SOP	'. I .30.101.FL (Gai	inesville). SOP. L.	40.101.F	L (Gainesv	ille).

Analyzed by Weight: **Extraction date:** Extracted by: 0.879g 4520, 585, 1440 07/31/24 10:06:02

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA076024MIC Reviewed On: 08/01/24

Weight:

0.879g

Extracted by:

4520

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/31/24 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block

(55\*C) DA-020, Fisher Scientific Isotemp Heat Block (95\*C) DA-049, Fisher Scientific Isotemp Heat Block (55\*C) DA-021

**Analyzed Date:** 07/31/24 11:24:18

Dilution: 10

Reagent: 071824.15; 071824.40; 070324.R36; 072424.11

Consumables: 7573003029

Analyzed by: 4520, 3390, 585, 1440

Pipette: N/A

cordance wit	th F.S. Rule 64ER20-39.	
Hg	<b>Heavy Metals</b>	

Hg	
	Hg

081023.01 Consumables: 326250IW

# **PASSED**

<b>Analyzed Date :</b> 07/31/24 11:23:31	
Instrument Used : Incubator (25*C) DA- 328	Batch Date: 07/31/24 08:05:20
Analytical Batch : DA076025TYM	Reviewed On: 08/02/24 17:06:07
Analysis Method: SOP.T.40.208 (Gainesville), SO	P.T.40.209.FL

Extraction date

07/31/24 10:06:02

Dilution: 10 Reagent: 071824.15; 071824.40; 070324.R35

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT</b>	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction da	te:		Extracted	l bv:

07/31/24 10:31:13

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2107g

Analytical Batch : DA076030HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 07/31/24 12:17:17

Reviewed On: 08/01/24 09:19:10 Batch Date: 07/31/24 08:45:13

Dilution: 50

1022, 585, 1440

Reagent: 071924.R14; 072924.R21; 072524.R19; 072924.R19; 072924.R20; 061724.01; 071724.R10

Consumables: 179436; 120423CH01; 210508058

Pipette: DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### **Kaycha Labs**

Live Resin Badder1g- Ojos Rojos

Ojos Rojos Matrix: Derivative Type: Live Resin



PASSED

# **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40730017-003 Harvest/Lot ID: 20240604-0JRO-H99FF

Batch#: 1000244349 Sampled: 07/30/24 Ordered: 07/30/24

Reviewed On: 07/31/24 17:51:19

Batch Date: 07/31/24 17:21:25

Sample Size Received: 16 gram Total Amount: 496 units Completed: 08/02/24 Expires: 08/02/25 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090 Analytical Batch : DA076050FIL Instrument Used: N/A

**Analyzed Date:** 07/31/24 17:36:41

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Reviewed On: 08/01/24 09:20:19

Batch Date: 07/31/24 09:31:25

Analyte Water Activity		LOD Uni		P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.1902a		on date: 4 14:14:29		racted by: .2.795

0.1902g Analysis Method: SOP.T.40.019 Analytical Batch: DA076036WAT

Instrument Used : DA-028 Rotronic Hygropalm

**Analyzed Date:** 07/31/24 14:14:45

Dilution: N/A Reagent: 051624.01 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164