



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40822013-003  
 Harvest/Lot ID: 20240717-710LUNZ-F7H14  
 Batch#: 1000252448  
 Cultivation Facility: Homestead  
 Processing Facility: Homestead  
 Source Facility: Homestead  
 Seed to Sale# LFG-00004919  
 Batch Date: 08/21/24  
 Sample Size Received: 15.5 units  
 Total Amount: 334 units  
 Retail Product Size: 0.5 gram  
 Retail Serving Size: 0.5 gram  
 Servings: 1  
 Ordered: 08/22/24  
 Sampled: 08/22/24  
 Completed: 08/27/24  
 Sampling Method: SOP.T.20.010

**PASSED**

Aug 27, 2024 | The Flowery

Samples From:  
 Homestead, FL, 33090, US

THE FLOWERY

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

MISC.



### Cannabinoid

**PASSED**



Total THC  
**82.909%**  
 Total THC/Container : 414.545 mg



Total CBD  
**0.200%**  
 Total CBD/Container : 1.000 mg



Total Cannabinoids  
**87.959%**  
 Total Cannabinoids/Container : 439.795 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	74.233	9.893	0.092	0.124	ND	1.508	1.184	0.088	0.151	ND	0.686
mg/unit	371.17	49.47	0.46	0.62	ND	7.54	5.92	0.44	0.76	ND	3.43
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
 3335, 1665, 585, 1440

Weight:  
 0.1004g

Extraction date:  
 08/23/24 12:06:32

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA07149POT  
 Instrument Used : DA-LC-003  
 Analyzed Date : 08/23/24 12:07:07

Reviewed On : 08/26/24 09:28:45  
 Batch Date : 08/23/24 09:30:32

Dilution : 400  
 Reagent : 082024.R16; 073024.49; 081524.R03  
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 08/27/24



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40822013-003

Harvest/Lot ID: 20240717-710LUNZ-F7H14

Batch# : 1000252448

Sampled : 08/22/24

Ordered : 08/22/24

Sample Size Received : 15.5 units

Total Amount : 334 units

Completed : 08/27/24 Expires: 08/27/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	21.22	4.244	SABINENE	0.007	ND	ND
LIMONENE	0.007	5.80	1.160	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	5.23	1.046	VALENCENE	0.007	ND	ND
LINALOOL	0.007	2.52	0.503	ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	1.76	0.351	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	0.91	0.181	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	0.90	0.179	CIS-NEROLIDOL	0.003	ND	ND
TRANS-NEROLIDOL	0.005	0.73	0.146	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	0.73	0.145	Analyzed by: 4451, 3605, 585, 1440	Weight:	0.2159g	Extraction date: 08/23/24 11:03:19
ALPHA-TERPINEOL	0.007	0.70	0.139	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA077158TER Instrument Used : DA-GCMS-008 Analyzed Date : 08/23/24 11:03:37	Reviewed On : 08/26/24 10:26:28 Batch Date : 08/23/24 09:44:06	Extracted by: 4451	
ALPHA-BISABOLOL	0.007	0.57	0.113	Dilution : 10			
GERANIOL	0.007	0.36	0.071	Reagent : 083123.46			
BETA-MYRCENE	0.007	0.33	0.066	Consumables : 947.109; 240321-634-A; 280670723; CE123			
BORNEOL	0.013	0.30	0.060	Pipette : DA-065			
CAMPHENE	0.007	0.25	0.050	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINOLENE	0.007	0.17	0.034				
3-CARENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
<b>Total (%)</b>			<b>4.244</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
08/27/24



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40822013-003

Harvest/Lot ID: 20240717-710LUNZ-F7H14

Batch# : 1000252448

Sampled : 08/22/24

Ordered : 08/22/24

Sample Size Received : 15.5 units

Total Amount : 334 units

Completed : 08/27/24 Expires: 08/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 3379, 585, 1440 <b>Weight:</b> 0.2138g <b>Extraction date:</b> 08/23/24 15:30:38 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA077154PES <b>Reviewed On :</b> 08/26/24 17:28:12 <b>Instrument Used :</b> DA-LCMS-004 (PES) <b>Batch Date :</b> 08/23/24 09:40:57 <b>Analyzed Date :</b> 08/23/24 15:30:57 <b>Dilution :</b> 250 <b>Reagent :</b> 082224.R01; 082124.R03; 082024.R04; 081924.R02; 072224.R19; 082124.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/27/24



# Certificate of Analysis

**PASSED**

The Flowery

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40822013-003

Harvest/Lot ID: 20240717-710LUNZ-F7H14

Batch# : 1000252448

Sampled : 08/22/24

Ordered : 08/22/24

Sample Size Received : 15.5 units

Total Amount : 334 units

Completed : 08/27/24 Expires: 08/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0201g	Extraction date: 08/26/24 12:27:06	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA07717050L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 08/23/24 13:19:46

 Reviewed On : 08/26/24 14:51:56  
 Batch Date : 08/23/24 12:58:04

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 430274; 306143  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.com

Sample : DA40822013-003

Harvest/Lot ID: 20240717-710LUNZ-F7H14

Batch# : 1000252448

Sampled : 08/22/24

Ordered : 08/22/24

Sample Size Received : 15.5 units

Total Amount : 334 units


Completed : 08/27/24 Expires: 08/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		<b>Analyzed by:</b> 3621, 3379, 585, 1440 <b>Weight:</b> 0.2138g <b>Extraction date:</b> 08/23/24 15:30:38 <b>Extracted by:</b> 3621					
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA077156MYC <b>Reviewed On :</b> 08/26/24 09:28:34 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 08/23/24 09:42:55 <b>Analyzed Date :</b> 08/23/24 15:32:06					
<b>Analyzed by:</b> 3390, 4520, 585, 1440 <b>Weight:</b> 1.169g <b>Extraction date:</b> 08/23/24 11:09:59 <b>Extracted by:</b> 3390						<b>Dilution :</b> 250 <b>Reagent :</b> 082224.R01; 082124.R03; 082024.R04; 081924.R02; 072224.R19; 082124.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA077142MIC <b>Reviewed On :</b> 08/26/24 09:27:05 <b>Batch Date :</b> 08/23/24 08:53:27						<b>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
<b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Analyzed Date :</b> 08/23/24 11:13:55											
<b>Dilution :</b> 10 <b>Reagent :</b> 071824.04; 081624.05; 081324.R26; 082024.R19; 072424.13 <b>Consumables :</b> 7575001023 <b>Pipette :</b> N/A											

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2387g <b>Extraction date:</b> 08/23/24 10:10:19 <b>Extracted by:</b> 4056,3807					
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA077145HEA <b>Reviewed On :</b> 08/27/24 12:29:38 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 08/23/24 09:16:01 <b>Analyzed Date :</b> 08/23/24 13:32:31					
<b>Dilution :</b> 50 <b>Reagent :</b> 080224.R15; 081924.R05; 082324.R03; 081924.R03; 081924.R04; 061724.01; 081424.R39 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					
<b>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/27/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

710 Labs Live Rosin Pod 0.5g- LunarZ  
 LunarZ  
 Matrix : Derivative  
 Type: Live Rosin



# Certificate of Analysis

**PASSED**

Page 6 of 6

**The Flowery**

Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40822013-003  
 Harvest/Lot ID: 20240717-710LUNZ-F7H14  
 Batch# : 1000252448      Sample Size Received : 15.5 units  
 Sampled : 08/22/24      Total Amount : 334 units  
 Ordered : 08/22/24      Completed : 08/27/24 Expires: 08/27/25  
 Sample Method : SOP.T.20.010

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 08/25/24 19:08:29	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA077172FIL      Reviewed On : 08/24/24 09:43:51  
 Instrument Used : Filth/Foreign Material Microscope      Batch Date : 08/23/24 18:25:02  
 Analyzed Date : 08/23/24 18:27:21

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.4304g	Extraction date: 08/23/24 14:30:13	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA077168WAT      Reviewed On : 08/26/24 08:53:26  
 Instrument Used : DA257 Rotronic HygroPalm      Batch Date : 08/23/24 10:24:44  
 Analyzed Date : 08/23/24 14:34:32

Dilution : N/A  
 Reagent : 051624.01  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 08/27/24