



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40824010-012
Harvest/Lot ID: 20240806-710X159-H
Batch#: 1000254558
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00004944
Batch Date: 08/23/24
Sample Size Received: 16 gram
Total Amount: 483 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 08/23/24
Sampled: 08/24/24
Completed: 08/28/24
Sampling Method: SOP.T.20.010

Aug 28, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
79.550%
Total THC/Container : 795.500 mg



Total CBD
0.172%
Total CBD/Container : 1.720 mg



Total Cannabinoids
93.477%
Total Cannabinoids/Container : 934.770 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 5.461 | 84.481 | ND | 0.197 | 0.056 | 0.394 | 2.539 | ND | ND | ND | 0.349 |
| mg/unit | 54.61 | 844.81 | ND | 1.97 | 0.56 | 3.94 | 25.39 | ND | ND | ND | 3.49 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | | | | | | | | | | |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.0964g

Extraction date:
08/26/24 11:44:51

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA077267POT
Instrument Used : DA-LC-003
Analyzed Date : 08/26/24 11:56:55

Reviewed On : 08/27/24 11:17:26
Batch Date : 08/26/24 08:42:30

Dilution : 400
Reagent : 082024.R16; 080624.10; 080624.R01
Consumables : 947.109; 04311046; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
08/28/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40824010-012

Harvest/Lot ID: 20240806-710X159-H

Batch# : 1000254558

Sampled : 08/24/24

Ordered : 08/24/24

Sample Size Received : 16 gram

Total Amount : 483 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 2 of 6

| Terpenes | | | | TESTED | | | |
|---------------------|---------|-----------|--------------|--|--|-------------------|---------------|
| Terpenes | LOD (%) | mg/unit % | Result (%) | Terpenes | LOD (%) | mg/unit % | Result (%) |
| TOTAL TERPENES | 0.007 | 56.63 | 5.663 | PULEGONE | 0.007 | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | 13.39 | 1.339 | SABINENE | 0.007 | ND | ND |
| LIMONENE | 0.007 | 12.82 | 1.282 | VALENCENE | 0.007 | ND | ND |
| BETA-MYRCENE | 0.007 | 7.27 | 0.727 | ALPHA-CEDRENE | 0.005 | ND | ND |
| ALPHA-HUMULENE | 0.007 | 6.68 | 0.668 | ALPHA-PHELLANDRENE | 0.007 | ND | ND |
| LINALOOL | 0.007 | 3.61 | 0.361 | ALPHA-TERPINENE | 0.007 | ND | ND |
| BETA-PINENE | 0.007 | 2.45 | 0.245 | CIS-NEROLIDOL | 0.003 | ND | ND |
| ALPHA-BISABOLOL | 0.007 | 2.00 | 0.200 | TRANS-NEROLIDOL | 0.005 | ND | ND |
| FENCHYL ALCOHOL | 0.007 | 1.79 | 0.179 | | | | |
| ALPHA-TERPINEOL | 0.007 | 1.59 | 0.159 | Analyzed by: | Weight: | Extraction date: | Extracted by: |
| ALPHA-PINENE | 0.007 | 1.43 | 0.143 | 3605, 585, 1440 | 0.2347g | 08/24/24 18:15:02 | 4451.3605 |
| BORNEOL | 0.013 | 0.71 | 0.071 | | | | |
| GERANIOL | 0.007 | 0.67 | 0.067 | Analysis Method : | SOP.T.30.061A.FL, SOP.T.40.061A.FL | | |
| CAMPHENE | 0.007 | 0.45 | 0.045 | Analytical Batch : | DA077234TER | | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.40 | 0.040 | Instrument Used : | DA-GCMS-004 | | |
| ALPHA-TERPINOLENE | 0.007 | 0.35 | 0.035 | Analyzed Date : | 08/26/24 08:42:08 | | |
| SABINENE HYDRATE | 0.007 | 0.27 | 0.027 | Dilution : | 10 | | |
| FENCHONE | 0.007 | 0.26 | 0.026 | Reagent : | 032524.19 | | |
| OCIMENE | 0.007 | 0.26 | 0.026 | Consumables : | 947.109; 240321-634-A; 280670723; CE0123 | | |
| GAMMA-TERPINENE | 0.007 | 0.23 | 0.023 | Pipette : | DA-065 | | |
| 3-CARENE | 0.007 | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | |
| CAMPHOR | 0.007 | ND | ND | | | | |
| CEDROL | 0.007 | ND | ND | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | |
| FARNESENE | 0.001 | ND | ND | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | |
| GUAJOL | 0.007 | ND | ND | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | |
| NEROL | 0.007 | ND | ND | | | | |
| Total (%) | | | 5.663 | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



Certificate of Analysis

PASSED

The Flowery

Sample : DA40824010-012

Harvest/Lot ID: 20240806-710X159-H

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Batch# : 1000254558
Sample Size Received : 16 gram
Total Amount : 483 units
Sampled : 08/24/24
Ordered : 08/24/24
Completed : 08/28/24 Expires: 08/28/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------------------------|--|--|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 | Weight: 0.2197g | Extraction date: 08/26/24 15:22:45 | Extracted by: 3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA077245PES | | | Reviewed On : 08/28/24 10:15:58 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 08/24/24 16:40:41 | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 08/26/24 15:23:30 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 0.2197g | Extraction date: 08/26/24 15:22:45 | Extracted by: 3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA077246VOL | | | Reviewed On : 08/28/24 08:28:15 | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | | Batch Date : 08/24/24 16:43:50 | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 08/26/24 17:06:30 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 082324.R10; 081023.01; 081524.R31; 081524.R32 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/28/24



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA40824010-012
Harvest/Lot ID: 20240806-710X159-H
Batch# : 1000254558
Sampled : 08/24/24
Ordered : 08/24/24
Sample Size Received : 16 gram
Total Amount : 483 units
Completed : 08/28/24 Expires: 08/28/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

| | | | |
|--------------------------------------|--------------------|---------------------------------------|----------------------|
| Analyzed by: 4451, 850, 585, 1440 | Weight: 0.0241g | Extraction date: 08/28/24 11:07:49 | Extracted by: 850 |
|--------------------------------------|--------------------|---------------------------------------|----------------------|

| | |
|---|---|
| Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07733850L Instrument Used : DA-GCMS-002 Analyzed Date : 08/28/24 11:04:50 | Reviewed On : 08/28/24 15:38:45 Batch Date : 08/27/24 14:52:12 |
|---|---|

Dilution : 1
 Reagent : 030420.09
 Consumables : 430274; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40824010-012

Harvest/Lot ID: 20240806-710X159-H

Batch # : 1000254558

Sampled : 08/24/24

Ordered : 08/24/24

Sample Size Received : 16 gram

Total Amount : 483 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 5 of 6

| | | |
|---|-------------------|---------------|
|  | Microbial | PASSED |
|  | Mycotoxins | PASSED |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-------|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 |

Analyzed by: 4531, 4520, 585, 1440 **Weight:** 0.927g **Extraction date:** 08/24/24 14:28:20 **Extracted by:** 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA077211MIC **Reviewed On :** 08/27/24 10:21:03
Batch Date : 08/24/24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (55°C) 13:30:40 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 08/26/24 10:45:37
Dilution : 10
Reagent : 071824.34; 081624.08; 082024.R19; 072424.13
Consumables : 7575001024
Pipette : N/A

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------|------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |

Analyzed by: 3379, 585, 1440 **Weight:** 0.2197g **Extraction date:** 08/26/24 15:22:45 **Extracted by:** 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA077247MYC **Reviewed On :** 08/28/24 10:13:41
Instrument Used : N/A **Batch Date :** 08/24/24 16:43:58
Analyzed Date : 08/26/24 15:37:17
Dilution : 250
Reagent : 081924.R01; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| | | |
|---|---------------------|---------------|
|  | Heavy Metals | PASSED |
|---|---------------------|---------------|

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |

Analyzed by: 3807, 4056, 1022, 585, 1440 **Weight:** 0.2609g **Extraction date:** 08/25/24 11:58:31 **Extracted by:** 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA077253HEA **Reviewed On :** 08/27/24 11:15:07
Instrument Used : DA-ICPMS-004 **Batch Date :** 08/24/24 16:55:15
Analyzed Date : 08/25/24 17:19:36
Dilution : 50
Reagent : 080224.R15; 081924.R05; 082324.R03; 081924.R03; 081924.R04; 061724.01; 081424.R39
Consumables : 179436; 021824CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
08/28/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40824010-012

Harvest/Lot ID: 20240806-710X159-H

Batch# : 1000254558

Sampled : 08/24/24

Ordered : 08/24/24

Sample Size Received : 16 gram

Total Amount : 483 units

Completed : 08/28/24 Expires: 08/28/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 08/25/24 19:14:45 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090
 Analytical Batch : DA077258FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 08/25/24 19:09:35
 Reviewed On : 08/25/24 19:23:04
 Batch Date : 08/25/24 19:05:43

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.547 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.3393g | Extraction date: 08/25/24 15:40:17 | Extracted by: 4512 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019
 Analytical Batch : DA077220WAT
 Instrument Used : DA257 Rotronic HygroPalm
 Analyzed Date : 08/25/24 15:41:27
 Reviewed On : 08/27/24 08:30:19
 Batch Date : 08/24/24 15:04:05

Dilution : N/A
 Reagent : 080624.18
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

