



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40827004-002
Harvest/Lot ID: 20240710-710RB-FL2H7
Batch#: 1000254564
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00004947
Batch Date: 08/23/24
Sample Size Received: 15.5 gram
Total Amount: 381 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 08/26/24
Sampled: 08/27/24
Completed: 08/29/24
Sampling Method: SOP.T.20.010

Aug 29, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

85.295%

Total THC/Container : 426.475 mg



Total CBD

0.048%

Total CBD/Container : 0.240 mg



Total Cannabinoids

91.614%

Total Cannabinoids/Container : 458.070 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	77.239	9.187	ND	0.055	ND	2.492	1.934	ND	ND	ND	0.707
mg/unit	386.20	45.94	ND	0.28	ND	12.46	9.67	ND	ND	ND	3.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4571

Weight:
0.1137g

Extraction date:
08/27/24 13:58:29

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA077297POT

Instrument Used : DA-LC-003

Analyzed Date : 08/27/24 13:58:43

Reviewed On : 08/28/24 12:15:36

Batch Date : 08/27/24 10:43:15

Dilution : 400

Reagent : 082724.R03; 080624.R01; 081324.14

Consumables : 947.109; 021824CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin Pod 0.5g - Rainbow Belts

Rainbow Belts

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40827004-002

Harvest/Lot ID: 20240710-710RB-FL2H7

Batch# : 1000254564

Sampled : 08/27/24

Ordered : 08/27/24

Sample Size Received : 15.5 gram

Total Amount : 381 units

Completed : 08/29/24 Expires: 08/29/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	34.99	6.998		SABINENE	0.007	ND	ND	
LIMONENE	0.007	9.01	1.802		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.60	1.519		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	6.55	1.309		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	2.56	0.512		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.25	0.449		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.22	0.243		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	1.12	0.223		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.06	0.211		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	1.00	0.199		3605, 585, 4571	0.2497g	08/27/24 13:45:22	3605	
ALPHA-TERPINEOL	0.007	0.87	0.174		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	0.66	0.132		Analytical Batch : DA077292TER			Reviewed On : 08/28/24 12:16:05	
BETA-MYRCENE	0.007	0.44	0.088		Instrument Used : DA-GCMS-009			Batch Date : 08/27/24 09:58:45	
CAMPHENE	0.007	0.29	0.058		Analyzed Date : 08/27/24 13:45:39				
BORNEOL	0.013	0.25	0.050		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.15	0.029		Reagent : 022224.04				
3-CARENE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			6.998						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin Pod 0.5g - Rainbow Belts

Rainbow Belts

Matrix : Derivative

Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40827004-002

Harvest/Lot ID: 20240710-710RB-FL2H7

Batch# : 1000254564

Sampled : 08/27/24

Ordered : 08/27/24

Sample Size Received : 15.5 gram

Total Amount : 381 units

Completed : 08/29/24 Expires: 08/29/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 3379, 585, 4571	Weight: 0.2243g	Extraction date: 08/27/24 15:44:01	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077310PES		Reviewed On : 08/29/24 16:07:32			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/27/24 11:33:04			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/28/24 14:20:45					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 082624.R03; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 4571	Weight: 0.2243g	Extraction date: 08/27/24 15:44:01	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077313VOL		Reviewed On : 08/28/24 11:45:11			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 08/27/24 11:36:45			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/27/24 18:28:10					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 082324.R10; 081023.01; 081524.R31; 081524.R32					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin Pod 0.5g - Rainbow Belts
Rainbow Belts
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40827004-002

Harvest/Lot ID: 20240710-710RB-FL2H7

Batch# : 1000254564

Sampled : 08/27/24

Ordered : 08/27/24

Sample Size Received : 15.5 gram

Total Amount : 381 units

Completed : 08/29/24 Expires: 08/29/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4571

Weight:
0.0218g

Extraction date:
08/28/24 11:47:26

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07733950L
Instrument Used : DA-GCMS-003
Analyzed Date : 08/28/24 11:05:07

Reviewed On : 08/28/24 12:24:54
Batch Date : 08/27/24 15:00:36

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 306143
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin Pod 0.5g - Rainbow Belts
Rainbow Belts
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40827004-002
Harvest/Lot ID: 20240710-710RB-FL2H7
Batch# : 1000254564
Sample Size Received : 15.5 gram
Total Amount : 381 units
Sampled : 08/27/24
Completed : 08/29/24 Expires: 08/29/25
Ordered : 08/27/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																																																																																																																																																																																																			
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analyzed by: 3390, 4520, 585, 4571</td></tr><tr><td colspan="6">Weight: 0.8963g</td></tr><tr><td colspan="6">Extraction date: 08/27/24 11:02:59</td></tr><tr><td colspan="6">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA077279MIC</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems</td></tr><tr><td colspan="6">2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 08:19:36</td></tr><tr><td colspan="6">DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher</td></tr><tr><td colspan="6">Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp</td></tr><tr><td colspan="6">Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C)</td></tr><tr><td colspan="6">DA-367</td></tr><tr><td colspan="6">Analyzed Date : 08/27/24 12:38:58</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 071824.34; 081624.06; 081624.09; 082024.R19; 072424.13</td></tr><tr><td colspan="6">Consumables : 7575001020</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3390, 4520, 585, 4571						Weight: 0.8963g						Extraction date: 08/27/24 11:02:59						Extracted by: 4520						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA077279MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 08:19:36						DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher						Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp						Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C)						DA-367						Analyzed Date : 08/27/24 12:38:58						Dilution : 10						Reagent : 071824.34; 081624.06; 081624.09; 082024.R19; 072424.13						Consumables : 7575001020						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analyzed by: 3379, 585, 4571</td></tr><tr><td colspan="6">Weight: 0.2243g</td></tr><tr><td colspan="6">Extraction date: 08/27/24 15:44:01</td></tr><tr><td colspan="6">Extracted by: 3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),</td></tr><tr><td colspan="6">SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="6">Analytical Batch : DA077312MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analyzed Date : 08/28/24 13:22:28</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 082624.R03; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01;</td></tr><tr><td colspan="6">081023.01</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 4571						Weight: 0.2243g						Extraction date: 08/27/24 15:44:01						Extracted by: 3621						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),						SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA077312MYC						Instrument Used : N/A						Analyzed Date : 08/28/24 13:22:28						Dilution : 250						Reagent : 082624.R03; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01;						081023.01						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																																																	
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																																																	
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																																																	
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																																																	
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																																																	
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																																																	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																																																																
Analyzed by: 3390, 4520, 585, 4571																																																																																																																																																																																																																																																																																					
Weight: 0.8963g																																																																																																																																																																																																																																																																																					
Extraction date: 08/27/24 11:02:59																																																																																																																																																																																																																																																																																					
Extracted by: 4520																																																																																																																																																																																																																																																																																					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																																																					
Analytical Batch : DA077279MIC																																																																																																																																																																																																																																																																																					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems																																																																																																																																																																																																																																																																																					
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) 08:19:36																																																																																																																																																																																																																																																																																					
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher																																																																																																																																																																																																																																																																																					
Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp																																																																																																																																																																																																																																																																																					
Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C)																																																																																																																																																																																																																																																																																					
DA-367																																																																																																																																																																																																																																																																																					
Analyzed Date : 08/27/24 12:38:58																																																																																																																																																																																																																																																																																					
Dilution : 10																																																																																																																																																																																																																																																																																					
Reagent : 071824.34; 081624.06; 081624.09; 082024.R19; 072424.13																																																																																																																																																																																																																																																																																					
Consumables : 7575001020																																																																																																																																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																																																																																																																																					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																																																																
Analyzed by: 3379, 585, 4571																																																																																																																																																																																																																																																																																					
Weight: 0.2243g																																																																																																																																																																																																																																																																																					
Extraction date: 08/27/24 15:44:01																																																																																																																																																																																																																																																																																					
Extracted by: 3621																																																																																																																																																																																																																																																																																					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),																																																																																																																																																																																																																																																																																					
SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																																																																																																					
Analytical Batch : DA077312MYC																																																																																																																																																																																																																																																																																					
Instrument Used : N/A																																																																																																																																																																																																																																																																																					
Analyzed Date : 08/28/24 13:22:28																																																																																																																																																																																																																																																																																					
Dilution : 250																																																																																																																																																																																																																																																																																					
Reagent : 082624.R03; 082124.R03; 082324.R10; 082024.R03; 072224.R19; 082124.R01;																																																																																																																																																																																																																																																																																					
081023.01																																																																																																																																																																																																																																																																																					
Consumables : 326250IW																																																																																																																																																																																																																																																																																					
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																																																																																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																					
	Heavy Metals	PASSED																																																																																																																																																																																																																																																																																			
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 4056, 585, 4571</td></tr><tr><td colspan="6">Weight: 0.2g</td></tr><tr><td colspan="6">Extraction date: 08/28/24 10:54:45</td></tr><tr><td colspan="6">Extracted by: 4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA077343HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analyzed Date : 08/28/24 17:08:05</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01;</td></tr><tr><td colspan="6">082824.R21</td></tr><tr><td colspan="6">Consumables : 179436; 021824CH01; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analyzed by: 1022, 4056, 585, 4571						Weight: 0.2g						Extraction date: 08/28/24 10:54:45						Extracted by: 4056						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA077343HEA						Instrument Used : DA-ICPMS-004						Analyzed Date : 08/28/24 17:08:05						Dilution : 50						Reagent : 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01;						082824.R21						Consumables : 179436; 021824CH01; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																																																																																																																																
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																																																
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																																																
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																																																																
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																																																																																																																																
Analyzed by: 1022, 4056, 585, 4571																																																																																																																																																																																																																																																																																					
Weight: 0.2g																																																																																																																																																																																																																																																																																					
Extraction date: 08/28/24 10:54:45																																																																																																																																																																																																																																																																																					
Extracted by: 4056																																																																																																																																																																																																																																																																																					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																																																																																					
Analytical Batch : DA077343HEA																																																																																																																																																																																																																																																																																					
Instrument Used : DA-ICPMS-004																																																																																																																																																																																																																																																																																					
Analyzed Date : 08/28/24 17:08:05																																																																																																																																																																																																																																																																																					
Dilution : 50																																																																																																																																																																																																																																																																																					
Reagent : 082824.R05; 082624.R06; 082324.R03; 082624.R04; 082624.R05; 061724.01;																																																																																																																																																																																																																																																																																					
082824.R21																																																																																																																																																																																																																																																																																					
Consumables : 179436; 021824CH01; 210508058																																																																																																																																																																																																																																																																																					
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																																																					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 Labs Persy Rosin Pod 0.5g - Rainbow Belts
Rainbow Belts
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40827004-002

Harvest/Lot ID: 20240710-710RB-FL2H7

Batch# : 1000254564

Sampled : 08/27/24

Ordered : 08/27/24

Sample Size Received : 15.5 gram

Total Amount : 381 units

Completed : 08/29/24 Expires: 08/29/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA077385FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/28/24 15:05:53

Reviewed On : 08/28/24 15:18:32

Batch Date : 08/28/24 11:21:25

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.504	PASS	0.85

Analyzed by: 4512, 585, 4571	Weight: 0.4822g	Extraction date: 08/28/24 09:30:54	Extracted by: 4351,4512
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA077308WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 08/28/24 09:33:22

Reviewed On : 08/28/24 11:47:28

Batch Date : 08/27/24 11:16:35

Dilution : N/A

Reagent : 080624.18

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/24