



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113007-008



Production Method: Other - Not Listed
Harvest/Lot ID: 5459769857042473
Batch#: 9200771969506230
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale#: 5459769857042473
Harvest Date: 11/07/24
Sample Size Received: 31 units
Total Amount: 890 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 11/12/24
Sampled: 11/13/24
Completed: 11/15/24
Sampling Method: SOP.T.20.010

Nov 15, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
79.556%

Total THC/Container : 397.780 mg



Total CBD
0.176%

Total CBD/Container : 0.880 mg



Total Cannabinoids
87.286%

Total Cannabinoids/Container : 436.430 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	62.637	19.292	ND	0.201	ND	0.629	4.056	0.115	0.196	ND	0.160
mg/unit	313.19	96.46	ND	1.01	ND	3.15	20.28	0.58	0.98	ND	0.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1093g

Extraction date:
11/13/24 11:50:21

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA080061POT
Instrument Used : DA-LC-003
Analyzed Date : 11/14/24 10:26:11

Batch Date : 11/13/24 11:13:30

Dilution : 400
Reagent : 110424.R06; 071624.04; 101724.R03
Consumables : 947.109; 20240202; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

LIVE RESIN 510 CART - 0.5G Wyld Lyfe

WYLD LYFE

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41113007-008
Harvest/Lot ID: 5459769857042473

Batch# : 9200771969506230 Sample Size Received : 31 units
Sampled : 11/13/24 Total Amount : 890 units
Ordered : 11/13/24 Completed : 11/15/24 Expires: 11/15/25
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	53.97	10.794		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	26.27	5.253		VALENCENE	0.007	ND	ND	
OCIMENE	0.007	8.82	1.763		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	4.59	0.917		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.80	0.760		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	3.14	0.627		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.01	0.602		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	1.37	0.274		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.93	0.185		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	0.51	0.101		4451, 3605, 585, 1440	0.2131g	11/13/24 12:12:41	4451	
ALPHA-TERPINEOL	0.007	0.49	0.097		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.40	0.079		Analytical Batch : DA080060TER				
TRANS-NEROLIDOL	0.005	0.30	0.059		Instrument Used : DA-GCMS-009				
CAMPENE	0.007	0.15	0.029		Analyzed Date : 11/14/24 10:26:13			Batch Date : 11/13/24 11:13:13	
CARYOPHYLLENE OXIDE	0.007	0.12	0.024		Dilution : 10				
FENCHONE	0.007	0.12	0.024		Reagent : 090924.02				
3-CARENE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
BORNEOL	0.013	ND	ND		Pipette : DA-065				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			10.794						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

LIVE RESIN 510 CART - 0.5G Wyld Lyfe

WYLD LYFE

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41113007-008
Harvest/Lot ID: 5459769857042473

Batch# : 9200771969506230 Sample Size Received : 31 units
Sampled : 11/13/24 Total Amount : 890 units
Ordered : 11/13/24 Completed : 11/15/24 Expires: 11/15/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.2559g	Extraction date: 11/13/24 14:42:47	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : SOP.T.30.101.PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 11/13/24 10:54:23		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/14/24 11:24:49					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2559g	Extraction date: 11/13/24 14:42:47	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080053VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 11/13/24 10:56:11		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/14/24 10:10:58					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

LIVE RESIN 510 CART - 0.5G Wyld Lyfe

WYLD LYFE

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41113007-008

Harvest/Lot ID: 5459769857042473

Batch# : 9200771969506230

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 890 units

Completed : 11/15/24 Expires: 11/15/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0214g

Extraction date:
11/15/24 13:55:56

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA080113SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 11/15/24 14:28:57

Batch Date : 11/14/24 13:56:10

Dilution : 1
Reagent : 030420.10
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24



Type: Extract for Inhalation



PASSED

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41113007-008
Harvest/Lot ID: 5459769857042473

Batch# : 9200771969506230	Sample Size Received : 31 units
Sampled : 11/13/24	Total Amount : 890 units
Ordered : 11/13/24	Completed : 11/15/24 Expires: 11/15/25
	Sample Method : SOP T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																																																																																																																																																																		
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080049MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:47:28</td><td></td></tr><tr><td>Analysis Date : 11/14/24 10:16:59</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.26; 100324.06; 103024.R39; 101624.12</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004007</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080050TYM</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:48:53</td><td></td></tr><tr><td>Analysis Date : 11/15/24 14:45:59</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.26; 100324.06; 082024.R18</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080049MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021				Batch Date : 11/13/24 10:47:28		Analysis Date : 11/14/24 10:16:59						Dilution : 10						Reagent : 092524.26; 100324.06; 103024.R39; 101624.12						Consumables : 7575004007						Pipette : N/A						Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA080050TYM						Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/13/24 10:48:53		Analysis Date : 11/15/24 14:45:59						Dilution : 10						Reagent : 092524.26; 100324.06; 082024.R18						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Mycotoxins	PASSED																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																															
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																				
Analytical Batch : DA080049MIC																																																																																																																																																																																																																																																				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021				Batch Date : 11/13/24 10:47:28																																																																																																																																																																																																																																																
Analysis Date : 11/14/24 10:16:59																																																																																																																																																																																																																																																				
Dilution : 10																																																																																																																																																																																																																																																				
Reagent : 092524.26; 100324.06; 103024.R39; 101624.12																																																																																																																																																																																																																																																				
Consumables : 7575004007																																																																																																																																																																																																																																																				
Pipette : N/A																																																																																																																																																																																																																																																				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																																																																																																				
Analytical Batch : DA080050TYM																																																																																																																																																																																																																																																				
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/13/24 10:48:53																																																																																																																																																																																																																																																
Analysis Date : 11/15/24 14:45:59																																																																																																																																																																																																																																																				
Dilution : 10																																																																																																																																																																																																																																																				
Reagent : 092524.26; 100324.06; 082024.R18																																																																																																																																																																																																																																																				
Consumables : N/A																																																																																																																																																																																																																																																				
Pipette : N/A																																																																																																																																																																																																																																																				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080052MYC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : N/A</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:55:54</td><td></td></tr><tr><td>Analysis Date : 11/14/24 11:25:48</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 250</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 111124.R20; 081023.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 240321-634-A; 20240202; 326250IW</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA080052MYC						Instrument Used : N/A				Batch Date : 11/13/24 10:55:54		Analysis Date : 11/14/24 11:25:48						Dilution : 250						Reagent : 111124.R20; 081023.01						Consumables : 240321-634-A; 20240202; 326250IW						Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080049MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:47:28</td><td></td></tr><tr><td>Analysis Date : 11/14/24 10:16:59</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.26; 100324.06; 103024.R39; 101624.12</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004007</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080050TYM</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:48:53</td><td></td></tr><tr><td>Analysis Date : 11/15/24 14:45:59</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.26; 100324.06; 082024.R18</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080049MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021				Batch Date : 11/13/24 10:47:28		Analysis Date : 11/14/24 10:16:59						Dilution : 10						Reagent : 092524.26; 100324.06; 103024.R39; 101624.12						Consumables : 7575004007						Pipette : N/A						Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA080050TYM						Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/13/24 10:48:53		Analysis Date : 11/15/24 14:45:59						Dilution : 10						Reagent : 092524.26; 100324.06; 082024.R18						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Heavy Metals	PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																															
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																															
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																															
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																															
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																															
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																																																																																															
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																																																																				
Analytical Batch : DA080052MYC																																																																																																																																																																																																																																																				
Instrument Used : N/A				Batch Date : 11/13/24 10:55:54																																																																																																																																																																																																																																																
Analysis Date : 11/14/24 11:25:48																																																																																																																																																																																																																																																				
Dilution : 250																																																																																																																																																																																																																																																				
Reagent : 111124.R20; 081023.01																																																																																																																																																																																																																																																				
Consumables : 240321-634-A; 20240202; 326250IW																																																																																																																																																																																																																																																				
Pipette : N/A																																																																																																																																																																																																																																																				
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																				
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																															
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																				
Analytical Batch : DA080049MIC																																																																																																																																																																																																																																																				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021				Batch Date : 11/13/24 10:47:28																																																																																																																																																																																																																																																
Analysis Date : 11/14/24 10:16:59																																																																																																																																																																																																																																																				
Dilution : 10																																																																																																																																																																																																																																																				
Reagent : 092524.26; 100324.06; 103024.R39; 101624.12																																																																																																																																																																																																																																																				
Consumables : 7575004007																																																																																																																																																																																																																																																				
Pipette : N/A																																																																																																																																																																																																																																																				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																																																																																																																																																																				
Analytical Batch : DA080050TYM																																																																																																																																																																																																																																																				
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/13/24 10:48:53																																																																																																																																																																																																																																																
Analysis Date : 11/15/24 14:45:59																																																																																																																																																																																																																																																				
Dilution : 10																																																																																																																																																																																																																																																				
Reagent : 092524.26; 100324.06; 082024.R18																																																																																																																																																																																																																																																				
Consumables : N/A																																																																																																																																																																																																																																																				
Pipette : N/A																																																																																																																																																																																																																																																				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080046HEA</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : DA-ICPMS-004</td><td></td><td></td><td></td><td>Batch Date : 11/13/24 10:20:56</td><td></td></tr><tr><td>Analysis Date : 11/15/24 09:10:55</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 110824.R13; 111124.R23; 110424.R08; 111124.R21; 111124.R22; 061724.01; 110424.R12</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 179436; 20240202; 210508058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-061; DA-191; DA-216</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA080046HEA						Instrument Used : DA-ICPMS-004				Batch Date : 11/13/24 10:20:56		Analysis Date : 11/15/24 09:10:55						Dilution : 50						Reagent : 110824.R13; 111124.R23; 110424.R08; 111124.R21; 111124.R22; 061724.01; 110424.R12						Consumables : 179436; 20240202; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																															
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																															
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																																																																																															
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																															
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																															
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																																															
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																																																																																															
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																																																				
Analytical Batch : DA080046HEA																																																																																																																																																																																																																																																				
Instrument Used : DA-ICPMS-004				Batch Date : 11/13/24 10:20:56																																																																																																																																																																																																																																																
Analysis Date : 11/15/24 09:10:55																																																																																																																																																																																																																																																				
Dilution : 50																																																																																																																																																																																																																																																				
Reagent : 110824.R13; 111124.R23; 110424.R08; 111124.R21; 111124.R22; 061724.01; 110424.R12																																																																																																																																																																																																																																																				
Consumables : 179436; 20240202; 210508058																																																																																																																																																																																																																																																				
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																																																				
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

LIVE RESIN 510 CART - 0.5G Wyld Lyfe

WYLD LYFE

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41113007-008

Harvest/Lot ID: 5459769857042473

Batch# : 9200771969506230

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 890 units

Completed : 11/15/24 Expires: 11/15/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/13/24 15:29:52	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080065FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 11/13/24 15:26:51

Analyzed Date : 11/13/24 21:29:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.453	PASS	0.85

Analyzed by: 4621, 585, 1440	Weight: 0.1392g	Extraction date: 11/13/24 16:09:31	Extracted by: 4621
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080059WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 11/13/24 11:11:44

Analyzed Date : 11/14/24 09:20:48

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/15/24