



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113011-007



Nov 16, 2024 | The Flowery

Samples From:  
Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**79.142%**

Total THC/Container : 2769.970 mg



Total CBD

**0.168%**

Total CBD/Container : 5.880 mg



Total Cannabinoids

**92.027%**

Total Cannabinoids/Container : 3220.945 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.329	88.727	ND	0.192	0.030	0.285	1.391	ND	ND	ND	0.073
mg/unit	46.52	3105.45	ND	6.72	1.05	9.98	48.69	ND	ND	ND	2.56
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.1105g

Extraction date:  
11/14/24 12:42:07

Extracted by:  
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080082POT

Instrument Used : DA-LC-003

Analyzed Date : 11/15/24 11:39:47

Batch Date : 11/14/24 09:35:55

Dilution : 400

Reagent : 111324.R49; 071624.04; 111324.R47

Consumables : 947.109; 04311046; 20240202; R1KB14270

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

PREFERRED CONCENTRATE BADDER - LIVE 3.5G PG Lights On  
PG LIGHTS ON  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA41113011-007  
Harvest/Lot ID: 4270485219916853

Batch# : 4270485219916853 Sample Size Received : 5 units  
Sampled : 11/13/24 Total Amount : 328 units  
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/16/25  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	143.92	4.112		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	27.90	0.797		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	26.74	0.764		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	24.40	0.697		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	21.32	0.609		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	8.26	0.236		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	4.83	0.138		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	4.76	0.136		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	3.99	0.114		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	3.33	0.095		4451, 3605, 585, 1440	0.2137g	11/14/24 11:15:13	4451	
BORNEOL	0.013	3.26	0.093		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	2.77	0.079		Analytical Batch : DA080074TER				
CARYOPHYLLENE OXIDE	0.007	2.31	0.066		Instrument Used : DA-GCMS-004			Batch Date : 11/14/24 09:11:08	
ALPHA-PINENE	0.007	2.21	0.063		Analyzed Date : 11/15/24 11:41:05				
GERANIOL	0.007	1.93	0.055		Dilution : 10				
FENCHONE	0.007	1.65	0.047		Reagent : 090924.02				
OCIMENE	0.007	1.61	0.046		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ALPHA-TERPINOLENE	0.007	1.47	0.042		Pipette : DA-065				
CAMPHENE	0.007	1.23	0.035		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			4.112						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

PREFERRED CONCENTRATE BADDER - LIVE 3.5G PG Lights ON  
PG LIGHTS ON  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA41113011-007

Harvest/Lot ID: 4270485219916853

Batch# : 4270485219916853

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 5 units

Total Amount : 328 units

Completed : 11/16/24 Expires: 11/16/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.2727g	Extraction date:	11/14/24 13:35:24
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA080080PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	11/14/24 09:31:44
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	11/15/24 11:23:51				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	111124.R20; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	240321-634-A; 20240202; 326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	N/A				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2727g	Extraction date:	11/14/24 13:35:24
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA080083VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	11/14/24 09:36:47
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	11/15/24 11:22:05				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	111124.R20; 081023.01; 102824.R16; 102824.R17				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	240321-634-A; 20240202; 326250IW; 14725401				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

PREFERRED CONCENTRATE BADDER - LIVE 3.5G PG Lights On  
PG LIGHTS ON  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA41113011-007  
Harvest/Lot ID: 4270485219916853

Batch# : 4270485219916853 Sample Size Received : 5 units  
Sampled : 11/13/24 Total Amount : 328 units  
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/16/25  
Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0231g

Extraction date:  
11/15/24 12:26:21

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA08011250L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 11/15/24 13:21:11

Batch Date : 11/14/24 13:49:58

Dilution : 1  
Reagent : 030420.10  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24



# Certificate of Analysis



**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

 Sample : DA41113011-007  
 Harvest/Lot ID: 4270485219916853

 Batch# : 4270485219916853 Sample Size Received : 5 units  
 Sampled : 11/13/24 Total Amount : 328 units  
 Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/16/25  
 Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3621, 3379, 585, 1440	Weight: 0.2727g	Extraction date: 11/14/24 13:35:24	Extracted by: 4640,450,3379		
Analyzed by: 4044, 4520, 585, 1440						Weight: 0.921g					
Extraction date: 11/14/24 10:23:48						Extracted by: 4520,4531					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA080066MIC						Analytical Batch : DA080081MYC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720						Instrument Used : N/A					
Batch Date : 11/14/24 07:43:06						Batch Date : 11/14/24 09:33:32					
Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						Dilution : 250					
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367						Reagent : 111124.R20; 081023.01					
Analyzed Date : 11/15/24 11:28:40						Consumables : 240321-634-A; 20240202; 326250IW					
Dilution : 10						Pipette : N/A					
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Consumables : 7575004058											
Pipette : N/A											
Analyzed by: 4044, 4520, 585, 1440						Weight: 0.921g					
Extraction date: 11/14/24 10:23:48						Extracted by: 4520,4531					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal					
Analytical Batch : DA080067TYM						LOD					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Units					
Analyzed Date : 11/16/24 18:00:47						Result					
Dilution : 10						Pass / Fail					
Reagent : 092524.25; 092524.27; 082024.R18; 110724.R13						Action Level					
Consumables : N/A						TOTAL CONTAMINANT LOAD METALS					
Pipette : N/A						0.08 ppm ND PASS 1.1					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						ARSENIC					
						0.02 ppm ND PASS 0.2					
						CADMIUM					
						0.02 ppm ND PASS 0.2					
						MERCURY					
						0.02 ppm ND PASS 0.5					
						LEAD					
						0.02 ppm ND PASS 0.5					
Analyzed by: 1022, 585, 1440						Weight: 0.2417g					
Extraction date: 11/14/24 11:11:53						Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA080085HEA						Analytical Batch : DA080085HEA					
Instrument Used : DA-ICPMS-004						Instrument Used : DA-ICPMS-004					
Analyzed Date : 11/15/24 13:52:37						Batch Date : 11/14/24 09:47:55					
Dilution : 50						Dilution : 50					
Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12						Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					
Consumables : 179436; 20240202; 210508058						Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

PREFERRED CONCENTRATE BADDER - LIVE 3.5G PG Lights On  
PG LIGHTS ON  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA41113011-007  
Harvest/Lot ID: 4270485219916853

Batch# : 4270485219916853 Sample Size Received : 5 units  
Sampled : 11/13/24 Total Amount : 328 units  
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/16/25  
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/15/24 10:28:33	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA080158FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 11/15/24 10:22:52  
Analyzed Date : 11/15/24 12:28:38

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.85

Analyzed by: 4621, 585, 1440	Weight: 0.361g	Extraction date: 11/14/24 14:48:19	Extracted by: 4621
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA080105WAT  
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 11/14/24 11:55:51  
Analyzed Date : 11/15/24 09:56:59

Dilution : N/A  
Reagent : 051624.02  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24