

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41217003-003

THE FLOWERY DA41217003-003

NAME OF THE PARTY OF THE PARTY OF THE

Kaycha Labs

LIVE BADDER - 1G Paztelito #14



PAZTELITO #14 Matrix: Derivative Classification: High THC Type: Rosin

Production Method: Other - Not Listed Harvest/Lot ID: 2255010648969827

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead Seed to Sale#: 2255010648969827

Harvest Date: 12/13/24 Sample Size Received: 16 units Total Amount: 900 units

Batch#: 2649550936758900

Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 12/16/24

Sampled: 12/17/24 Completed: 12/19/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS

Homestead, FL, 33090, US

Samples From:



Pesticides PASSED



Dec 19, 2024 | The Flowery

Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



#FLOWERY

Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



NOT TESTED



MISC.

Terpenes PASSED

PASSED



Cannabinoid



Total THC 74.671% Total THC/Container : 746.710 mg



Total CBD 0.196%

Total CBD/Container: 1.960 mg



Total Cannabinoids

Total Cannabinoids/Container: 879.180

									9		
		_									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.293	84.810	ND	0.224	ND	0.764	1.745	ND	ND	ND	0.082
mg/unit	2.93	848.10	ND	2.24	ND	7.64	17.45	ND	ND	ND	0.82
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by:				Weight:		traction date:				cted by:	
3335, 3605, 585	5, 4351			0.1047g	12	2/17/24 12:47:40			4351,	3335	

Analyzed by: 3335, 3605, 585, 4351 Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA081291POT Instrument Used: DA-LC-007 Analyzed Date: 12/18/24 11:26:48

Dilution : 400 **Reagent :** 121624.R06; 112724.02; 121624.R03 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-055: DA-063: DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Batch Date: 12/17/24 11:19:00

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

LIVE BADDER - 1G Paztelito #14

PAZTELITO #14 Matrix: Derivative

Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41217003-003 Harvest/Lot ID: 2255010648969827

Sampled: 12/17/24 **Ordered:** 12/17/24

Batch#: 2649550936758900 Sample Size Received: 16 units Total Amount: 900 units

 $\textbf{Completed:} 12/19/24 \ \textbf{Expires:} \ 12/19/25$ Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/uni	it %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	59.40	5.940			SABINENE		0.007	ND	ND	
LIMONENE	0.007	24.08	2.408			SABINENE HYDRATE		0.007	ND	ND	
LINALOOL	0.007	8.31	0.831			VALENCENE		0.007	ND	ND	
BETA-MYRCENE	0.007	6.52	0.652			ALPHA-CEDRENE		0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.09	0.509			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-PINENE	0.007	3.12	0.312			ALPHA-TERPINENE		0.007	ND	ND	
GUAIOL	0.007	2.45	0.245			CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-HUMULENE	0.007	2.36	0.236			GAMMA-TERPINENE		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.31	0.231			Analyzed by:	Weight:		Extraction d	late:	Extracted by:
ALPHA-TERPINEOL	0.007	2.05	0.205			4451, 585, 4351	0.2202g		12/17/24 12		4451
ALPHA-PINENE	0.007	1.65	0.165			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	0.45	0.045			Analytical Batch : DA081293TER					12/17/24 11:22:50
CAMPHENE	0.007	0.43	0.043			Instrument Used: DA-GCMS-009 Analyzed Date: 12/18/24 11:26:51				Batch D	Pate: 12/17/24 11:23:58
TRANS-NEROLIDOL	0.005	0.31	0.031		i	Dilution: 10					
ALPHA-TERPINOLENE	0.007	0.27	0.027			Reagent: 032524.13					
3-CARENE	0.007	ND	ND			Consumables: 947.109; 240321-634-A;	280670723; CE0	123			
BORNEOL	0.013	ND	ND			Pipette : DA-065					
CAMPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	Chromatography Ma	iss Spectn	ometry. For all	Flower samp	oles, the Total Terpenes % is dry-weight corrected.
CARYOPHYLLENE OXIDE	0.007	ND	ND								
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
OCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
Total (%)			5.940								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

LIVE BADDER - 1G Paztelito #14

PAZTELITO #14 Matrix: Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41217003-003 Harvest/Lot ID: 2255010648969827

Sampled: 12/17/24 Ordered: 12/17/24

Batch#: 2649550936758900 Sample Size Received: 16 units Total Amount: 900 units

Completed: 12/19/24 Expires: 12/19/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
					PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
					PHOSMET		0.010	ppm	0.1	PASS	ND
					PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
									0.1	PASS	ND
											ND
											ND
											ND
					SPIROMESIFEN						ND
					SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
					SPIROXAMINE		0.010	ppm	0.1	PASS	ND
					TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
			PASS						0.1	PASS	ND
									0.5	PASS	ND
		0.5	PASS	ND							ND
						(50115) +					ND
						:NE (PCNB) *					
		1									ND
			PASS		CAPTAN *						ND
0.010	ppm	0.2			CHLORDANE *		0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
0.010	ppm	0.1	PASS	ND		M-I-LA				Francisco et a d	
0.010	ppm	0.1	PASS	ND							oy:
0.010	ppm	0.1	PASS	ND	, ,				SOP T 40 101)
0.010	ppm	0.1	PASS	ND		101.1 L (Guillesville), 501.11.50.10	Z.I L (DUVIC)	, 501.11.40.101	LII E (Odili CSVIII C	//
0.010	ppm	0.1	PASS	ND		PES					
0.010	ppm	0.1	PASS	ND				Batcl	h Date: 12/17/	24 10:31:56	
0.010	ppm	0.1	PASS	ND		:53:01					
0.010	ppm	0.1	PASS	ND	Dilution: 250						
0.010	ppm	0.1	PASS	ND			262ENIW				
0.010	ppm	0.1	PASS	ND		M, U4U/Z4CHUI; 32	2023UIW				
0.010	ppm	0.1	PASS	ND		is nerformed utilizin	na Liauid Chron	natography T	rinle-Ouadrung	le Mass Spectro	netry in
0.010	ppm	0.1	PASS	ND			ig Eigaia Cilion	nacograpity i	p.c Quadrapo	ic mass spectro	ca y III
0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted b	v:
0.010	ppm	0.4	PASS	ND	450, 585, 4351	0.2728g	12/17/24	14:30:10		450,3379	-
0.010	ppm	0.1	PASS	ND), SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
		0.2	PASS	ND							
0.010	ppm	0.1	PASS	ND				Batch Date	e:12/17/24 10	:35:45	
		0.1	PASS	ND		:48:35					
		0.1	PASS			22 01, 111024 02	D. 111024 P24				
			PASS								
		0.1	PASS	ND				-5.01			
010	L L	0.25	PASS	ND						Mass Spectrome	
	0.010 0.010	0.010 ppm	0.010 ppm 5 0.010 ppm 0.2 0.010 ppm 0.1 0.010 ppm 0.5 0.010 ppm 0.1			No.010 Ppm 0.2 PASS ND PACLOBUTRAZOL	Description Commons Commons	Continue	Level	Control Cont	Cevel Ceve

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

LIVE BADDER - 1G Paztelito #14

PAZTELITO #14 Matrix: Derivative Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA41217003-003 Harvest/Lot ID: 2255010648969827

Batch#: 2649550936758900 Sample Size Received: 16 units

Sampled: 12/17/24 Ordered: 12/17/24

Total Amount: 900 units Completed: 12/19/24 Expires: 12/19/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:			Extracted by:	

12/18/24 14:09:32 0.0238g

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081310SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 12/18/24 16:38:14

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/17/24 16:32:09

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director



Kaycha Labs

LIVE BADDER - 1G Paztelito #14

PAZTELITO #14 Matrix: Derivative Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41217003-003 Harvest/Lot ID: 2255010648969827

Batch#: 2649550936758900 Sample Size Received: 16 units

Sampled: 12/17/24 Ordered: 12/17/24

Total Amount: 900 units Completed: 12/19/24 Expires: 12/19/25 Sample Method: SOP.T.20.010

Page 5 of 6

LOD



Microbial

PASSED



Instrument Used : N/A

Analyte

Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Extracted by:

Result

Batch Date: 12/17/24 10:35:24

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERR	EUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PAS
ASPERGILLUS NIGE	R			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PAS
ASPERGILLUS FUMI	GATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PAS
ASPERGILLUS FLAV	US			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PAS
SALMONELLA SPEC	IFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PAS
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:	Weight:	Extraction dat	e:	Е	xtract
TOTAL YEAST AND	MOLD	10.00	CFU/g	<10	PASS	100000	3379, 585, 4351	0.2728g	12/17/24 14:3	0:10	4	50,33
Analyzed by:	Weight:	Extra	ction date:		Extracted	by:	Analysis Method : SOP	.T.30.101.FL (Ga	inesville), SOP.T.4	40.101.FL	(Gainesv	ille),

Analyzed by: 4531, 585, 4351 Weight: **Extraction date:** Extracted by: 1.009g 12/17/24 10:53:47

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA081271 \\ \textbf{MIC} \end{array}$

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: Thermocycler DA-10, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 12/18/24 11:24:55

Dilution: 10

Reagent: 111524.100; 111524.117; 120524.R12; 062624.19

Consumables: 7578001083

Pipette: N/A

2/17/24 09:41:21	Dilution: 250
	Reagent: 121624.R02; 081023.01
	Consumables: 240321-634-A; 0403

bles: 240321-634-A; 040724CH01; 326250IW

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA081276MYC

Analyzed Date: 12/18/24 10:53:43

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

Heavy Metals

PASSED

Action

Result Pass /

4531, 3390, 585, 4351	1.009g	12/17/24 10:53		4044
Analysis Method: SOP.T.40 Analytical Batch: DA081272 Instrument Used: Incubator DA-382] Analyzed Date: 12/19/24 14	TYM (25*C) DA- 328			e: 12/17/24 09:42:
Dilution: 10 Reagent: 111524.100; 1115 Consumables: N/A Pipette: N/A	24.117; 11072	4.R13		
Total yeast and mold testing is a	nerformed utilizing	n MPN and traditional	culture based	I techniques in

accordance with F.S. Rule 64ER20-39

	ricui		200	Omics	nesure	Fail	Level	
2:40	TOTAL CONTAMINANT L	OAD METALS	0.08	ppm	ND	PASS	1.1	
	ARSENIC		0.02	ppm	ND	PASS	0.2	
	CADMIUM		0.02	ppm	ND	PASS	0.2	
	MERCURY		0.02	ppm	ND	PASS	0.2	
	LEAD		0.02	ppm	ND	PASS	0.5	
	Analyzed by:	Weight:	Extraction dat	te:		Extracted	by:	
	1022, 585, 4351	0.2657g	12/17/24 12:1	L3:15		4056		

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081274HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 12/18/24 11:18:52

Batch Date: 12/17/24 10:16:33

Dilution: 50

Reagent: 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15;

120324.07; 121324.R01

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

LIVE BADDER - 1G Paztelito #14

PAZTELITO #14 Matrix: Derivative

Type: Rosin

Page 6 of 6



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41217003-003 Harvest/Lot ID: 2255010648969827

Batch#: 2649550936758900 Sample Size Received: 16 units

Sampled: 12/17/24 Ordered: 12/17/24

Total Amount: 900 units Completed: 12/19/24 Expires: 12/19/25 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 4351 Weight: Extraction date: Extracted by: 1g 12/18/24 21:34:03 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA081359FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/18/24 21:25:00 Analyzed Date: 12/18/24 23:52:11

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.503	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 4351	Weight: 0.282a		raction d		Ex t	tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch : DA081290WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 12/17/24 11:18:58

Analyzed Date: 12/18/24 10:38:13

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/19/24

pass/fail does not include the MU. Any calculated totals may contain rounding errors