

Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

Matrix: Derivative Classification: High THC Type: Rosin



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41120013-001



Nov 23, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

Production Method: Other - Not Listed Harvest/Lot ID: 0070681526883306 Batch#: 20240419-710FF5-F1H12

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 0070681526883306 **Harvest Date: 11/18/24**

Sample Size Received: 16 units Total Amount: 257 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 1

Ordered: 11/20/24

Sampled: 11/20/24 Completed: 11/23/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 11/21/24 10:02:38



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes PASSED

PASSED



Cannabinoid

Total THC

74.863% Total THC/Container : 748.630 mg



Total CBD 0.120%

Total CBD/Container: 1.200 mg



Total Cannabinoids 8.645%

Total Cannabinoids/Container: 786.450



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA080346POT Instrument Used: DA-LC-007 Analyzed Date: 11/22/24 10:11:49

Dilution: 400 Reagent: 111324.R48; 073024.51; 111324.R46 Consumables: 947.109; 20240202; CE0123; R1KB14270

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

Matrix: Derivative

Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41120013-001 Harvest/Lot ID: 0070681526883306

Batch#: 20240419-710FF5-

Sampled: 11/20/24 Ordered: 11/20/24

Sample Size Received: 16 units Total Amount: 257 units

Completed: 11/23/24 **Expires:** 11/23/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	48.78	4.878			SABINENE HYDRATE		0.007	ND	ND	
LIMONENE	0.007	15.02	1.502			VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.67	1.267			ALPHA-CEDRENE		0.005	ND	ND	
ALPHA-HUMULENE	0.007	5.57	0.557			ALPHA-PHELLANDRENE		0.007	ND	ND	
LINALOOL	0.007	2.96	0.296			ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-PINENE	0.007	2.60	0.260			CIS-NEROLIDOL		0.003	ND	ND	
BETA-MYRCENE	0.007	2.55	0.255			GAMMA-TERPINENE		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.89	0.189			TRANS-NEROLIDOL		0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.55	0.155		Ī	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
BETA-PINENE	0.007	1.37	0.137		Î	3605, 585, 1440	0.2375g		11/21/24 13		3605
BORNEOL	0.013	0.49	0.049			Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
CAMPHENE	0.007	0.49	0.049			Analytical Batch : DA080369TER Instrument Used : DA-GCMS-008				D-t-b	Date: 11/21/24 10:52:45
ALPHA-BISABOLOL	0.007	0.47	0.047			Analyzed Date: 11/22/24 10:11:51				Batch	Jate: 11/21/24 10:52:45
GERANIOL	0.007	0.32	0.032			Dilution: 10					
OCIMENE	0.007	0.31	0.031			Reagent: 022224.08					
GUAIOL	0.007	0.30	0.030			Consumables: 947.109; 240321-634 Pipette: DA-065	1-A; 280670723; CE	0123			
ALPHA-TERPINOLENE	0.007	0.22	0.022								
3-CARENE	0.007	ND	ND			Terpenola testing is performed utilizing G	as Chromatography M	ass spectro	ometry. For all	riower sam	ples, the Total Terpenes % is dry-weight corrected.
CAMPHOR	0.007	ND	ND								
CARYOPHYLLENE OXIDE	0.007	ND	ND								
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
Total (%)			4.878								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

> Matrix: Derivative Type: Rosin



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41120013-001 Harvest/Lot ID: 0070681526883306

Batch#: 20240419-710FF5-

Sampled: 11/20/24 Ordered: 11/20/24

Sample Size Received: 16 units Total Amount: 257 units

Completed: 11/23/24 **Expires:** 11/23/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	Е	
		_		_	_

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	mag	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (DCND) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZI	ENE (PUNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	1.1.	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracte	d hv
ETHOATE	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2192g		4 14:13:38		3621	a by.
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.				. SOP.T.40.101).
FENPROX	0.010	1.1.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	. , , , , , , , , , , , , , , , , , , ,		, ,		,	
XAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080351						
IHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-			Batch	Date:11/21/	24 10:12:43	
OXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date:11/22/24 11	:39:21					
IPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 111824.R01: 1120	24 012, 111024 00	. 112024 02	e. 102124 D	00. 112024 0	11. 001022 01	
RONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	124.N13, 111924.NU), IIZUZ4.N3	U, 1UZ1Z4.N	.uo, 112024.N.	11, 001023.01	
DNICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; D.	A-219					
IDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents		Liquid Chrom	atography T	riple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64E	R20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2192g		14:13:38		3621	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.		SOP.T.30.15	1A.FL (Davie	e), SOP.T.40.15	51.FL	
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080356			Dateb D-4	:11/21/24 10	16.50	
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS Analyzed Date : 11/22/24 09			DATEN DATE	::11/21/24 10	.10.30	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	.20.17					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 111924.R03; 0810	23.01: 111824 R23	111824.R24				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 2			01			
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; D.						
			0.25	PASS	ND						Mass Spectrome	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

Matrix: Derivative Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA41120013-001 Harvest/Lot ID: 0070681526883306

Batch#: 20240419-710FF5-

Sampled: 11/20/24 Ordered: 11/20/24

Sample Size Received: 16 units Total Amount: 257 units

Completed: 11/23/24 **Expires:** 11/23/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

□.	л			_	п
_/	н	Э	_		ш
_	_	_	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:		Extrac	ted by:

850, 585, 1440 11/22/24 16:27:25 850,585 0.0273g

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080378SOL Instrument Used: DA-GCMS-003

Analyzed Date: 11/22/24 17:17:48 Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: 430274; 319008 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 11/21/24 15:55:54

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

> Matrix: Derivative Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co. Sample : DA41120013-001 Harvest/Lot ID: 0070681526883306

Batch#: 20240419-710FF5-

Sampled: 11/20/24 Ordered: 11/20/24 Sample Size Received: 16 units Total Amount: 257 units

Completed: 11/23/24 Expires: 11/23/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10.00	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.2192g	Extraction da 11/21/24 14:3			Extracted 3621	l by:

Analyzed by: Weight: **Extraction date:** Extracted by: 1.171g 4520, 585, 1440 11/21/24 10:36:12

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080342MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 11/21/24

2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55*C) 08:33:31 DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 11/22/24 11:58:44

Reagent: 092524.15; 092524.20; 102924.R28; 051624.06 Consumables: 7577003047

Pipette: N/A

Analyzed by: 4520, 4044, 585, 1440	Weight: 1.171g	Extraction date: 11/21/24 10:36:12	Extracted by: 4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA080343TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 11/21/24 08:34:55

Analyzed Date : 11/23/24 20:48:26

Dilution: 10 Reagent: 092524.15; 092524.20; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

246	riyeotoxiiis					J L .
Analyte		LOD	Units	Result	Pass / Fail	Actio Level
AFLATOXIN I	32	0.00	ppm	ND	PASS	0.02
AFLATOXIN I	B1	0.00	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.00	ppm	ND	PASS	0.02
OCHRAIOAII	1 A	0.00	phill	ND		0.02

)	Analyzed by: 3621, 585, 1440	Weight: 0.2192g		Extraction date: 11/21/24 14:13:38			Extracted by: 3621			
	AFLATOXIN G2		0.00	ppm	ND	PASS	0.02			
	AFLATOXIN G1		0.00	ppm	ND	PASS	0.02			
	OCHRATOXIN A		0.00	ppm	ND	PASS	0.02			
	AFLATOXIN B1		0.00	ppm	ND	PASS	0.02			
	AFLATOXIN B2		0.00	ppm	ND	PASS	0.02			

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080355MYC

Instrument Used : N/A

Batch Date: 11/21/24 10:16:48

Analyzed Date: 11/22/24 11:40:03

Dilution: 250
Reagent: 111824.R01; 112024.R13; 111924.R03; 112024.R36; 102124.R08; 112024.R11;

081023.01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT	LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Inalyzed by:	Weight: Evi	traction date		Ev	tracted b		

4056, 585, 1440 0.2639g 11/21/24 11:32:43 4056,1879

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080322HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 11/22/24 08:32:42

Batch Date: 11/21/24 07:51:47

Dilution: 50

Reagent: 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39

Consumables: 179436; 20240202; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 LABS SAP - 1G 710 Labs Faux Fauna F2 #5 710 LABS FAUX FAUNA F2 #5

> Matrix: Derivative Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41120013-001 Harvest/Lot ID: 0070681526883306

Batch#: 20240419-710FF5-

Sampled: 11/20/24 Ordered: 11/20/24

ND

Sample Size Received: 16 units Total Amount: 257 units

Completed: 11/23/24 Expires: 11/23/25 Sample Method: SOP.T.20.010

Page 6 of 6



Analyzed by: 1879, 585, 1440

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result Filth and Foreign Material 0.100 %

Extraction date:

P/F **Action Level** PASS

Weight: 1g 11/22/24 19:12:04 Extracted by: 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080419FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/22/24 10:20:49

Analyzed Date: 11/22/24 20:10:38

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.508	PASS	0.85

Extraction date: 11/21/24 16:16:34 Analyzed by: 4512, 585, 1440 Weight: 0.2161g

Analysis Method: SOP.T.40.019

Analytical Batch : DA080373WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 11/21/24 11:04:27

Analyzed Date: 11/22/24 08:13:03

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164