

# Kaycha Labs

PACKS DISTILLATE CART 1G Super Lemon Haze

SUPER LEMON HAZE Matrix: Derivative

Classification: High THC Type: Extract for Inhalation



# **Certificate of Analysis**

#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50206016-001



Feb 10, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

Production Method: Other - Not Listed Harvest/Lot ID: 0102089298041557

Batch#: 8164150539144112

**Cultivation Facility: Homestead Processing Facility: Homestead** Source Facility: Homestead

Seed to Sale#: 0102089298041557 Harvest Date: 02/05/25

Sample Size Received: 16 units Total Amount: 1463 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 02/06/25 Sampled: 02/06/25

Completed: 02/10/25

Sampling Method: SOP.T.20.010

PASSED

**≢FLOWERY** 

Pages 1 of 6

**SAFETY RESULTS** 



**Pesticides PASSED** 



Heavy Metals **PASSED** 



Microbials PASSED



Mycotoxins **PASSED** 



Residuals Solvents **PASSED** 



Filth **PASSED** 

Batch Date: 02/07/25 09:20:00



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **PASSED** 

**PASSED** 



### Cannabinoid

**Total THC** 

Total THC/Container: 847.280 mg



**Total CBD** 

Total CBD/Container: 3.830 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 888.970

	1										
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	84.663	0.075	0.354	0.034	ND	2.128	ND	0.691	0.405	ND	0.547
mg/unit	846.63	0.75	3.54	0.34	ND	21.28	ND	6.91	4.05	ND	5.47
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 3605, 1665, 3379, 1440 Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA083083POT Instrument Used: DA-LC-003 Analyzed Date: 02/10/25 10:56:19

Dilution: 400
Reagent: 011325.R06; 010825.48; 011325.R03
Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA50206016-001 Harvest/Lot ID: 0102089298041557

Sampled: 02/06/25 Ordered: 02/06/25

Batch#: 8164150539144112 Sample Size Received: 16 units Total Amount: 1463 units **Completed :** 02/10/25 **Expires:** 02/10/26 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**PASSED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terp	enes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	83.80	8.380		ISOPL	JLEGOL	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	29.58	2.958		OCIM	ENE	0.007	ND	ND		
ALPHA-TERPINOLENE	0.007	15.86	1.586		PULE	GONE	0.007	ND	ND		
BETA-MYRCENE	0.007	7.77	0.777		SABIN	IENE HYDRATE	0.007	ND	ND		
ALPHA-HUMULENE	0.007	6.25	0.625		ALPHA	A-CEDRENE	0.005	ND	ND		
ALPHA-PINENE	0.007	6.00	0.600		ALPHA	A-PHELLANDRENE	0.007	ND	ND		
BETA-PINENE	0.007	5.53	0.553		CIS-N	EROLIDOL	0.003	ND	ND		
3-CARENE	0.007	2.19	0.219		TRAN	S-NEROLIDOL	0.005	ND	ND		
ALPHA-BISABOLOL	0.007	1.38	0.138		Analyze	ed by:	Weight:	Extra	action date:	Ex	tracted by:
LIMONENE	0.007	1.23	0.123		4444, 3	605, 3379, 1440	0.2305g		7/25 12:19:5		44
LINALOOL	0.007	1.10	0.110			s Method: SOP.T.30.061A.FL, SOP.7	Γ.40.061A.FL				
FENCHYL ALCOHOL	0.007	1.06	0.106			cal Batch : DA083073TER					
VALENCENE	0.007	1.03	0.103			ent Used : DA-GCMS-004 ed Date : 02/10/25 11:43:57			Batch Da	te: 02/07/25 09:05:27	
CARYOPHYLLENE OXIDE	0.007	0.67	0.067		Dilution						
ALPHA-TERPINEOL	0.007	0.55	0.055			t:032524.12					
CAMPHENE	0.007	0.50	0.050			nables: 947.110; 04312111; 22406	26; 0000355309				
GERANIOL	0.007	0.50	0.050			: DA-065					
NEROL	0.007	0.44	0.044		Terpeno	id testing is performed utilizing Gas Chro	omatography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weig	ht corrected.
ALPHA-TERPINENE	0.007	0.42	0.042								
CAMPHOR	0.007	0.35	0.035								
HEXAHYDROTHYMOL	0.007	0.35	0.035								
GAMMA-TERPINENE	0.007	0.32	0.032								
ISOBORNEOL	0.007	0.27	0.027								
SABINENE	0.007	0.23	0.023								
GUAIOL	0.007	0.22	0.022								
BORNEOL	0.013	ND	ND								
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
Total (%)			8.380								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

LOD Unite

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50206016-001 Harvest/Lot ID: 0102089298041557

Pacc/Eail Pacult

Sampled: 02/06/25 Ordered: 02/06/25

Batch#: 8164150539144112 Sample Size Received: 16 units Total Amount: 1463 units Completed: 02/10/25 Expires: 02/10/26 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

### **PASSED**

Dage/Eail Beauth

DXIDE N TROBENZENE (PCNB) *	0.010 ppm	Level 0.5 0.1 0.1 3 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N
IXIDE N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm	0.1 0.1 3 0.1 0.1 0.1 0.2 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND
IXIDE N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm	0.1 3 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND
N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	3 0.1 0.1 0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND
N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.1 0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND
N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND
N TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.2 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.1 0.1 0.1	PASS PASS PASS	ND ND
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.1 0.1	PASS PASS	ND
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm	0.1 0.1	PASS	
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm 0.010 ppm	0.1		ND
TROBENZENE (PCNB) *	0.010 ppm 0.010 ppm	0.1		140
TROBENZENE (PCNB) *	0.010 ppm		PASS	ND
TROBENZENE (PCNB) *			PASS	
TROBENZENE (PCNB) *	0.010 ppm	0.1		ND
TROBENZENE (PCNB) *		0.5	PASS	ND
	0.010 ppm	0.1	PASS	ND
	0.010 ppm	0.15	PASS	ND
HYL *	0.010 ppm	0.1	PASS	ND
	0.070 ppm	0.7	PASS	ND
	0.010 ppm	0.1	PASS	ND
*	0.010 ppm	0.1	PASS	ND
	0.050 ppm	0.5	PASS	ND
	0.050 ppm	0.5	PASS	ND
Weight: 0.2539q	Extraction dat 02/07/25 12:16		Extracte 3621	ed by:
:SOP.T.30.102.FL, SOP.T.40.102.FL		.00	3021	
DA083078PES	_			
:DA-LCMS-005 (PES)	Ba	tch Date: 02/07	7/25 09:16:31	
2/09/25 09:51:04				
.R32; 020525.R28; 020525.R41; 0	20325.R02; 01292	5.R01; 020525.F	R01; 081023.01	
21021DD				
	uid Chromatoaranh	Triple Ouednus	olo Mass Canstro	anata, in
	luiu Ciiroiniatograpii	y Triple-Quadrup	юте маза эрестго	лпену п
Weight:	Extraction	date:	Extrac	ted by:
1440 0.2539g	02/07/25 13	2:16:08	3621	
SOP.T.30.151A.FL, SOP.T.40.151.F	FL			
	Batch	Date: 02/07/2	5 09:18:39	
2/09/20 09:47:09				
R41 · 081023 01 · 012825 D20 · 01	2825 R40			
DA-146; DA-218	s Chromatography	riple-Quadrupol	e Mass Spectrom	etry in
ural agents is performed utilizing Ga	- ' '		•	
9, d h:0	F.S. Rule 64ER20-39.  9, 1440 0.2539g di :50P.T.30.151A.F.L, SOP.T.40.151. hi :DA083080VOL di :DA-GCMS-001 102/09/25 09-47:09 25.R41; 081023.01; 012825.R39; 01 221021DD; 040724CH01; 17473601 0; DA.146; DA-218	ultural agents is performed utilizing Liquid Chromatograph; F.S. Rule 64ER20-39.  9, 1440	Ultural agents is performed utilizing Liquid Chromatography Triple-Quadrup F.S. Rule 64ER20-39. 9, 1440	### Augusts and the properties of the properties

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA50206016-001 Harvest/Lot ID: 0102089298041557

Sampled: 02/06/25 Ordered: 02/06/25

Batch#: 8164150539144112 Sample Size Received: 16 units Total Amount: 1463 units **Completed :** 02/10/25 **Expires:** 02/10/26 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

□.	л			_	п
_/	н	Э	_		ш
_	_	_	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 3379, 1440	<b>Weight:</b> 0.0283g	Extraction date: 02/10/25 11:30:5	52		Extracted by: 850	

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083116SOL Instrument Used: DA-GCMS-002

**Analyzed Date :** 02/10/25 12:42:14

Dilution: 1 Reagent: 030420.09 Consumables : 429651; 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/07/25 14:28:09

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs PACKS DISTILLATE CART 1G Super Lemon Haze SUPER LEMON HAZE . Matrix: Derivative Type: Extract for Inhalation

# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50206016-001 Harvest/Lot ID: 0102089298041557

Sampled: 02/06/25 Ordered: 02/06/25

Batch#: 8164150539144112 Sample Size Received: 16 units Total Amount: 1463 units Completed: 02/10/25 Expires: 02/10/26 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**



# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4531, 4520, 3379, 1440 Weight: **Extraction date:** Extracted by: 02/07/25 10:44:30 4520,4531 0.817g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA083060MIC

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/07/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 02/09/25 10:08:09

Dilution: 10

Reagent: 012525.05; 012525.07; 011525.R47; 080724.12

Consumables: 7578003087

Pipette : N/A

Analyzed 4531, 477

by:	Weight:	Extraction date:	Extracted by:
77, 3379, 1440	0.817g	02/07/25 10:44:30	4520,4531

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA083061TYM

Instrument Used : Incubator (25\*C) DA- 328 [calibrated with Batch Date: 02/07/25 07:55:49

DA-3821

Analyzed Date: 02/10/25 10:29:32

Dilution: 10

Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Reagent: 012525.05; 012525.07; 013025.R13; 110724.R13

SS 0.02	
ss 0.02	
SS 0.02	
SS 0.02	
	ASS 0.02 ASS 0.02 ASS 0.02

AFLATOXIN G2 0.002 ppm ND PASS 0.02 Analyzed by: **Extraction date:** Extracted by: Weight: 3621, 3379, 1440 0.2539g 02/07/25 12:16:08 3621

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch: DA083079MYC Instrument Used : N/A

Batch Date: 02/07/25 09:18:38 Analyzed Date: 02/09/25 09:48:20

Dilution: 250

Reagent: 020525.R32; 020525.R28; 020525.R41; 020325.R02; 012925.R01; 020525.R01; 081023.01

Consumables: 221021DD

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

### **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 3379, 1440 **Extraction date** 0.2679g 02/07/25 12:00:20 4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA083097HEA Instrument Used : DA-ICPMS-004

Batch Date: 02/07/25 09:47:05 Analyzed Date: 02/09/25 09:43:41

Dilution: 50

Reagent: 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05;

120324.07; 013125.R04

Consumables: 040724CH01; J609879-0193; 179436 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50206016-001 Harvest/Lot ID: 0102089298041557

Sampled: 02/06/25 Ordered: 02/06/25

Batch#: 8164150539144112 Sample Size Received: 16 units Total Amount: 1463 units Completed: 02/10/25 Expires: 02/10/26 Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 3379, 1440 Extraction date: Weight: Extracted by: 1g 02/07/25 09:30:54 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA083053FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 02/06/25 19:11:52

Analyzed Date: 02/07/25 15:04:10

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Water Activity         0.010         aw         0.509         PASS         0.85           Analyzed by:         Weight:         Extraction date:         Extracted by:           1879, 4797, 3379, 1440         0.536g         02/07/25 12:44:14         Extracted by:	Analyte	LOD	Units	Result	P/F	Action Leve
	Water Activity	0.010	aw	0.509	PASS	0.85

Analysis Method: SOP.T.40.019 Analytical Batch: DA083104WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/07/25 10:15:14

Analyzed Date: 02/09/25 10:06:02

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164