

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50306010-002



Mar 10, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

SAFETY RESULTS

0 **Pesticides**

PASSED

#FLOWERY

Filth **PASSED**

Batch Date: 03/07/25 09:11:37

Water Activity **PASSED**

Moisture **PASSED**

Pages 1 of 5

Kaycha Labs

Classification: High THC

THE FORCE #4 Matrix: Flower

Type: Preroll

Production Method: Other - Not Listed

Harvest/Lot ID: 1099326907068516

Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 1099326907068516

Sample Size Received: 26 units Total Amount: 1181 units Retail Product Size: 1 gram Retail Serving Size: 0.5 gram

Sampling Method: SOP.T.20.010

Batch#: 6053814206968965 **Cultivation Facility: Homestead**

Harvest Date: 03/06/25

PRE-ROLL 2 X 0.5G The Force #4

MISC.

PASSED

Servings: 2 Ordered: 03/06/25 Sampled: 03/06/25 Completed: 03/10/25

Terpenes

TESTED

TESTED



Cannabinoid

Total THC 26.960%

Heavy Metals

PASSED

Microbials

PASSED

Total THC/Container: 269.600 mg



Mycotoxins

PASSED

Total CBD

Residuals

Solvents

NOT TESTED

Total CBD/Container: 0.590 mg



Total Cannabinoids

Total Cannabinoids/Container: 312.910

D9-THC CBD D8-THC CBGA THCV CBDV CBC THCA 1.140 29.442 ND 0.068 0.049 0.087 0.323 0.020 0.051 ND 0.111 11.40 294,42 ND 0.68 0.49 0.87 3.23 0.20 0.51 ND 1.11 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % 0/0 % 0/0 % 0/0 % 0/0 % % Analyzed by: 3335, 585, 1440

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA084083POT Instrument Used: DA-LC-002 Analyzed Date: 03/10/25 09:36:36

Dilution: 400
Reagent: 030625.R18; 021125.07; 030725.R04
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-002 Harvest/Lot ID: 1099326907068516

Sampled: 03/06/25 Ordered: 03/06/25

Batch#: 6053814206968965 Sample Size Received: 26 units Total Amount: 1181 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

TRA TEAPPENES	Terpenes ALPHA-CEDRENE ALPHA-PHELLANDRENE ALPHA-PINENE ALPHA-TERPINGENE ALPHA-TERPINGLENE	LOD (%) 0.005 0.007 0.007	Pass/Fail TESTED TESTED TESTED	mg/unit ND ND	Result (%)	
ALOOL 0.007 TESTED 3.30 0.330 TA-CARYOPHYLLENE 0.007 TESTED 2.91 0.291	ALPHA-PHELLANDRENE ALPHA-PINENE ALPHA-TERPINENE	0.007 0.007	TESTED			
TA-CARYOPHYLLENE 0.007 TESTED 2.91 0.291	ALPHA-PINENE ALPHA-TERPINENE	0.007		ND		
	ALPHA-TERPINENE				ND	
ONENE 0.007 TESTED 1.73 0.173				ND	ND	
	ALDHA, TERRINGI ENE		TESTED	ND	ND	
NCHYL ALCOHOL 0.007 TESTED 1.41 0.141		0.007	TESTED	ND	ND	
AIOL 0.007 TESTED 1.40 0.140	BETA-PINENE	0.007	TESTED	ND	ND	
PHA-TERPINEOL 0.007 TESTED 1.24 0.124	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
PHA-BISABOLOL 0.007 TESTED 1.01 0.101	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
PHA-HUMULENE 0.007 TESTED 0.92 0.092	Analyzed by:	Weight:		traction date:		Extracted by:
RYOPHYLLENE OXIDE 0.007 TESTED 0.49 0.049	4451, 585, 1440	1.112g	0.	3/07/25 12:13:	31	4451
ANS-NEROLIDOL 0.005 TESTED 0.31 0.031	Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
TA-MYRCENE 0.007 TESTED 0.22 0.022	Analytical Batch : DA084097TER Instrument Used : DA-GCMS-008				Batch Date: 03/07/25 09:45:17	
ARENE 0.007 TESTED ND ND	Analyzed Date : 03/10/25 09:36:39				Battin Date: 03/07/23 09:45:17	
RNEOL 0.013 TESTED ND ND	Dilution: 10					
MPHENE 0.007 TESTED ND ND	Reagent: 120224.06					
MPHOR 0.007 TESTED ND ND	Consumables: 947.110; 04312111; 2	240626; R1KB45277				
DROL 0.007 TESTED ND ND	Pipette : DA-065					
CALYPTOL 0.007 TESTED ND ND	Terpenoid testing is performed utilizing Ga	s Chromatography Mass Spectromet	y. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
RNESENE 0.007 TESTED ND ND						
NCHONE 0.007 TESTED ND ND						
RANIOL 0.007 TESTED ND ND						
RANYL ACETATE 0.007 TESTED ND ND						
XAHYDROTHYMOL 0.007 TESTED ND ND						
DBORNEOL 0.007 TESTED ND ND						
PPULEGOL 0.007 TESTED ND ND						
ROL 0.007 TESTED ND ND						
IMENE 0.007 TESTED ND ND						
LEGONE 0.007 TESTED ND ND						
BINENE 0.007 TESTED ND ND	i					
BINENE HYDRATE 0.007 TESTED ND ND	i					
LENCENE 0.007 TESTED ND ND						
tal (%) 1.494						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Units

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-002 Harvest/Lot ID: 1099326907068516

Pass/Fail Result

Sampled: 03/06/25 Ordered: 03/06/25

Batch#: 6053814206968965 Sample Size Received: 26 units Total Amount: 1181 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	mag	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND				0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010				
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	1.1.	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	mag	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND				0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010				
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		ppm	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 585, 1440 0.865g	03/07/25			Extracted by: 4640.450.585	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.10		12.51.00		4040,430,303	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084088PES	2.11 L				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 03/07/2	5 09:24:15	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/10/25 09:12:01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 030325.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 221021DD Pipette: N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chror	natography Tri	nlo Ouadrunole	Mass Sportron	notry in
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Liquiu Cilioi	natograpny m	pie-Quadrupoi	: Mass Spectron	ieti y iii
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extra	action date:		Extracted b	v:
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 4640, 585, 1440 0.865g	03/0	7/25 12:31:00		4640,450,58	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.1	51.FL				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084090VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :03/10/25 09:09:53		Batch Da	te:03/07/25	19:25:58	
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution: 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent: 030325.R01; 081023.01; 012825.R39;	012825 P40				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 221021DD; 17473					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole N	lass Spectromet	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA50306010-002 Harvest/Lot ID: 1099326907068516

Batch#:6053814206968965

Sampled: 03/06/25 Ordered: 03/06/25

Sample Size Received: 26 units Total Amount: 1181 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 03/07/25 09:25:28



Microbial

Batch Date: 03/07/25 08:06:10



DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 03/07/25 10:40:36 0.892g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084072MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/07/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 03/10/25 09:20:07

Dilution: 10

Reagent: 012425.02; 013025.12; 021925.R61; 101624.13

Consumables: 7580002036 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4777, 585, 1440	0.892g	03/07/25 10:40:36	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084074TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 03/10/25 09:20:59

Dilution: 10

Reagent: 012425.02; 013025.12; 022625.R53

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

3	MyCotoxiiis		PASSED					
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B	L	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN	Δ	0.002	nnm	ND	PASS	0.02		

Analyzed by:	Weight:	Extraction date:	Ext	tracted by	/ :	
AFLATOXIN G2		0.002 pp	om ND	PASS	0.02	
AFLATOXIN G1		0.002 pp	om ND	PASS	0.02	
OCHRATOXIN A		0.002 pp	om ND	PASS	0.02	

3621, 585, 1440 0.865g 03/07/25 12:31:00 4640,450,585 Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA084089MYC

Instrument Used : N/A **Analyzed Date :** 03/10/25 09:37:16

Dilution: 250

Reagent: 030325.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT I	LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	e:		Extracted	by:	

03/07/25 11:01:38

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2737g

Analytical Batch : DA084102HEA Instrument Used: DA-ICPMS-004

Batch Date: 03/07/25 10:31:54 Analyzed Date: 03/10/25 09:35:54

Dilution: 50

4056, 585, 1440

Reagent: 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-002 Harvest/Lot ID: 1099326907068516

Batch#:6053814206968965 Sampled: 03/06/25 Ordered: 03/06/25

Sample Size Received: 26 units Total Amount: 1181 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

0.503q

PASSED

4797

Batch Date: 03/07/25 10:30:27

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % PASS **Moisture Content** % 11.1 PASS 15 ND 1 1.0 Analyzed by: 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight:

Analysis Method: SOP.T.40.090

Analytical Batch : DA084149FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 03/08/25 13:55:18

1g

Batch Date: 03/08/25 13:10:19

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

585

Analyzed Date: 03/08/25 14:27:25 Dilution: N/AReagent: 092520.50; 120324.07

Analysis Method: SOP.T.40.021

Analytical Batch: DA084101MOI Instrument Used: DA-003 Moisture Analyzer

Consumables : N/A Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

03/08/25 13:36:30

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

03/07/25 14:29:04



Water Activity

Batch Date: 03/07/25 10:44:43

Analyte Water Activity		LOD 0.010	Units aw	Result 0.503	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight: 1.596a		traction d /07/25 12			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA084107WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 03/08/25 14:31:20

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164