

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50306010-004



Mar 10, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

SAFETY RESULTS

0 **Pesticides**

PASSED

#FLOWERY

Filth

PASSED

Batch Date: 03/07/25 09:11:37

Water Activity

PASSED

Moisture **PASSED**

Pages 1 of 5

Kaycha Labs

Matrix: Flower

Type: Preroll

Production Method: Other - Not Listed

Harvest/Lot ID: 1340771459536829

Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 1340771459536829

Sample Size Received: 26 units Total Amount: 919 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Sampling Method: SOP.T.20.010

Batch#: 6520293866296544 **Cultivation Facility: Homestead**

Harvest Date: 03/06/25

Classification: High THC

FLOWERY HANDROLL 1G Zourz

MISC.

PASSED

Servings: 1 Ordered: 03/06/25 Sampled: 03/06/25 Completed: 03/10/25

> Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Heavy Metals

PASSED

Microbials

PASSED

Fotal THC/Container: 222.020 mg



Mycotoxins

PASSED

Total CBD

Residuals

Solvents

NOT TESTED

Total CBD/Container: 0.570 mg



Total Cannabinoids

Total Cannabinoids/Container: 260.300

D9-THC CBD CBDA CBGA CBN THCV CBDV D8-THC THCA 0.594 24.639 ND 0.066 ND 0.143 0.555 ND ND ND 0.033 5.94 246.39 ND 0.66 ND 1.43 5.55 ND ND ND 0.33 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % 0/0 % % % % % 0/0 % % Analyzed by: 3335, 585, 1440

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA084083POT Instrument Used: DA-LC-002 Analyzed Date: 03/10/25 09:37:30

Dilution: 400
Reagent: 030625.R18; 021125.07; 030725.R04
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-004 Harvest/Lot ID: 1340771459536829

Sampled: 03/06/25 Ordered: 03/06/25

Batch#: 6520293866296544 Sample Size Received: 26 units Total Amount: 919 units

Completed: 03/10/25 **Expires:** 03/10/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Teppenes | | | | | | | | | | | | |
|--|---------------------|---------|-----------|---------|------------|--|--|-----------------------------|------------------|-------------------|-------------------------------------|---------------|
| MAPHICATIONEN 0.07 | | LOD (%) | Pass/Fail | mg/unit | Result (%) | | | LOD (%) | Pass/Fail | mg/unit | Result (%) | |
| REPLACEMONNIALINE 0,007 TSSTU 2.36 0.236 ALPHA-PHELLANDRINE 0,007 TSSTU ND ND | TOTAL TERPENES | 0.007 | TESTED | 12.52 | 1.252 | | VALENCENE | 0.007 | TESTED | ND | ND | |
| MARIONO 0.07 TSSTE 1.75 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.175 0.07 | LIMONENE | 0.007 | TESTED | 3.68 | 0.368 | | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND | |
| REF-MFYCENE 0,007 TSSTU 1,04 0,104 1,045 0,104 1,045 | BETA-CARYOPHYLLENE | 0.007 | TESTED | 2.36 | 0.236 | | ALPHA-PHELLANDRENE | 0.007 | TESTED | ND | ND | |
| AUPHA-DEMICIAN Control | LINALOOL | 0.007 | TESTED | 1.75 | 0.175 | | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND | |
| ADMA-TREPNICON COUNTY TESTID COUNTY CO | BETA-MYRCENE | 0.007 | TESTED | 1.04 | 0.104 | | ALPHA-TERPINOLENE | 0.007 | TESTED | ND | ND | |
| ENCINCIA CLONICAL C | ALPHA-HUMULENE | 0.007 | TESTED | 0.75 | 0.075 | | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND | |
| REF-PRINNE 0,007 TSTED 0,66 0,066 0,066 1 2 2 2 2 2 2 2 2 2 | ALPHA-TERPINEOL | 0.007 | TESTED | 0.75 | 0.075 | | GAMMA-TERPINENE | 0.007 | TESTED | ND | ND | |
| AUMA-BAILANDEAL 0,007 15510 0,08 0,048 0,0 | FENCHYL ALCOHOL | 0.007 | TESTED | 0.70 | 0.070 | | TRANS-NEROLIDOL | 0.005 | TESTED | ND | ND | |
| ALPHA-PHINENE 0,07 TSTED 0,8 0,048 0,048 0,485 481,3440 1,0094 0,307/25 121331 4451 1 ALPHA-BIBGOL 0,007 TSTED 0,0 NO NO AND Analysis Methods: 2071.30.061A.FL, 5071.40.061A.FL Analysis Methods: 2071.30.061A.FL, | BETA-PINENE | 0.007 | TESTED | 0.66 | 0.066 | | Analyzed by: | Weight: | | Extraction date | | Extracted by: |
| Analysical Ration 1.004/2007FT 1.005/2007FT | ALPHA-PINENE | 0.007 | TESTED | 0.48 | 0.048 | | 4451, 585, 1440 | 1.0094g | | 03/07/25 12:13 | 8:31 | 4451 |
| Testimane Section Se | ALPHA-BISABOLOL | 0.007 | TESTED | 0.35 | 0.035 | | Analysis Method: SOP.T.30.061A.FL, SOP.T.40 | .061A.FL | | | | |
| Manifement Man | 3-CARENE | 0.007 | TESTED | ND | ND | | | | | | | |
| CAMPHIENE Q,007 TSTED ND ND Districts 10 CAMPHIOR Q,007 TSTED ND ND MD Respect 1007-200-20 CAMPORT/LINE (XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | BORNEOL | 0.013 | TESTED | ND | ND | | | | | | Batch Date 103/07/25 09:45:17 | |
| CAMPHINE MODE CAMPHINE MOD | CAMPHENE | 0.007 | TESTED | ND | ND | | | | | | | |
| Pigettes 10 | CAMPHOR | 0.007 | TESTED | ND | ND | | Reagent: 120224.06 | | | | | |
| PRINCE P | CARYOPHYLLENE OXIDE | 0.007 | TESTED | ND | ND | | | R1KB45277 | | | | |
| TESTED NO TESTED NO NO TESTED NO NO NO TESTED | | 0.007 | TESTED | ND | ND | | | | | | | |
| FENCINONE 0,07 TSTED NO NO GERANICI 0,007 TSTED NO NO NO GERANICI 0,007 TSTED NO | EUCALYPTOL | 0.007 | TESTED | ND | ND | | Terpenoid testing is performed utilizing Gas Chromat | tograpny mass Spectrometry. | For all Flower S | impies, the Total | Terpenes % is any-weight corrected. | |
| GERANIO. 0,07 TSTED NO NO GERANY ACTATE 0,07 TSTED NO NO GUADO 0,07 TSTED NO NO HECANYDROMYDL 0,07 TSTED NO NO NOBORROG 0,07 TSTED NO NO NEROL 0,07 TSTED NO NO ORMEN 0,07 TSTED NO NO PULECONE 0,07 TSTED NO NO SABINENE HYDRATE 0,07 TSTED NO NO | FARNESENE | 0.007 | TESTED | ND | ND | | | | | | | |
| GERANY, ACTATE 0,07 TSTUD NO NO GIANOL 0,077 TSTUD NO NO GIANOL 0,077 TSTUD NO | FENCHONE | 0.007 | TESTED | ND | ND | | | | | | | |
| GUAIGA 0,07 TESTED NO | GERANIOL | 0.007 | TESTED | ND | ND | | | | | | | |
| MECHATMORNYMOL 0.07 TESTED NO | | 0.007 | TESTED | ND | ND | | | | | | | |
| ISOBORNICA | | 0.007 | TESTED | ND | ND | | | | | | | |
| NSOPULECOL 0.07 TESTED NO NO NO NO NO NO NO N | | | TESTED | ND | ND | | | | | | | |
| NEROL 0.007 TESTED NO NO COMMENT 0.007 TESTED NO NO PULECOME 0.007 TESTED NO NO SABINETE 0.007 TESTED NO NO SABINETE 0.007 TESTED NO NO SABINETE 0.007 TESTED NO NO | ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | | | |
| OCMME 0.007 TESTED ND ND PULLSONE 0.007 TESTED ND ND SABINEN 0.007 TESTED ND ND SABINEN 0.007 TESTED ND ND | ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | | | |
| PULECOME 0.007 TESTED NO NO ASAINSTRE 0.007 TESTED NO NO SABINETE 0.007 TESTED NO NO | NEROL | 0.007 | TESTED | ND | ND | | | | | | | |
| SABINENE 0.007 TESTED N.D. N.D. SABINENE HYDRATE 0.007 TESTED N.D. N.D. | | 0.007 | TESTED | ND | ND | | | | | | | |
| SABINENE HYDRATE 0.007 TESTED ND ND | PULEGONE | 0.007 | TESTED | ND | ND | | | | | | | |
| | SABINENE | 0.007 | TESTED | ND | ND | | | | | | | |
| | SABINENE HYDRATE | 0.007 | TESTED | ND | ND | | | | | | | |
| | Total (%) | | | | 1.252 | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-004 Harvest/Lot ID: 1340771459536829

Batch#: 6520293866296544 Sample Size Received: 26 units Sampled: 03/06/25 Ordered: 03/06/25

Total Amount: 919 units **Completed:** 03/10/25 **Expires:** 03/10/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|-------|-------|-----------------|-----------|--------|--|----------------|-------------------------|-----------------|------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | mag | 5 | PASS | ND | OXAMYL | 0.01 | 0 ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | | | 0 ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PACLOBUTRAZOL | | | | | |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PHOSMET | | 0 ppm | 0.1 | PASS | ND |
| OTAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PIPERONYL BUTOXIDE | | 0 ppm | 3 | PASS | ND |
| OTAL SPINOSAD | 0.010 | | 0.1 | PASS | ND | PRALLETHRIN | 0.01 | 0 ppm | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | 0 ppm | 0.1 | PASS | ND |
| CEPHATE | 0.010 | | 0.1 | PASS | ND | PROPOXUR | 0.01 | 0 ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | 0.01 | 0 ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | 0 ppm | 0.1 | PASS | ND |
| LDICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | | 0 ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0 ppm | 0.1 | PASS | ND |
| IFENAZATE | 0.010 | | 0.1 | PASS | ND | | | 0 ppm | 0.1 | PASS | ND |
| IFENTHRIN | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | | | | | |
| OSCALID | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | | 0 ppm | 0.1 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | THIAMETHOXAM | | 0 ppm | 0.5 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | TRIFLOXYSTROBIN | | 0 ppm | 0.1 | PASS | ND |
| HLORANTRANILIPROLE | 0.010 | | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | 0 ppm | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | 0.01 | 0 ppm | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.07 | 0 ppm | 0.7 | PASS | ND |
| LOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.01 | 0 ppm | 0.1 | PASS | ND |
| OUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | 0 ppm | 0.1 | PASS | ND |
| AMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0 ppm | 0.5 | PASS | ND |
| IAZINON | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0 ppm | 0.5 | PASS | ND |
| ICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | | 0.5 | | |
| IMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: 3621, 585, 1440 0.9163a | | ion date: 5 12:31:01 | | 4640,450,585 | |
| THOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.10 | | 5 12:51:01 | | 4040,430,383 |) |
| TOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA084088PES | JZ.1 L | | | | |
| TOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch | Date: 03/07 | 25 09:24:15 | |
| ENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 03/10/25 09:12:02 | | | | | |
| ENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 030325.R01; 081023.01 | | | | | |
| IPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables: 040724CH01; 221021DD Pipette: N/A | | | | | |
| LONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizin | a Liauid Chra | matagraphy T | rinla Ouadruna | la Mass Chastrai | motor in |
| LUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | y Liquiu Cilic | matography n | ipie-Quadrupo | не маза эресстог | neury in |
| EXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | Ext | raction date: | | Extracted | by: |
| MAZALIL | 0.010 | ppm | 0.1 | PASS | ND | 450, 4640, 585, 1440 0.9163g | | 07/25 12:31:0 | | 4640,450,5 | |
| MIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40. | 151.FL | | | | |
| RESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA084090VOL | | | | | |
| ALATHION | 0.010 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-010 | | Batch D | ate:03/07/25 | 09:25:58 | |
| ETALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date: 03/10/25 09:09:55 | | | | | |
| ETHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 Reagent: 030325.R01; 081023.01; 012825.R39 | - ∩12825 D4 | 0 | | | |
| ETHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables: 040724CH01; 221021DD; 17473 | | | | | |
| IEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| IYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizin | g Gas Chrom | atography Trip | le-Quadrupole | Mass Spectrome | etry in |
| IALED | 0.010 | nnm | 0.25 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | ' | | | - |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA50306010-004 Harvest/Lot ID: 1340771459536829

Sampled: 03/06/25 Ordered: 03/06/25

Batch#: 6520293866296544 Sample Size Received: 26 units Total Amount: 919 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 03/07/25 09:25:28

Batch Date: 03/07/25 10:31:54



Microbial

Batch Date: 03/07/25 08:06:10



| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-----|-------|-------------|----------------|-----------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 10 | PASS | 100000 |
| | | | | _ | |

Analyzed by: Weight: **Extraction date:** Extracted by: 0.829g 4520, 585, 1440 03/07/25 10:40:37

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084072MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/07/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 03/10/25 09:20:08

Dilution: 10

Reagent: 012425.02; 013025.12; 021925.R61; 101624.13

Consumables: 7580002036

Pipette : N/A

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------------|---------|-------------------|---------------|
| 4520, 4777, 585, 1440 | 0.829g | 03/07/25 10:40:37 | 4520 |

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084074TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821 Analyzed Date: 03/10/25 09:21:01

Dilution: 10

Reagent: 012425.02; 013025.12; 022625.R53

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| 246 | Prycocoxiiis | | | | AS | |
|-------------------|--------------|-------|-------|--------|----------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B | 2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B | 1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN | A | 0.002 | ppm | ND | PASS | 0.02 |

| Analyzed by: | Weight: | Extraction date: | | Ext | racted by | /: | |
|--------------|---------|------------------|-----|-----|-----------|------|--|
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 | |

3621, 585, 1440 0.9163g 03/07/25 12:31:01 4640,450,585 Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA084089MYC Instrument Used : N/A

Analyzed Date : 03/10/25 09:10:50

Dilution: 250

Reagent: 030325.R01; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|---------------------------------|--------------------|---------------------------------|-------|--------|-------------------|-----------------|
| TOTAL CONTAMINANT | LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 4056, 585, 1440 | Weight: 0.2187g | Extraction dat 03/07/25 11:0 | | | Extracted 4056 | by: |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA084102HEA Instrument Used: DA-ICPMS-004

Analyzed Date: 03/10/25 09:35:55

Dilution: 50

Reagent: 012925.R32; 022425.R19; 030325.R08; 030525.R29; 030325.R06; 030325.R07; 120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50306010-004 Harvest/Lot ID: 1340771459536829

Sampled: 03/06/25 Ordered: 03/06/25

Batch#: 6520293866296544 Sample Size Received: 26 units Total Amount: 919 units Completed: 03/10/25 Expires: 03/10/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Batch Date: 03/07/25 10:30:27

| Analyte | | LOD | Units | Result | P/F | Action Level | Analyte | 1 | LOD | Units | Result | P/F | Action Level |
|---------------------------|---------------|-------|-----------|--------|--------------|---------------------|---------------------------------|-------------------|-----|-----------------------------|--------|----------------|--------------|
| Filth and Foreign M | aterial | 0.100 | % | ND | PASS | 1 | Moisture Content | : | 1.0 | % | 10.1 | PASS | 15 |
| Analyzed by: 585, 1440 | Weight: 1a | | ion date: | | Extra 585 | cted by: | Analyzed by: 4797, 585, 1440 | Weight: 0.503a | | traction dat /07/25 14:3 | | Ext 479 | racted by: |

Analysis Method: SOP.T.40.090

Analyzed Date: 03/08/25 13:55:28

Analytical Batch : DA084149FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 03/08/25 13:10:19

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Analysis Method: SOP.T.40.021 Analytical Batch: DA084101MOI Instrument Used: DA-003 Moisture Analyzer

Analyzed Date: 03/10/25 09:37:27

Dilution: N/AReagent: 092520.50; 120324.07

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte Water Activity | | LOD 0.010 | Units aw | Result 0.488 | P/F PASS | Action Level 0.65 |
|---------------------------------|-------------------|------------------|-------------------------|-----------------|-------------|----------------------|
| Analyzed by: 4797, 585, 1440 | Weight: 1.623g | | traction d /07/25 12 | | | tracted by: 97 |

Analysis Method: SOP.T.40.019 Analytical Batch: DA084107WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/07/25 10:44:43 Analyzed Date: 03/08/25 14:31:21

Dilution: N/A Reagent: 101724.36

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164