




# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50422015-001



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 9227545698418090  
**Batch#:** 6206363687574726  
**Cultivation Facility:** Homestead  
**Processing Facility:** Homestead  
**Source Facility:** Homestead  
**Seed to Sale#:** 9227545698418090  
**Harvest Date:** 04/21/25  
**Sample Size Received:** 9 units  
**Total Amount:** 1184 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Ordered:** 04/22/25  
**Sampled:** 04/22/25  
**Completed:** 04/25/25  
**Sampling Method:** SOP.T.20.010

Apr 25, 2025 | The Flowery

Samples From:  
Homestead, FL, 33090, US

**THE FLOWERY**

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**25.831%**

Total THC/Container : 904.085 mg



**Total CBD**  
**0.052%**

Total CBD/Container : 1.820 mg



**Total Cannabinoids**  
**29.993%**

Total Cannabinoids/Container : 1049.755 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.866	28.467	ND	0.060	0.032	0.124	0.341	ND	ND	ND	0.103
mg/unit	30.31	996.35	ND	2.10	1.12	4.34	11.94	ND	ND	ND	3.61
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 585, 1440

Weight:  
0.2169g

Extraction date:  
04/23/25 11:06:09

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085689POT

Instrument Used : DA-LC-002

Analyzed Date : 04/25/25 07:56:57

Batch Date : 04/23/25 08:10:37

Dilution : 400

Reagent : 041525.R27; 021125.07; 041525.R23

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/25/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FLOWER 3.5G - WT JAR WT - Zangbanger #53  
WT - ZANGBANGER #53  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA50422015-001

Harvest/Lot ID: 9227545698418090

Batch# : 6206363687574726

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 9 units

Total Amount : 1184 units

Completed : 04/25/25 Expires: 04/25/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	140.04	4.001	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	40.36	1.153	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	27.16	0.776	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	24.54	0.701	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	16.63	0.475	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	13.69	0.391	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	4.34	0.124	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	2.84	0.081	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	2.80	0.080	Analyzed by: 6844, 4451, 585, 1440				
FENCHYL ALCOHOL	0.007	TESTED	2.70	0.077	Weight: 1.0065g				
ALPHA-PINENE	0.007	TESTED	2.17	0.062	Extraction date: 04/23/25 11:37:29				
TRANS-NEROLIDOL	0.005	TESTED	1.79	0.051	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	TESTED	1.05	0.030	Analytical Batch : DA0857151TER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC/MS-008				
BORNEOL	0.013	TESTED	ND	ND	Dilution : 10				
CAMPHERE	0.007	TESTED	ND	ND	Reagent : N/A				
CAMPHOR	0.007	TESTED	ND	ND	Consumables : N/A				
CEDROL	0.007	TESTED	ND	ND	Pipette : N/A				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND	Batch Date : 04/23/25 10:27:44				
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				4.001					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/25



# Certificate of Analysis

**PASSED**

The Flowery

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA50422015-001

Harvest/Lot ID: 9227545698418090

Batch# : 6206363687574726

Sampled : 04/22/25

Ordered : 04/22/25


Sample Size Received : 9 units

Total Amount : 1184 units

Completed : 04/25/25 Expires: 04/25/26

Sample Method : SOP.T.20.010


Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by:</div> <div>3379, 585, 1440</div> </div> <div> <div>Weight:</div> <div>0.9726g</div> </div> <div> <div>Extraction date:</div> <div>04/23/25 11:39:41</div> </div> <div> <div>Extracted by:</div> <div>3621,3379</div> </div> <div> <div>Analysis Method :</div> <div>SOP.T.30.102.FL, SOP.T.40.102.FL</div> </div> <div> <div>Analytical Batch :</div> <div>DA085705PES</div> </div> <div> <div>Instrument Used :</div> <div>DA-LCMS-005 (PES)</div> </div> <div> <div>Analyzed Date :</div> <div>04/24/25 14:19:45</div> </div> <div> <div>Dilution :</div> <div>250</div> </div> <div> <div>Reagent :</div> <div>042125.R02; 041625.R03; 042125.R01; 042225.R03; 012925.R01; 041625.R01; 081023.01</div> </div> <div> <div>Consumables :</div> <div>6822423-02</div> </div> <div> <div>Pipette :</div> <div>DA-093; DA-094; DA-219</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by:</div> <div>450, 585, 1440</div> </div> <div> <div>Weight:</div> <div>0.9726g</div> </div> <div> <div>Extraction date:</div> <div>04/23/25 11:39:41</div> </div> <div> <div>Extracted by:</div> <div>3621,3379</div> </div> <div> <div>Analysis Method :</div> <div>SOP.T.30.151A.FL, SOP.T.40.151.FL</div> </div> <div> <div>Analytical Batch :</div> <div>DA085707VOL</div> </div> <div> <div>Instrument Used :</div> <div>DA-GCMS-010</div> </div> <div> <div>Analyzed Date :</div> <div>04/24/25 10:06:25</div> </div> <div> <div>Dilution :</div> <div>250</div> </div> <div> <div>Reagent :</div> <div>042125.R01; 081023.01; 040225.R32; 040225.R33</div> </div> <div> <div>Consumables :</div> <div>6822423-02; 040724CH01; 17473601</div> </div> <div> <div>Pipette :</div> <div>DA-080; DA-146; DA-218</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



# Certificate of Analysis



**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

 Sample : DA50422015-001  
 Harvest/Lot ID: 9227545698418090

 Batch# : 6206363687574726 Sample Size Received : 9 units  
 Sampled : 04/22/25 Total Amount : 1184 units  
 Ordered : 04/22/25 Completed : 04/25/25 Expires: 04/25/26  
 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>		<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																																																																																																																																																																																						
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4892, 4520, 585, 1440</td><td>Weight: 0.8795g</td><td>Extraction date: 04/23/25 10:25:58</td><td colspan="3">Extracted by: 4520,4044</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085680MIC</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td colspan="2">Batch Date : 04/23/25 07:29:20</td></tr><tr><td colspan="6">Analyzed Date : 04/24/25 10:12:11</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 022625.41; 022625.60; 031525.R03; 072424.10</td></tr><tr><td colspan="6">Consumables : 7581001004</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4892, 4520, 585, 1440	Weight: 0.8795g	Extraction date: 04/23/25 10:25:58	Extracted by: 4520,4044			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA085680MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/23/25 07:29:20		Analyzed Date : 04/24/25 10:12:11						Dilution : 10						Reagent : 022625.41; 022625.60; 031525.R03; 072424.10						Consumables : 7581001004						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3621, 3379, 585, 1440</td><td>Weight: 0.9726g</td><td>Extraction date: 04/23/25 11:39:41</td><td colspan="3">Extracted by: 3621,3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085706MYC</td></tr><tr><td colspan="4">Instrument Used : DA-LCMS-005 (MYC)</td><td colspan="2">Batch Date : 04/23/25 09:52:52</td></tr><tr><td colspan="6">Analyzed Date : 04/24/25 14:21:32</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 042125.R02; 041625.R03; 042125.R01; 042225.R03; 012925.R01; 041625.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 6822423-02</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 3379, 585, 1440	Weight: 0.9726g	Extraction date: 04/23/25 11:39:41	Extracted by: 3621,3379			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA085706MYC						Instrument Used : DA-LCMS-005 (MYC)				Batch Date : 04/23/25 09:52:52		Analyzed Date : 04/24/25 14:21:32						Dilution : 250						Reagent : 042125.R02; 041625.R03; 042125.R01; 042225.R03; 012925.R01; 041625.R01; 081023.01						Consumables : 6822423-02						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																																																						
Analyzed by: 4892, 4520, 585, 1440	Weight: 0.8795g	Extraction date: 04/23/25 10:25:58	Extracted by: 4520,4044																																																																																																																																																																																																								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																											
Analytical Batch : DA085680MIC																																																																																																																																																																																																											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/23/25 07:29:20																																																																																																																																																																																																							
Analyzed Date : 04/24/25 10:12:11																																																																																																																																																																																																											
Dilution : 10																																																																																																																																																																																																											
Reagent : 022625.41; 022625.60; 031525.R03; 072424.10																																																																																																																																																																																																											
Consumables : 7581001004																																																																																																																																																																																																											
Pipette : N/A																																																																																																																																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
Analyzed by: 3621, 3379, 585, 1440	Weight: 0.9726g	Extraction date: 04/23/25 11:39:41	Extracted by: 3621,3379																																																																																																																																																																																																								
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																											
Analytical Batch : DA085706MYC																																																																																																																																																																																																											
Instrument Used : DA-LCMS-005 (MYC)				Batch Date : 04/23/25 09:52:52																																																																																																																																																																																																							
Analyzed Date : 04/24/25 14:21:32																																																																																																																																																																																																											
Dilution : 250																																																																																																																																																																																																											
Reagent : 042125.R02; 041625.R03; 042125.R01; 042225.R03; 012925.R01; 041625.R01; 081023.01																																																																																																																																																																																																											
Consumables : 6822423-02																																																																																																																																																																																																											
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											
<div><div><div>Hg</div></div></div>						<h1>Heavy Metals</h1>					<h1>PASSED</h1>																																																																																																																																																																																																
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2036g</td><td>Extraction date: 04/23/25 10:09:29</td><td colspan="3">Extracted by: 4531</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085690HEA</td></tr><tr><td colspan="4">Instrument Used : DA-ICPMS-004</td><td colspan="2">Batch Date : 04/23/25 08:24:11</td></tr><tr><td colspan="6">Analyzed Date : 04/24/25 11:58:59</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 041025.R11</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2036g	Extraction date: 04/23/25 10:09:29	Extracted by: 4531			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA085690HEA						Instrument Used : DA-ICPMS-004				Batch Date : 04/23/25 08:24:11		Analyzed Date : 04/24/25 11:58:59						Dilution : 50						Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 041025.R11						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																														
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																						
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																						
Analyzed by: 1022, 585, 1440	Weight: 0.2036g	Extraction date: 04/23/25 10:09:29	Extracted by: 4531																																																																																																																																																																																																								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																											
Analytical Batch : DA085690HEA																																																																																																																																																																																																											
Instrument Used : DA-ICPMS-004				Batch Date : 04/23/25 08:24:11																																																																																																																																																																																																							
Analyzed Date : 04/24/25 11:58:59																																																																																																																																																																																																											
Dilution : 50																																																																																																																																																																																																											
Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 041025.R11																																																																																																																																																																																																											
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																											
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FLOWER 3.5G - WT JAR WT - Zangbanger #53  
WT - ZANGBANGER #53  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA50422015-001

Harvest/Lot ID: 9227545698418090

Batch# : 6206363687574726

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 9 units

Total Amount : 1184 units

Completed : 04/25/25 Expires: 04/25/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	12.6	PASS	15
Analyzed by: 1879, 585, 1440		Weight: 1g	Extraction date: 04/23/25 10:36:30			Extracted by: 1879	Analyzed by: 4797, 585, 1440		Weight: 0.498g	Extraction date: 04/23/25 11:08:29			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA085713FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/23/25 10:48:53						Batch Date : 04/23/25 10:24:15		Analysis Method : SOP.T.40.021 Analytical Batch : DA085699MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/24/25 08:29:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A								Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.523	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.06g	Extraction date: 04/23/25 11:06:44	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085711WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/23/25 10:05:45		
Analyzed Date : 04/24/25 08:30:59					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/25