

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50509011-003

CRUMBLE - 1G Garlic Breath 2.0 #3 GARLIC BREATH 2.0 #3

Matrix: Derivative

Classification: High THC Type: Rosin

Kaycha Labs



Batch#: 1325430259762046 **Cultivation Facility: Homestead Processing Facility: Homestead**

Source Facility: Homestead Seed to Sale#: 8693171958306074

> **Harvest Date: 05/08/25** Sample Size Received: 16 units

Total Amount: 503 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/09/25 Sampled: 05/09/25

Completed: 05/13/25

Sampling Method: SOP.T.20.010

PASSED

PROPERTY OF THE PARTY OF THE PARTY OF

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

FLOWERY DAS0509011-003

May 13, 2025 | The Flowery

#FLOWERY

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 05/10/25 14:08:46



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC



Total CBD

Total CBD/Container: 1.130 mg



Total Cannabinoids

Total Cannabinoids/Container: 953.570

		-									
		-									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	1.878	92.925	ND	0.129	ND	0.399	ND	ND	ND	ND	0.026
mg/unit	18.78	929.25	ND	1.29	ND	3.99	ND	ND	ND	ND	0.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 35, 1665, 585	i, 4044			Weight: 0.1018g		Extraction date: 05/12/25 10:11:1	.4			Extracted by: 3335	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086368POT Instrument Used : DA-LC-003 Analyzed Date : 05/13/25 08:48:09

Dilution: 400
Reagent: 050625.R03; 021125.07; 043025.R34
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 05/13/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50509011-003 Harvest/Lot ID: 8693171958306074

Batch#: 1325430259762046 Sample Size Received: 16 units Sampled: 05/09/25 Ordered: 05/09/25

Total Amount: 503 units **Completed:** 05/13/25 **Expires:** 05/13/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	39.29	3.929	SABINENE	0.007	TESTED	ND	ND	
SETA-CARYOPHYLLENE	0.007	TESTED	10.89	1.089	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	5.91	0.591	VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.99	0.499	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	4.53	0.453	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	3.43	0.343	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	1.28	0.128	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	1.21	0.121	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	1.15	0.115	Analyzed by:	Weight:		Extraction date		Extracted by:
ETA-PINENE	0.007	TESTED	1.00	0.100	4451, 585, 4044	0.23149		05/10/25 13:15	:20	4444
ORNEOL	0.013	TESTED	0.97	0.097	Analysis Method : SOP.T.30.061A.FL	, SOP.T.40.061A.FL				
ARYOPHYLLENE OXIDE	0.007	TESTED	0.72	0.072	Analytical Batch : DA086345TER Instrument Used : DA-GCMS-004				Batch Date : 05/10/25 10:08:23	
LPHA-PINENE	0.007	TESTED	0.58	0.058	Analyzed Date : 05/13/25 08:48:13				Batch Date : 03/10/23 10:00:23	,
CIMENE	0.007	TESTED	0.53	0.053	Dilution: 10					
ERANIOL	0.007	TESTED	0.52	0.052	Reagent : N/A					
ENCHONE	0.007	TESTED	0.49	0.049	Consumables : 947.110; 04402004; Pipette : DA-065	2240626; 0000355309				
LPHA-TERPINOLENE	0.007	TESTED	0.42	0.042						
AMMA-TERPINENE	0.007	TESTED	0.36	0.036	Terpenoid testing is performed utilizing 0	as Chromatography Mass Spectrometr	y. For all Flower s	ampies, the Total	Terpenes % is any-weight corrected.	
AMPHENE	0.007	TESTED	0.31	0.031						
-CARENE	0.007	TESTED	ND	ND						
AMPHOR	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND						
ARNESENE	0.001	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
	0.007	TESTED	ND	ND						
	0.007	TESTED	ND	ND						
SOBORNEOL SOPULEGOL	0.007									
	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/25





Certificate of Analysis

LOD Units

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50509011-003 Harvest/Lot ID: 8693171958306074

Batch#: 1325430259762046 Sample Size Received: 16 units Sampled: 05/09/25 Ordered: 05/09/25

Pass/Fail Result

Total Amount: 503 units Completed: 05/13/25 Expires: 05/13/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	mag C	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET) ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND				3	PASS	
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE) ppm			ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN) ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01) ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.01) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.01) ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01) ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE) ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE) ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID) ppm			
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM) ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	× 0.010) ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.01) ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07) ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01) ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010) ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *) ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *) ppm	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight 3621, 585, 4044 0.25876		on date: 5 15:41:37		Extracted by 4640.450.585	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.	,, ,	13.41.37		4040,430,363)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086357PES	1.40.102.1L				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date: 05/10/	25 12:32:42	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/13/25 14:29:04					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 050825.R07; 050725.R30; 050	725.R29; 050825.R	08; 042925.R	13; 050725.R0	1; 081023.01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 6698360-03 Pipette: DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizina Liauid Chro	matography T	rinlo Ouadrosa	la Macc Spactror	notn/ in
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ucinzing Liquiu Cff0	macograpily I	i ihie-Anani nbo	ie mass spectror	пенуш
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by:	
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 4044 0.2587g	05/12/25			4640,450,585	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOF	.T.40.151.FL				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086359VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch D	ate:05/10/25	12:34:28	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/13/25 14:27:47					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 050725.R29; 081023.01; 0505.	DE D16, DEDESE D1	7			
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 6698360-03; 040724CH03		,			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	2, 2, 4/3001				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chrom	atography Trip	le-Quadrupole	Mass Spectrome	try in
		ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	3	2 11 2 111			-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/25





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA50509011-003 Harvest/Lot ID: 8693171958306074

Batch#: 1325430259762046 Sample Size Received: 16 units Sampled: 05/09/25 Ordered: 05/09/25

Total Amount: 503 units Completed: 05/13/25 Expires: 05/13/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:		Extracted by:	

4451, 585, 4044 0.0208g 05/10/25 14:08:03 4571,1879,4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086367SOL Instrument Used: DA-GCMS-012 Analyzed Date: 05/13/25 08:50:51

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Batch Date: 05/10/25 13:20:10

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA50509011-003 Harvest/Lot ID: 8693171958306074

Batch#: 1325430259762046 Sample Size Received: 16 units Sampled: 05/09/25

Total Amount: 503 units Ordered: 05/09/25 Completed: 05/13/25 Expires: 05/13/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 05/10/25 12:34:26



Microbial

PASSED



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000 3

Analyzed by: 4520, 585, 4044 Weight: **Extraction date:** Extracted by: 05/10/25 10:01:07 4044,4520 1.02g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086333MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/10/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/13/25 11:02:14

Dilution: 10

Reagent: 030625.19; 030625.25; 041525.R13; 101624.10

Consumables: 7579004059

Pipette : N/A

nalyzed by: 520, 4892, 585, 4044	Weight: 1.02q	Extraction date: 05/10/25 10:01:07	Extracted by: 4044.4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086334TYM

Batch Date : 05/10/25 08:03:12 Instrument Used: Incubator (25*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 05/12/25 23:08:04

Dilution: 10

Reagent: 030625.19; 030625.25; 022625.R53

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\mathcal{Y}_{\circ}	Mycotoxins				PAS	SED)
nalyte		LOD	Units	Result	Pass / Fail	Action Level	
FLATOXIN	B2	0.002	ppm	ND	PASS	0.02	

7			0		Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 4044	Weight: 0.2587g	Extraction date: 05/12/25 15:41:			racted by 10,450,58	

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch : DA086358MYC Instrument Used : N/A

Analyzed Date: 05/13/25 08:26:38

Dilution: 250

Reagent: 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01

Consumables: 6698360-03 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	<0.100	PASS	0.5	

Analyzed by: 1022, 585, 4044 Extraction date: 05/10/25 13:45:40 0.2672g 4531.1022

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086342HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/10/25 10:06:38 Analyzed Date: 05/13/25 10:58:13

Dilution: 50

Reagent: 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32;

120324.07; 050825.R06 Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 05/13/25





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50509011-003 Harvest/Lot ID: 8693171958306074

Batch#: 1325430259762046 Sample Size Received: 16 units Sampled: 05/09/25

Total Amount: 503 units Ordered: 05/09/25 Completed: 05/13/25 Expires: 05/13/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 585, 4044 Extraction date: Weight: 05/12/25 23:01:05 1g 585

Analysis Method: SOP.T.40.090 Analytical Batch : DA086386FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/11/25 14:19:21

Analyzed Date: 05/12/25 23:10:50

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	L	.OD Units	s Result	P/F	Action Level
Water Activity	C	0.010 aw	0.498	PASS	0.85
Analyzed by: 4797, 585, 4044	Weight: 0.9094a	Extraction 05/10/25	on date: 5 14:24:50		ktracted by:
,,	0.50549	03/10/25	7 14.24.50		7 5 7

Analysis Method: SOP.T.40.019 Analytical Batch: DA086350WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/10/25 10:16:32

Analyzed Date: 05/12/25 22:52:16

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/13/25

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha