

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50513014-004



May 16, 2025 | The Flowery

Homestead, FL, 33090, US

SAFETY RESULTS

0

Pesticides

PASSED

#FLOWERY

PASSED

Batch Date: 05/14/25 08:40:35

PASSED

Pages 1 of 6

Water Activity Moisture **NOT TESTED**

Kaycha Labs

BILLY KIMBER Matrix: Derivative

Type: Sauce

Production Method: Other - Not Listed

Harvest/Lot ID: 2852135249396108

Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 2852135249396108

Batch#: 9068950178828688 **Cultivation Facility: Homestead**

Harvest Date: 05/12/25 Sample Size Received: 5 units Total Amount: 276 units Retail Product Size: 3.5 gram

Completed: 05/16/25

Sampling Method: SOP.T.20.010

SAUCE - 3.5G Billy Kimber

Classification: High THC

MISC.

PASSED

Servings: 1 Ordered: 05/13/25 Sampled: 05/13/25

> Terpenes **TESTED**

TESTED



Cannabinoid

Heavy Metals

PASSED

Microbials

PASSED

Total THC

Total THC/Container: 2533.720 mg



Mycotoxins

PASSED

Total CBD .172%

Residuals

Solvents **PASSED**

Total CBD/Container: 6.020 mg



Total Cannabinoids

Total Cannabinoids/Container: 2987.460



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086442POT Instrument Used: DA-LC-003 Analyzed Date: 05/15/25 10:15:03

Reagent: 050825.R04; 021125.07; 051225.R01 Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50513014-004 Harvest/Lot ID: 2852135249396108

Batch#: 9068950178828688 Sample Size Received: 5 units

Sampled: 05/13/25 Ordered: 05/13/25

Total Amount : 276 units **Completed:** 05/16/25 **Expires:** 05/16/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	282.56	8.073		PULEGONE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	89.71	2.563		SABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	59.29	1.694		VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	31.64	0.904		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	30.49	0.871		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	11.06	0.316		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	10.82	0.309		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	7.91	0.226		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	7.56	0.216	A	Analyzed by:	Weigh	t	Extraction	n date:	Extracted by:
PHA-PINENE	0.007	TESTED	5.53	0.158	4	1444, 4451, 585, 1440	0.206	9	05/14/25	11:17:39	4444
LPHA-BISABOLOL	0.007	TESTED	5.22	0.149		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ORNEOL	0.013	TESTED	4.83	0.138		Analytical Batch : DA086448TER					
ENCHONE	0.007	TESTED	3.19	0.091		nstrument Used : DA-GCMS-004 Inalyzed Date : 05/15/25 10:15:06				Batch Date: 05/14/25 09:10:43	
ERANIOL	0.007	TESTED	3.19	0.091		Dilution: 10					
RYOPHYLLENE OXIDE	0.007	TESTED	2.63	0.075		Reagent: 022525.48					
AMPHENE	0.007	TESTED	2.21	0.063		Consumables: 947.110; 04312111; 2240626; 00003553	09				
CIMENE	0.007	TESTED	2.10	0.060		Pipette : DA-065					
LPHA-TERPINOLENE	0.007	TESTED	2.10	0.060	T	erpenoid testing is performed utilizing Gas Chromatography Ma	ss Spectrometry.	. For all Flower sar	mples, the Total	Terpenes % is dry-weight corrected.	
ABINENE HYDRATE	0.007	TESTED	1.68	0.048							
AMMA-TERPINENE	0.007	TESTED	1.44	0.041							
-CARENE	0.007	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.001	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50513014-004 Harvest/Lot ID: 2852135249396108

Sampled: 05/13/25

Ordered: 05/13/25

Batch#: 9068950178828688 Sample Size Received: 5 units Total Amount : 276 units

Completed: 05/16/25 Expires: 05/16/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND						PASS	
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010	1.1.	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010	1.1.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		ENE (DCND) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	las es
ETHOATE	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2854a		5 11:18:12		4640.585	by.
OPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30			7 11:10:11		1010,505	
FENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA08645						
XAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS			Batcl	h Date: 05/14	25 09:31:37	
HEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date: 05/15/25 09	9:36:54					
OXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 25						
IPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 051025.R04; 050	725.R30; 051025.R0	16; 050825.R0	8; 042925.R	R13; 050725.R0	01; 081023.01	
RONIL	0.010	ppm	0.1	PASS	ND	Consumables: 6822423-02 Pipette: DA-093; DA-094; D	ιΔ-219					
ONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents		a Liquid Chron	natography T	rinlo Ouadros	lo Macc Sportro	motnuin
JDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64E		g Liquiu Cilfoff	nacograpily I	ripie-Quaurupo	ie mass spectroi	neu y In
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted b	oy:
AZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2854g	05/14/25			4640,585	
DACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30	.151A.FL, SOP.T.40.:	151.FL				
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA08645						
LATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS			Batch D	ate:05/14/25	09:35:29	
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/15/25 09	9:54:24					
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 25	022 01. 050525 016	. 050525 017				
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 051025.R06; 081 Consumables: 6822423-02						
VINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; D		2001				
CLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents		g Gas Chroma	tography Trir	ole-Quadrupole	Mass Spectrome	etry in
LED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64F		5 311101110	5		pectronic	,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA50513014-004 Harvest/Lot ID: 2852135249396108

Batch#:9068950178828688 Sample Size Received:5 units

Sampled: 05/13/25 Ordered: 05/13/25 Sample Size Received: 5 units
Total Amount: 276 units

Completed: 05/16/25 Expires: 05/16/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	Weight: 0.0242g	Extraction date: 05/14/25 10:20:36			Extracted by: 4451

4451, 585, 1440 0.0242g 05/14/25 10:20:36

Analysis Method: SOP.T.40.041.FL
Analytical Batch: DA086451SOL

Analytical Batch: DA086451SOL Instrument Used: DA-GCMS-003 Analyzed Date: 05/15/25 09:55:03

Dilution: 1 Reagent: 030420.09 Consumables: 42965

Consumables: 429651; 315545 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Batch Date: 05/14/25 09:23:59

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50513014-004 Harvest/Lot ID: 2852135249396108

Sample Size Received: 5 units Batch#:9068950178828688 Sampled: 05/13/25 Ordered: 05/13/25

Total Amount: 276 units Completed: 05/16/25 Expires: 05/16/26 Sample Method: SOP.T.20.010

Page 5 of 6

0.002 ppm



Microbial



AFLATOXIN G1

PASSED

PASS

0.02

ND

Batch Date: 05/14/25 09:35:27

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000 3

Analyzed by: 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.949g 05/14/25 10:15:22 4520,4044

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA086444MIC \\ \end{array}$

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/14/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : $05/15/25 \ 10:07:36$

Dilution: 10

Reagent: 030625.22; 030625.25; 041525.R13; 101624.10

Consumables: 7579004056

Pipette : N/A

Analyzed by: 4520, 585, 1440	Weight: 0.949g	Extraction date: 05/14/25 10:15:22	Extracted by: 4520,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086446TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with Batch Date: 05/14/25 08:42:17

DA-3821

Analyzed Date: 05/16/25 12:18:46

Dilution: 10

Reagent: 030625.22; 030625.25; 022625.R53

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

24	Mycocoxiiis			ASSED				
Analyte	ı	.OD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN	A	0.002	ppm	ND	PASS	0.02		

AFLATOXIN G2 0.002 ppm ND PASS 0.02 Analyzed by: **Extraction date:** Extracted by: Weight: 3621, 585, 1440 0.2854g 05/14/25 11:18:12 4640,585

Analytical Batch: DA086455MYC Instrument Used: DA-LCMS-004 (MYC)

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analyzed Date: 05/15/25 09:37:54

Dilution: 25

Reagent: 051025.R04; 050725.R30; 051025.R06; 050825.R08; 042925.R13; 050725.R01; 081023.01

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date 05/14/25 11:19:20 0.2525g 4531.4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086452HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/14/25 09:30:49 Analyzed Date: 05/15/25 11:23:30

Dilution: 50

Reagent: 042225.R05; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07;

050825.R06; 051225.R09 Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Page 6 of 6

PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50513014-004 Harvest/Lot ID: 2852135249396108

Sampled: 05/13/25 Ordered: 05/13/25

Batch#: 9068950178828688 Sample Size Received: 5 units Total Amount: 276 units Completed: 05/16/25 Expires: 05/16/26 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Extraction date: 05/14/25 10:56:07 1g 585

Analysis Method : SOP.T.40.090

Analytical Batch: DA086464FIL
Instrument Used: Filth/Foreign Material Microscope

Batch Date: 05/14/25 10:25:32 Analyzed Date: 05/15/25 12:45:46

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.431	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 0.33a		raction d /14/25 11		Ex : 47	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA086463WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/14/25 09:50:41

Analyzed Date: 05/15/25 09:14:12

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164