

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50522017-006

### Kaycha Labs FLOWERY HANDROLL 1G Zeorgia **ZEORGIA** Matrix: Flower

Classification: High THC Type: Flower-Cured

> Production Method: Cured Harvest/Lot ID: 6017177537314873

Batch#: 5220089936419280 **Cultivation Facility: Homestead** 

**Processing Facility: Homestead** Source Facility: Homestead Seed to Sale#: 6017177537314873

**Harvest Date:** 05/22/25

Sample Size Received: 26 units Total Amount: 1080 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/22/25 Sampled: 05/22/25

Completed: 05/27/25

Sampling Method: SOP.T.20.010

PASSED

## #FLOWERY

Pages 1 of 5

#### **SAFETY RESULTS**

Samples From: Homestead, FL, 33090, US







Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials PASSED



Mycotoxins **PASSED** 



Residuals Solvents **NOT TESTED** 



Filth **PASSED** 

Batch Date: 05/23/25 07:55:49



Water Activity **PASSED** 



Moisture **PASSED** 



MISC.

Terpenes **TESTED** 

**TESTED** 



### Cannabinoid

May 27, 2025 | The Flowery

**Total THC** 



**Total CBD** 

Total CBD/Container: 0.520 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 265.550

	D9-THC	THCA	CBD	CBDA	D8-THC	СВБ	CBGA	CBN	THCV	CBDV	СВС
	0.629	25.084	ND	0.060	ND	0.073	0.635	ND	ND	ND	0.074
g/unit	6.29	250.84	ND	0.60	ND	0.73	6.35	ND	ND	ND	0.74
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086787POT Instrument Used: DA-LC-002 Analyzed Date: 05/24/25 23:32:49

Analyzed by: 4351, 1665, 585, 1440

Label Claim

Dilution: 400
Reagent: 052025.R02; 021125.07; 051225.R01
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



**PASSED** 





# **Certificate of Analysis**

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50522017-006 Harvest/Lot ID: 6017177537314873

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 5220089936419280 Sample Size Received: 26 units Total Amount: 1080 units

Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 2 of 5



### Terpenes

**TESTED** 

Total Targeting												
MAINCENIES   10,007   15710   10,007   15710   10,007   15710   10,007   15710   10,007   1												
APA-H-CEDENE						_						
MAJOOL   1871   26   26   26   26   26   26   26   2												
APA-HA-TERPINONE   0.07   TST0   2.8   0.28   APA-HA-TERPINONE   0.07   TST0   0.0										ND	ND	
APA-HA-TERPHOLEN		0.007	TESTED	2.66	0.266		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
CS-NEROLIDO    0.00	ALPHA-HUMULENE	0.007	TESTED	2.28	0.228		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
CAMMA-TEPINENE   0.07												
Mark-Missing   10	ALPHA-TERPINEOL											
MARA-MORPHILLER ONCE   More	BETA-PINENE		TESTED				GAMMA-TERPINENE	0.007	TESTED	ND	ND	
MAN-SHARMORE   CONTROL							Analyzed by:	Weight:		Extraction date	n e	Extracted by:
Analysical Basis   Color   C	LPHA-BISABOLOL	0.007	TESTED	0.65	0.065		4451, 585, 1440	1.0218g		05/23/25 11:57	7:08	4451
Instrument Vision   Control   Cont	ARYOPHYLLENE OXIDE	0.007	TESTED	0.51	0.051			40.061A.FL				
CHINE		0.005	TESTED	0.43	0.043	Ī					Batal Bata - 05/23/25 00:07:35	
Part	CIMENE	0.007	TESTED	0.32	0.032	ĺ					Batch Date : 03/23/23 09:07:23	
CAMENIE   CAME				0.26	0.026	ĺ						
AMM-HUNE   0,007   TISTID   10			TESTED				Reagent: 022525.50					
###HOWER   0,007   TESTED   ND   ND   TESTED   ND   TESTED   ND   ND   TESTED   ND   TESTED   ND   TESTED	ORNEOL	0.013	TESTED	ND	ND			6; 0000355309				
AMPRIOR  ( 0,0) TESTED NO NO  (CLALYPTOL 0,0) TESTED NO NO  (CLALY	AMPHENE	0.007	TESTED	ND	ND							
UKLAYPOL 0,07 TESTED 10 NO NO MEMBERSHIP 1 TESTED 1 NO NO NO MEMBERSHIP 1 TESTED 1	AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	natography Mass Spectrometry	. For all Flower sa	amples, the Total	Terpenes % is dry-weight corrected.	
ARMESNE 0,007 TESTED NO	EDROL	0.007	TESTED	ND	ND							
MACHINE   0,07	UCALYPTOL	0.007	TESTED	ND	ND	ĺ						
REMANUAL 0.007 TESTED NO	ARNESENE	0.007	TESTED	ND	ND							
READY LECENTE   0.007	ENCHONE	0.007	TESTED	ND	ND							
NAMOL 0.07 TESTED NO	ERANIOL	0.007	TESTED	ND	ND							
REALIFORDITHYPOL   0,007   TESTED   10   10   10   10   10   10   10   1	ERANYL ACETATE	0.007	TESTED	ND	ND							
SOBONENCL   0.007   TESTED   ND   ND	UAIOL	0.007	TESTED	ND	ND							
SOPULEGOL   0.007   TESTED   ND   ND   ND   RROL   0.007   TESTED   ND   ND   ND   ND   ND   ND   ND	IEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
REPOL 0.007 TESTED NO NO ULGODAL 0.007 TESTED NO NO ULGODAL 0.007 TESTED NO	SOBORNEOL	0.007	TESTED	ND	ND							
ULEGONE 0.007 TESTED ND ND ABHNENE 0.007 TESTED ND ND	SOPULEGOL	0.007	TESTED	ND	ND							
ABINENE 0.007 TESTED NO NO	IEROL	0.007	TESTED	ND	ND							
	ULEGONE	0.007	TESTED	ND	ND							
	ABINENE	0.007	TESTED	ND	ND							
	otal (%)				1 912							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

**PASSED** 

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50522017-006 Harvest/Lot ID: 6017177537314873

Dacc/Eail Decult

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 5220089936419280 Sample Size Received: 26 units Total Amount: 1080 units

**Completed:** 05/27/25 **Expires:** 05/27/26 Sample Method: SOP.T.20.010

Page 3 of 5



#### **Pesticides**

LOD Unite

<b>PASSE</b>	
--------------	--

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND			ppm	0.5	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM			0.3	PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
NAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		ppm	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:	0.5	Extracted b	
IMETHOATE	0.010	ppm	0.1	PASS	ND	4056, 585, 1440 0.9825q		5 13:18:39		450,4056	oy:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102		3 13.10.33		430,4030	
TOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086800PES					
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date: 05/23/2	5 09:55:42	
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/26/25 11:38:53					
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052125.R30; Consumables: 040724CH01; 6822423-02	052125.R29	9; 051925.R01	; 042925.R13;	052125.R01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	matography Tr	nle-Ouadrunole	Mass Sportron	netry in
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Liquiu Cilioi	natograpity II	pie-Quadrupoie	: Mass Spectron	ileti y iii
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ex	traction date	:	Extracted	l bv:
MAZALIL	0.010	ppm	0.1	PASS	ND	<b>4056, 4640, 585, 1440</b> 0.9825g	05	/23/25 13:18:	39	450,4056	,
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40.15	1.FL				
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086804VOL					
IALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch Da	te:05/23/25 1	10:04:21	
IETALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/26/25 11:36:55  Dilution : 250					
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052125.R42;	052125 DA	2			
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01: 6822423-02: 17473		,			
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Tripl	e-Quadrupole N	lass Spectrome	try in
NALED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50522017-006 Harvest/Lot ID: 6017177537314873

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 5220089936419280 Sample Size Received: 26 units Total Amount: 1080 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/23/25 10:05:00



#### **Microbial**

### **PASSED**

Extracted by:

Batch Date: 05/23/25 07:21:10



### SED

Level

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	15000	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4044, 585, 1440 0.931g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086783MIC

Weight:

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/23/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 05/24/25 23:31:51

Dilution: 10

**Reagent :** 010925.04; 030625.24; 041525.R13; 101624.10

Consumak

Pipette:

Analyzed by: 4044, 4892, 585, 1440

bles: /5/9004042	
N/A	

Extraction date:

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086784TYM

Instrument Used : Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 05/27/25 12:55:11

Dilution: 10 Reagent: 010925.04; 030625.24; 050725.R36

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

N°	Mycotoxins	PAS				
nalyte		LOD	Units	Result	Pass / Fail	
FLATOXIN B	2	0.002	ppm	ND	PASS	
FLATOXIN B	1	0.002	ppm	ND	PASS	

Analyzed by: 4056, 585, 1440	<b>Weight:</b> 0.9825g	Extraction date: 05/23/25 13:18:39	Extracted 450,4056	by:
AFLATOXIN G2		0.002 ppm	ND PASS	0.02
AFLATOXIN G1		0.002 ppm	ND PASS	0.02
OCHRATOXIN A		0.002 ppm	ND PASS	0.02
AFLATOXIN B1		0.002 ppm	ND PASS	0.02
AFLATOXIN B2		0.002 ppm	ND PASS	0.02

05/23/25 13:18:39 0.9825g Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch : DA086805MYC Instrument Used : N/A

Analyzed Date: 05/26/25 11:37:46

Dilution: 250 Reagent: 052125.R39; 081023.01; 052125.R30; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

### **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	

Analyzed by: 1022, 585, 1440 Extraction date 05/23/25 11:12:27 0.2432g 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086797HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/23/25 09:41:57 Analyzed Date: 05/24/25 23:23:23

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





## **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50522017-006 Harvest/Lot ID: 6017177537314873

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 5220089936419280 Sample Size Received: 26 units Total Amount: 1080 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 5 of 5



#### Filth/Foreign **Material**

## **PASSED**



#### **Moisture**

**PASSED** 

Batch Date: 05/23/25 10:01:59

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS **Moisture Content** % 10.6 PASS 15 1 1.0

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 05/24/25 10:18:48 1879 0.501g 05/23/25 11:38:24 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/25/25 11:37:16

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 05/24/25 10:03:38

**Analyzed Date :** 05/24/25 15:00:49 Dilution: N/A

Reagent: 092520.50; 120324.07 Consumables : N/A

Analysis Method: SOP.T.40.021

Analytical Batch: DA086803MOI
Instrument Used: DA-003 Moisture Analyzer

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



### **Water Activity**

Batch Date: 05/23/25 10:05:14

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.514 0.65 Extraction date: 05/23/25 10:45:18 Analyzed by: 4797, 585, 1440 Extracted by: 4797 1.617g

Analysis Method: SOP.T.40.019 Analytical Batch: DA086806WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/24/25 15:04:00

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Signature

05/27/25

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)