



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50620004-005



Production Method: Other - Not Listed
Harvest/Lot ID: 2589234971046303
Batch#: 4850574874058867
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 2589234971046303
Harvest Date: 06/18/25
Sample Size Received: 16 units
Total Amount: 473 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 06/19/25
Sampled: 06/20/25
Completed: 06/24/25
Sampling Method: SOP.T.20.010

Jun 24, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
75.627%

Total THC/Container : 756.270 mg


Total CBD
0.165%

Total CBD/Container : 1.650 mg


Total Cannabinoids
79.725%

Total Cannabinoids/Container : 797.250 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	66.253	10.689	0.071	0.107	ND	0.909	1.108	0.034	0.152	ND	0.400
mg/unit	662.53	106.89	0.71	1.07	ND	9.09	11.08	0.34	1.52	ND	4.00
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 3335, 1879

Weight:
0.0803g

Extraction date:
06/21/25 08:21:17

Extracted by:
3335,4351,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087725POT

Instrument Used : DA-LC-003

Analyzed Date : 06/23/25 21:49:21

Batch Date : 06/20/25 08:59:17

Dilution : 400

Reagent : 061125.R20; 031125.07; 061225.R01

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Randy Watzon #13

710 LABS RANDY WATZON #13

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620004-005

Harvest/Lot ID: 2589234971046303

Batch# : 4850574874058867

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 473 units

Completed : 06/24/25 Expires: 06/24/26

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	70.03	7.003	ISOPULEGOL	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	20.90	2.090	NEROL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	13.99	1.399	PULEGONE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	7.10	0.710	SABINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	5.49	0.549	VALENCENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	4.28	0.428	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	3.67	0.367	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	3.52	0.352	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	2.05	0.205	Analyzed by: 4851, 385, 1879				
ALPHA-BISABOLOL	0.007	TESTED	1.35	0.135	Weight: 0.2380g				
BETA-MYRCENE	0.007	TESTED	1.21	0.121	Extraction date: 06/20/25 11:36:02				
TRANS-NEROLIDOL	0.005	TESTED	1.20	0.120	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	1.07	0.107	Analytical Batch: DA087739TER				
CAMPHERE	0.007	TESTED	0.97	0.097	Instrument Used: DA-GC/MS-004				
OCIMENE	0.007	TESTED	0.89	0.089	Analyzed Date: 06/24/25 08:26:38				
FENCHONE	0.007	TESTED	0.62	0.062	Dilution: 10				
ALPHA-TERPINOLENE	0.007	TESTED	0.52	0.052	Reagent: 051525.10				
SABINENE HYDRATE	0.007	TESTED	0.35	0.035	Consumables: 947.110; 04312111; 2240626; 0000355309				
FENCHYL ALCOHOL	0.007	TESTED	0.34	0.034	Pipette: DA-065				
GAMMA-TERPINENE	0.007	TESTED	0.28	0.028	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINENE	0.007	TESTED	0.24	0.023					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.001	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
Total (%)					7.003				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Randy Watzon #13

710 LABS RANDY WATZON #13

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620004-005

Harvest/Lot ID: 2589234971046303

Batch# : 4850574874058867

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 473 units

Completed : 06/24/25 Expires: 06/24/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 585, 1879	0.2875g	06/20/25 12:47:41	4056		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087732PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 06/20/25 09:55:59	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/22/25 22:33:04					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 061525.R01; 043025.28; 061725.R23; 061725.R22; 061525.R02; 042925.R13; 061825.R07					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 947.110					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	4640, 585, 1879	0.2875g	06/20/25 12:47:41	4056		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA087734VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/20/25 09:59:11	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 06/22/25 10:58:32					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 061525.R01; 043025.28; 052125.R42; 052125.R43					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Randy Watzon #13

710 LABS RANDY WATZON #13

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620004-005

Harvest/Lot ID: 2589234971046303

Batch# : 4850574874058867

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 473 units

Completed : 06/24/25 Expires: 06/24/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1879

Weight:
0.0256g

Extraction date:
06/20/25 11:36:05

Extracted by:
3379

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08774250L
Instrument Used : DA-GCMS-002
Analyzed Date : 06/23/25 07:49:02

Batch Date : 06/20/25 10:48:54

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Randy Watzon #13

710 LABS RANDY WATZON #13

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620004-005

Harvest/Lot ID: 2589234971046303

Batch# : 4850574874058867

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 473 units

Completed : 06/24/25 Expires: 06/24/26

Sample Method : SOP.T.20.010

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						4520, 585, 1879		0.2875g		06/20/25 12:47:41	Extracted by:
											4056
Analyzed by: 4520, 585, 1879 Weight: 1.0005g Extraction date: 06/20/25 10:06:47 Extracted by: 4777,4520						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA087733MYC					
Analytical Batch : DA087729MIC						Instrument Used : DA-LCMS-004 (MYC)					
Instrument Used : DA-111 (PathogenDx Scanner), DA-010 (Thermocycler), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) 09:19:19						Batch Date : 06/20/25 09:58:56					
Batch Date : 06/20/25						Analyzed Date : 06/22/25 22:31:17					
Analyzed Date : 06/21/25 13:33:20						Dilution : 250					
Dilution : 10						Reagent : 061525.R01; 043025.28; 061725.R23; 061725.R22; 061525.R02; 042925.R13; 061825.R07					
Reagent : 050225.02; 050225.03; 061125.R06; 051624.04						Consumables : 040724CH01; 6822423-02; 947.110					
Consumables : 7583002007						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 4892, 585, 1879 Weight: 1.0005g Extraction date: 06/20/25 10:06:47 Extracted by: 4777,4520						Heavy Metals PASSED					
Analysis Method : SOP.T.40.209.FL						Metal					
Analytical Batch : DA087730TYM						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : DA-328 (25°C Incubator)						ARSENIC					
Batch Date : 06/20/25 09:20:12						CADIUM					
Analyzed Date : 06/22/25 22:41:02						MERCURY					
Dilution : 10						LEAD					
Reagent : 050225.02; 050225.03; 050725.R36						Analyzed by: 1022, 585, 1879 Weight: 0.2601g Extraction date: 06/20/25 11:45:45 Extracted by: 4531					
Consumables : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Pipette : N/A						Analytical Batch : DA087737HEA					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Instrument Used : DA-ICPMS-004					
						Batch Date : 06/20/25 10:08:40					
						Analyzed Date : 06/22/25 11:00:50					
						Dilution : 50					
						Reagent : 060425.R41; 062025.R01; 061625.R05; 061925.R16; 061625.R03; 061625.R04; 120324.07; 062025.R02					
						Consumables : 040724CH01; J609879-0193; 179436					
						Pipette : DA-061; DA-191; DA-216					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1879	Weight: 0.2601g	Extraction date: 06/20/25 11:45:45		Extracted by: 4531	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA087737HEA					
Instrument Used : DA-ICPMS-004		Batch Date : 06/20/25 10:08:40			
Analyzed Date : 06/22/25 11:00:50					
Dilution : 50					
Reagent : 060425.R41; 062025.R01; 061625.R05; 061925.R16; 061625.R03; 061625.R04; 120324.07; 062025.R02					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Randy Watzon #13

710 LABS RANDY WATZON #13

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620004-005

Harvest/Lot ID: 2589234971046303

Batch# : 4850574874058867

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 473 units

Completed : 06/24/25 Expires: 06/24/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1879	Weight: 1g	Extraction date: 06/20/25 11:43:28	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA087713FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/20/25 11:49:57

Batch Date : 06/19/25 12:38:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.546	PASS	0.85

Analyzed by: 4056, 1879, 585	Weight: 0.664g	Extraction date: 06/20/25 11:49:32	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA087724WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/21/25 13:36:33

Batch Date : 06/20/25 08:58:46

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/25