



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50620014-003



Production Method: Other - Not Listed
Harvest/Lot ID: 5036058160280839
Batch#: 2102774922309149
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 5036058160280839
Harvest Date: 06/19/25
Sample Size Received: 16 units
Total Amount: 126 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 06/20/25
Sampled: 06/20/25
Completed: 06/25/25
Sampling Method: SOP.T.20.010

Jun 25, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
79.160%

Total THC/Container : 791.610 mg



Total CBD
0.153%

Total CBD/Container : 1.535 mg



Total Cannabinoids
91.905%

Total Cannabinoids/Container : 919.050 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.687	89.480	ND	0.175	ND	0.073	1.490	ND	ND	ND	ND
mg/unit	6.87	894.80	ND	1.75	ND	0.73	14.90	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1063g

Extraction date:
06/23/25 09:19:21

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087804POT

Instrument Used : DA-LC-008

Analyzed Date : 06/23/25 14:37:45

Batch Date : 06/23/25 07:18:45

Dilution : 400

Reagent : 061825.R02; 021125.07; 061825.R05

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
06/25/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SHATTER Petrol Station
PETROL STATION
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620014-003
Harvest/Lot ID: 5036058160280839

Batch# : 2102774922309149 Sample Size Received : 16 units
Sampled : 06/20/25 Total Amount : 126 units
Ordered : 06/20/25 Completed : 06/25/25 Expires: 06/25/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	69.58	6.958	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	19.93	1.993	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	17.95	1.795	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	9.31	0.931	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.14	0.814	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	3.40	0.340	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.53	0.253	CIS-NEROLIDOL	0.003	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.46	0.246	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.82	0.182	Analyzed by: 4451, 385, 5440				
ALPHA-BISABOLOL	0.007	TESTED	1.71	0.171	Weight: 0.247g				
TRANS-NEROLIDOL	0.005	TESTED	0.81	0.081	Extraction date: 06/23/25 08:58:08				
ALPHA-TERPINEOL	0.007	TESTED	0.54	0.054	Extraction by: 4451				
CAMPHENE	0.007	TESTED	0.53	0.053	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.45	0.045	Analytical Batch : DA087772TER				
B-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC/MS-009				
BORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 06/24/25 08:47:42				
CAMPHOR	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 051525.10				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND	Batch Date : 06/21/25 11:29:34				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				6.958					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/25/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SHATTER Petrol Station
PETROL STATION
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620014-003

Harvest/Lot ID: 5036058160280839

Batch# : 2102774922309149

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 126 units

Completed : 06/25/25 Expires: 06/25/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	4056, 3379, 585, 1440	Weight:	0.2632g	Extraction date:	06/22/25 11:06:33
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	4640,4056
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA087774PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-005 (PES)			Batch Date :	06/21/25 11:48:15
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	06/23/25 14:13:35				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	061525.R01; 043025.28; 061725.R23; 062225.R01; 062225.R02; 042925.R13; 061825.R07				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	4640, 450, 585, 1440	Weight:	0.2632g	Extraction date:	06/22/25 11:06:33
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	4640,4056
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA087776VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	06/21/25 11:49:48
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	06/23/25 14:10:45				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	061525.R01; 043025.28; 062325.R06; 062325.R05				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/25/25



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

 Sample : DA50620014-003
 Harvest/Lot ID: 5036058160280839

 Batch# : 2102774922309149 Sample Size Received : 16 units
 Sampled : 06/20/25 Total Amount : 126 units
 Ordered : 06/20/25 Completed : 06/25/25 Expires: 06/25/26
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	<2500.000
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 4451, 585, 1440

 Weight:
 0.0222g

 Extraction date:
 06/21/25 15:54:28

 Extracted by:
 4571,4451

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA087790SQL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 06/23/25 14:06:31

Batch Date : 06/21/25 15:31:04

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 319008
 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SHATTER Petrol Station
PETROL STATION
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620014-003
Harvest/Lot ID: 5036058160280839

Batch# : 2102774922309149 Sample Size Received : 16 units
Sampled : 06/20/25 Total Amount : 126 units
Ordered : 06/20/25 Completed : 06/25/25 Expires: 06/25/26
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 4056, 3379, 585, 1440 Weight: 0.2632g Extraction date: 06/22/25 11:06:33 Extracted by: 4640,4056					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA087777MYC Instrument Used : DA-LCMS-005 (MYC) Batch Date : 06/21/25 11:50:03 Analyzed Date : 06/23/25 14:20:02					
Analyzed by: 3621, 4892, 585, 1440 Weight: 0.8981g Extraction date: 06/21/25 09:51:50 Extracted by: 4520,3621						Dilution : 250 Reagent : 061525.R01; 043025.28; 061725.R23; 062225.R01; 062225.R02; 042925.R13; 061825.R07 Consumables : 040724CH01; 221021DD Pipette : DA-093; DA-094; DA-219					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA087759MIC Instrument Used : DA-111 (PathogenDx Scanner), DA-010 (Thermocycler), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) 08:33:15 Analyzed Date : 06/23/25 13:59:40 Dilution : 10 Reagent : 050225.02; 050225.16; 061125.R06; 093024.06 Consumables : 7581004034 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 4892, 585, 1440 Weight: 0.8981g Extraction date: 06/21/25 09:51:50 Extracted by: 4520,3621						Heavy Metals PASSED					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA087760TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 06/21/25 08:33:55 Analyzed Date : 06/23/25 14:04:05						Metal LOD Units Result Pass / Fail Action Level					
Dilution : 10 Reagent : 050225.02; 050225.16; 050725.R36 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						ARSENIC	0.020	ppm	ND	PASS	0.2
						CADMIUM	0.020	ppm	ND	PASS	0.2
						MERCURY	0.020	ppm	ND	PASS	0.2
						LEAD	0.020	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 1879, 1440 Weight: 0.2365g Extraction date: 06/21/25 12:28:20 Extracted by: 4531					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA087762HEA Instrument Used : DA-ICPMS-004 Batch Date : 06/21/25 09:41:32 Analyzed Date : 06/25/25 10:02:25					
						Dilution : 50 Reagent : 060425.R41; 062025.R01; 061625.R05; 061925.R16; 061625.R03; 061625.R04; 120324.07; 062025.R02 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
06/25/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SHATTER Petrol Station
PETROL STATION
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50620014-003

Harvest/Lot ID: 5036058160280839

Batch# : 2102774922309149

Sampled : 06/20/25

Ordered : 06/20/25

Sample Size Received : 16 units

Total Amount : 126 units

Completed : 06/25/25 Expires: 06/25/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: 11g	Extraction date: 06/22/25 13:24:44	Extracted by: 1879
----------------------------	----------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA087798FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/22/25 13:29:30

Batch Date : 06/22/25 09:17:28

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.509	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.5371g	Extraction date: 06/21/25 15:29:52	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA087788WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/23/25 13:28:02

Batch Date : 06/21/25 11:58:01

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/25/25