



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50708018-002



Production Method: Other - Not Listed
Harvest/Lot ID: 1821746973721984
Batch#: 3004230810922344
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 1821746973721984
Harvest Date: 07/08/25
Sample Size Received: 9 units
Total Amount: 1310 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 07/08/25
Sampled: 07/08/25
Completed: 07/11/25
Sampling Method: SOP.T.20.010

Jul 11, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



MISC.

Terpenes
TESTED



Cannabinoid

TESTED



Total THC
27.839%

Total THC/Container : 974.370 mg



Total CBD
0.068%

Total CBD/Container : 2.364 mg



Total Cannabinoids
32.783%

Total Cannabinoids/Container : 1147.405 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.375	31.316	ND	0.077	0.039	0.083	0.798	ND	ND	ND	0.095
mg/unit	13.13	1096.06	ND	2.70	1.37	2.91	27.93	ND	ND	ND	3.33
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3621, 1665, 585, 1440

Weight:
0.2113g

Extraction date:
07/09/25 11:16:07

Extracted by:
3335,3621

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088271POT

Instrument Used : DA-LC-002

Analyzed Date : 07/10/25 10:18:38

Batch Date : 07/09/25 08:27:52

Dilution : 400

Reagent : 070225.R29; 052925.37; 070225.R15

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FLOWER 3.5G - FLOWERY MYLAR BAG Petrol Station
PETROL STATION
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50708018-002
Harvest/Lot ID: 1821746973721984

Batch# : 3004230810922344 Sample Size Received : 9 units
Sampled : 07/08/25 Total Amount : 1310 units
Ordered : 07/08/25 Completed : 07/11/25 Expires: 07/11/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	111.99	3.200	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	37.05	1.059	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	30.98	0.885	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	15.47	0.442	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	10.69	0.305	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	4.42	0.126	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	2.61	0.075	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.53	0.072	GAMMA-TERPINENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	2.45	0.070	Analyzed by: 6846, 4451, 585, 1440 Weight: 1.1034g Extraction date: 07/09/25 10:57:33 Extracted by: 4444				
LINALOOL	0.007	TESTED	2.05	0.059	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	TESTED	1.93	0.055	Analytical Batch : DA0882827ER				
ALPHA-BISABOLOL	0.007	TESTED	1.81	0.052	Instrument Used : DA-GC/MS-009				
3-CARENE	0.007	TESTED	ND	ND	Analyzed Date : 07/10/25 10:18:42				
BORNEOL	0.013	TESTED	ND	ND	Dilution : 10				
CAMPHERE	0.007	TESTED	ND	ND	Reagent : 120224.02				
CAMPHOR	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				3.200					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/11/25



Certificate of Analysis

PASSED


The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

 Sample : DA50708018-002
 Harvest/Lot ID: 1821746973721984

 Batch# : 3004230810922344 Sample Size Received : 9 units
 Sampled : 07/08/25 Total Amount : 1310 units
 Ordered : 07/08/25 Completed : 07/11/25 Expires: 07/11/26
 Sample Method : SOP.T.20.010

Page 3 of 5




Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440	Weight: 0.87g	Extraction date: 07/09/25 12:31:37	Extracted by: 450,4056		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088287PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/10/25 11:31:00					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 070825.R07; 043025.28; 070925.R35; 070825.R05; 070825.R06; 070225.R43; 070925.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.87g	Extraction date: 07/09/25 12:31:37	Extracted by: 450,4056		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088291VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/10/25 13:12:51					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 070825.R07; 043025.28; 062325.R06; 062325.R05					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



FLOWER 3.5G - FLOWERY MYLAR BAG Petrol Station
PETROL STATION
Matrix : Flower
Type: Flower-Cured






PASSED

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50708018-002
Harvest/Lot ID: 1821746973721984
Batch# : 3004230810922344 Sample Size Received : 9 units
Sampled : 07/08/25 Total Amount : 1310 units
Ordered : 07/08/25 Completed : 07/11/25 Expires: 07/11/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>160</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4777, 4520, 585, 1440</td><td>Weight: 1.0889g</td><td>Extraction date: 07/09/25 09:53:26</td><td>Extracted by: 4892,4777,4044</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA088274MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 08:46:57 Batch Date : 07/09/25 Analyzed Date : 07/10/25 09:57:00 Dilution : 10 Reagent : 050225.07; 060925.21; 062125.R13; 062624.16 Consumables : 7582003044 Pipette : N/A</td></tr><tr><td>Analyzed by: 4777, 4571, 585, 1440</td><td>Weight: 1.0889g</td><td>Extraction date: 07/09/25 09:53:26</td><td>Extracted by: 4892,4777,4044</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.209.FL Analytical Batch : DA088275TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 07/09/25 08:47:26 Analyzed Date : 07/11/25 12:33:24 Dilution : 10 Reagent : 050225.07; 060925.21; 050725.R36 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000	Analyzed by: 4777, 4520, 585, 1440	Weight: 1.0889g	Extraction date: 07/09/25 09:53:26	Extracted by: 4892,4777,4044			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA088274MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 08:46:57 Batch Date : 07/09/25 Analyzed Date : 07/10/25 09:57:00 Dilution : 10 Reagent : 050225.07; 060925.21; 062125.R13; 062624.16 Consumables : 7582003044 Pipette : N/A						Analyzed by: 4777, 4571, 585, 1440	Weight: 1.0889g	Extraction date: 07/09/25 09:53:26	Extracted by: 4892,4777,4044			Analysis Method : SOP.T.40.209.FL Analytical Batch : DA088275TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 07/09/25 08:47:26 Analyzed Date : 07/11/25 12:33:24 Dilution : 10 Reagent : 050225.07; 060925.21; 050725.R36 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																								
ASPERGILLUS TERREUS			Not Present	PASS																																																																									
ASPERGILLUS NIGER			Not Present	PASS																																																																									
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																									
ASPERGILLUS FLAVUS			Not Present	PASS																																																																									
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																									
ECOLI SHIGELLA			Not Present	PASS																																																																									
TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000																																																																								
Analyzed by: 4777, 4520, 585, 1440	Weight: 1.0889g	Extraction date: 07/09/25 09:53:26	Extracted by: 4892,4777,4044																																																																										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA088274MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 08:46:57 Batch Date : 07/09/25 Analyzed Date : 07/10/25 09:57:00 Dilution : 10 Reagent : 050225.07; 060925.21; 062125.R13; 062624.16 Consumables : 7582003044 Pipette : N/A																																																																													
Analyzed by: 4777, 4571, 585, 1440	Weight: 1.0889g	Extraction date: 07/09/25 09:53:26	Extracted by: 4892,4777,4044																																																																										
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA088275TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 07/09/25 08:47:26 Analyzed Date : 07/11/25 12:33:24 Dilution : 10 Reagent : 050225.07; 060925.21; 050725.R36 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																													
	Mycotoxins	PASSED																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 4056, 585, 1440</td><td>Weight: 0.87g</td><td>Extraction date: 07/09/25 12:31:37</td><td>Extracted by: 450,4056</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA088290MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 07/09/25 09:39:09 Analyzed Date : 07/10/25 11:28:48 Dilution : 250 Reagent : 070825.R07; 043025.28; 070925.R35; 070825.R05; 070825.R06; 070225.R43; 070925.R01 Consumables : 927.100; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 4056, 585, 1440	Weight: 0.87g	Extraction date: 07/09/25 12:31:37	Extracted by: 450,4056			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA088290MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 07/09/25 09:39:09 Analyzed Date : 07/10/25 11:28:48 Dilution : 250 Reagent : 070825.R07; 043025.28; 070925.R35; 070825.R05; 070825.R06; 070225.R43; 070925.R01 Consumables : 927.100; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																													
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																								
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																								
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																								
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																								
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																								
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																								
Analyzed by: 4056, 585, 1440	Weight: 0.87g	Extraction date: 07/09/25 12:31:37	Extracted by: 450,4056																																																																										
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA088290MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 07/09/25 09:39:09 Analyzed Date : 07/10/25 11:28:48 Dilution : 250 Reagent : 070825.R07; 043025.28; 070925.R35; 070825.R05; 070825.R06; 070225.R43; 070925.R01 Consumables : 927.100; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																													
	Heavy Metals	PASSED																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2909g</td><td>Extraction date: 07/09/25 11:03:56</td><td>Extracted by: 4531,1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA088289HEA Instrument Used : DA-ICPMS-004 Batch Date : 07/09/25 09:38:58 Analyzed Date : 07/10/25 11:35:24 Dilution : 50 Reagent : 062425.R24; 070325.R01; 070725.R04; 070125.R08; 070725.R02; 070725.R03; 120324.07; 070325.R02 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2909g	Extraction date: 07/09/25 11:03:56	Extracted by: 4531,1022			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA088289HEA Instrument Used : DA-ICPMS-004 Batch Date : 07/09/25 09:38:58 Analyzed Date : 07/10/25 11:35:24 Dilution : 50 Reagent : 062425.R24; 070325.R01; 070725.R04; 070125.R08; 070725.R02; 070725.R03; 120324.07; 070325.R02 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																													
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																								
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																								
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																								
MERCURY	0.020	ppm	ND	PASS	0.2																																																																								
LEAD	0.020	ppm	ND	PASS	0.5																																																																								
Analyzed by: 1022, 585, 1440	Weight: 0.2909g	Extraction date: 07/09/25 11:03:56	Extracted by: 4531,1022																																																																										
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA088289HEA Instrument Used : DA-ICPMS-004 Batch Date : 07/09/25 09:38:58 Analyzed Date : 07/10/25 11:35:24 Dilution : 50 Reagent : 062425.R24; 070325.R01; 070725.R04; 070125.R08; 070725.R02; 070725.R03; 120324.07; 070325.R02 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
07/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FLOWER 3.5G - FLOWERY MYLAR BAG Petrol Station
PETROL STATION
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50708018-002
Harvest/Lot ID: 1821746973721984

Batch# : 3004230810922344 Sample Size Received : 9 units
Sampled : 07/08/25 Total Amount : 1310 units
Ordered : 07/08/25 Completed : 07/11/25 Expires: 07/11/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.9	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 07/09/25 10:56:08	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.498g	Extraction date: 07/09/25 10:41:03	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA088299FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/10/25 10:46:47 Batch Date : 07/09/25 10:10:00						Analysis Method : SOP.T.40.021 Analytical Batch : DA088288MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/10/25 09:41:07 Batch Date : 07/09/25 09:37:55					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 060425.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.55	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.736g	Extraction date: 07/09/25 10:15:34	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA088293WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 07/10/25 09:49:29 Batch Date : 07/09/25 09:41:21					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/11/25