

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50711012-004

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs Cold Creek Kush 🗨 710 LABS COLD CREEK KUSH

Matrix: Flower

Classification: High THC Type: Flower-Cured



Batch#: 2001396013245349

Cultivation Facility: Homestead

Source Facility: Homestead Seed to Sale#: 5757441841678924

Harvest Date: 07/11/25

Sample Size Received: 9 units Total Amount: 388 units

Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 07/11/25 Sampled: 07/11/25

Completed: 07/15/25

Sampling Method: SOP.T.20.010

PASSED

DA50711012-004

Certificate of Analysis

Jul 15, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



PASSED

0.759

26.57

0.001

Batch Date: 07/14/25 07:21:25

0/0



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED

0.001

%



mg/unit

LOD

Cannabinoid

Total THC

24.301% Total THC/Container: 850.547 mg

THCA

26.916

942.06

0.001

%



CBDA

0.063

2.21

0.001

%

Total CBD

Total CBD/Container: 1.934 mg

0.111

3.89

%

0.001



ND

ND

%

0.001

0.001

%

Total Cannabinoids 28.656%

Total Cannabinoids/Container: 1002.960

THCV CBDV ND ND 0.070 ND ND 2.45

0.001

%

% Analyzed by: 3335, 585, 1440

D8-THC

0.041

1.44

0.001

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA088441POT Instrument Used: DA-LC-002 Analyzed Date: 07/15/25 10:45:07

D9-THC

0.696

24.36

0.001

%

Reagent: 070925.R42; 050825.11; 070225.R15
Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

ND

ND

%

0.001

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50711012-004 Harvest/Lot ID: 5757441841678924

Sampled: 07/11/25 Ordered: 07/11/25

Batch#: 2001396013245349 Sample Size Received: 9 units Total Amount: 388 units

Completed: 07/15/25 Expires: 07/15/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Manufacture 1871												
MARINENINE 0,07	Terpenes											
APPIALE 10												
Marke-Nether 100												
APPA-TREPINOLE 0.07												
APPINATE 10,007 1517												
Sch-Mediculum Cis-Mediculum Cis-Mediculu												
MAMM-TREPINION 10,007 1511 10 10 10 10 10 10												
Author-Parishino	LINALOOL						CIS-NEROLIDOL			ND	ND	
Mark-ABISABRO 1037 15110 103 1096 1444, 4915 1845, 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 4444, 4915 1845 1440 10347 07/12/51 3100.01 07/12/51 3100.01 0	FENCHYL ALCOHOL						GAMMA-TERPINENE	0.007	TESTED	ND	ND	
March Assertation Marc	ALPHA-TERPINEOL						Analyzed by:	Weigh	ь	Extractio	on date:	Extracted by:
August March Mar	ALPHA-PINENE	0.007	TESTED	3.35	0.096		4444, 4451, 585, 1440	1.0347	g	07/12/25	5 13:00:41	4444
Market-MeMounce Market-Market Market-Mar	ALPHA-BISABOLOL	0.007	TESTED	3.02	0.086		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.F	L				
FRAMEWORLOW 0.05 TESTED 0.00 0.029 Analysed Dest 07/14/25 33:04:26 ACADEMIE 0.07 TESTED N.D N.D Oblidates 10 District	OCIMENE	0.007	TESTED	2.00	0.057						Batala Bata - 07/17/75 00:76:00	
Monte	TRANS-NEROLIDOL	0.005	TESTED	1.02	0.029						Batch Date : 07/12/23 05.20.05	
No.	3-CARENE	0.007	TESTED	ND	ND	i i	Dilution: 10					
March Marc	BORNEOL	0.013	TESTED	ND	ND		Reagent: 120224.03					
AMPHORE 18 18 18 18 18 18 18 1	CAMPHENE	0.007	TESTED	ND	ND			5309				
AND THE CARD CONTROL OF TESTED AD NO CONTROL OF TESTED	CAMPHOR	0.007	TESTED	ND	ND							
NA NA NA NA NA NA NA NA	CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sai	mples, the Total	Terpenes % is dry-weight corrected.	
ARMINESME 0,007 TESTED ND ND REARMINE 0,007 TESTED ND REARM	CEDROL	0.007	TESTED	ND	ND							
PREMANUM 0,007 TESTED ND ND PREMANUM CERANUM CER	EUCALYPTOL	0.007	TESTED	ND	ND							
EBRANIL CENTROL	FARNESENE	0.007	TESTED	ND	ND							
SERANYL ACETATE 0,007 TESTED ND ND ND ND ND ND ND	FENCHONE	0.007	TESTED	ND	ND							
SIANOL 0.07 TESTED ND ND SOBORNACO 0.007 TESTED ND ND SOBORNACO 0.007 TESTED ND ND SOBORACO 0.007 TESTED ND SOB	GERANIOL	0.007	TESTED	ND	ND							
MEXAMPORTHYPOL 0.07	GERANYL ACETATE	0.007	TESTED	ND	ND							
SOBONNECL 0.007	GUAIOL	0.007	TESTED	ND	ND							
SOPULEGOL 0.007 TESTED ND ND URBOL 0.097 TESTED ND ND URBON 0.007 TESTED ND ND SABINENE 0.007 TESTED ND ND	HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
NEROL 0.007 TESTED ND ND UNICOME 0.007 TESTED ND ND SABINEME 0.007 TESTED ND ND	ISOBORNEOL	0.007	TESTED	ND	ND							
NEROL 0.007 TESTED ND ND PULGOONE 0.007 TESTED ND ND ABINEME 0.007 TESTED ND ND ND ND	ISOPULEGOL	0.007	TESTED	ND	ND							
PULEGONE 0.007 TESTED ND ND ABBININE 0.007 TESTED ND ND	NEROL		TESTED									
ABBINENE 0.007 TESTED ND ND	PULEGONE		TESTED									
	SABINENE											

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs 710 FLOWER 3.5G - JAR 710 Labs Cold Creek Kush 710 LABS COLD CREEK KUSH 2 Matrix : Flower Type: Flower-Cured

Certificate of Analysis

LOD Units

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50711012-004 Harvest/Lot ID: 5757441841678924

Pass/Fail Result

Sampled: 07/11/25 Ordered: 07/11/25

Batch#: 2001396013245349 Sample Size Received: 9 units Total Amount: 388 units

Completed: 07/15/25 Expires: 07/15/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL			ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND				ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET						
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE			ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT			ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE			ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND				ppm	0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE						
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID			ppm	0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM			ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBE	NZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	mag	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *			ppm	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *			ppm	0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND							
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 1440	Weight: 0.9947q		action date 4/25 10:06:		4640,4056,4	
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T			.4/23 10.00	12	4040,4030,4	130
ETOFENPROX	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA088		.1 L				
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LO			Batc	h Date: 07/12	/25 11:22:36	
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Analyzed Date: 07/15/2	5 16:16:24					
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Reagent: 070825.R07; 0			3; 071325.R0	2; 070225.R4	3; 070925.R01	
FIPRONIL	0.010 ppm	0.1	PASS	ND	Consumables: 0301250 Pipette: DA-093: DA-09)				
FLONICAMID	0.010 ppm	0.1	PASS	ND	Testing for agricultural agr		Liquid Chron	nataaranhu T	rinla Ouadruna	Jo Mace Coostroi	noto in
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule		Liquiu Cilioi	natograpny i	ripie-Quaurupo	не мазя эресстог	netry iii
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	Analyzed by:		Extraction	date:		Extracted by:	
IMAZALIL	0.010 ppm	0.1	PASS	ND	450, 585, 1440		07/14/25 1			4640,4056,450	
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	Analysis Method : SOP.T	.30.151A.FL, SOP.T.40.15	1.FL				
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA088						
MALATHION	0.010 ppm	0.2	PASS	ND	Instrument Used : DA-G			Batch D	ate:07/12/25	11:23:34	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date : 07/15/2	0 10:11:29					
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250 Reagent: 070825.R07; (143025 28- 062325 006-	n62325 pns				
METHOMYL	0.010 ppm	0.1	PASS	ND	Consumables : 0301250						
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Pipette : DA-080; DA-14		,, 1, 4, 5001	•			
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural ag		Gas Chroma	tography Trip	ole-Quadrupole	Mass Spectrome	try in
NALED	0.010 ppm	0.25	PASS	ND	accordance with F.S. Rule	64ER20-39.					-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50711012-004 Harvest/Lot ID: 5757441841678924

Batch#: 2001396013245349 Sample Size Received: 9 units Sampled: 07/11/25

Ordered: 07/11/25

Total Amount: 388 units Completed: 07/15/25 Expires: 07/15/26 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	_
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000 4

Analyzed by: Weight: **Extraction date:** Extracted by: 4044, 4520, 3379, 1440 4520,4044 0.833g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA088407MIC

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 10:07:45 Batch Date: 07/12/25

Analyzed Date: 07/15/25 10:02:53

 $\textbf{Reagent:}\ 060925.24;\ 060925.38;\ 062125.R13;\ 062624.16$

Consumables : N/A Pipette: N/A

Analyzed by: 4044, 4571, 3379, 1440

Weight:	Extraction date:	Extracted by:
0.833a	07/12/25 10:38:13	4520.4044

Batch Date: 07/12/25 10:08:33

Analysis Method: SOP.T.40.209.FL Analytical Batch : DA088408TYM
Instrument Used : DA-328 (25*C Incubator)

Analyzed Date: 07/15/25 10:11:48

Reagent: 060925.24; 060925.38; 050725.R36

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycotoxins				PA5	5
Analyte		LOD	Units	Result	Pass / Fail	Ac Le
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.0
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.0

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 1440	Weight: 0.9947g	Extraction d 07/14/25 10		Extracted by: 4640,4056,45		

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA088415MYC Instrument Used: DA-LCMS-004 (MYC)

Analyzed Date: 07/14/25 11:13:16

Dilution: 250

Reagent: 070825.R07; 043025.28; 070925.R35; 071125.R13; 071325.R02; 070225.R43; 070925.R01

Consumables: 030125CH01; 221021DD

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date: 07/12/25 11:23:59

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
			_		

Analyzed by: 1022, 3379, 1440 07/12/25 10:02:55 0.2647g 4531.1022

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA088400HEA Instrument Used : DA-ICPMS-004

Batch Date: 07/12/25 08:17:54 Analyzed Date: 07/15/25 09:23:55

Dilution: 50

Reagent: 062425.R24; 070325.R01; 070725.R04; 071125.R05; 070725.R02; 070725.R03;

120324.07; 070325.R02

Consumables: 030125CH01: 015403: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50711012-004 Harvest/Lot ID: 5757441841678924

Batch#: 2001396013245349 Sample Size Received: 9 units Sampled: 07/11/25 Ordered: 07/11/25

Total Amount: 388 units Completed: 07/15/25 Expires: 07/15/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

1879

Batch Date: 07/11/25 09:14:33



Moisture

PASSED

4797.1879

Batch Date: 07/12/25 09:43:01

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % PASS **Moisture Content** 1.0 % 14.2 PASS 15 ND 1 Analyzed by: 1879, 1440 Extraction date Analyzed by: 4797, 585, 1440 Extraction date:

1g Analysis Method: SOP.T.40.090

Analytical Batch : DA088374FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 07/12/25 20:14:38

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

0.503qAnalysis Method: SOP.T.40.021

Analytical Batch: DA088403MOI Instrument Used: DA-003 Moisture Analyzer Analyzed Date: 07/14/25 10:56:12

Dilution: N/AReagent: 092520.50; 060425.01

Consumables : N/A Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

07/12/25 20:00:35

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

07/12/25 12:01:27



Water Activity

Analyte Water Activity		LOD 0.01	Units aw	Result 0.54	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight: 0.773a		traction d			tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA088404WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 07/12/25 09:46:00

Analyzed Date: 07/14/25 11:01:02

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 17025:2017 Accreditation PJLA-

Signature

07/15/25

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for ISO 17025 Accreditation # ISO/IEC pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164