

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50714008-003

Jul 18, 2025 | The Flowery

Certificate of Analysis


Kaycha Labs

FLOWER JUNIORS 7G Petrol Station PETROL STATION Matrix: Flower Classification: High THC Type: Flower-Cured



Production Method: Other - Not Listed Harvest/Lot ID: 4860681669777257 Batch#: 4685996940978706 **Cultivation Facility: Homestead Processing Facility : Homestead** Source Facility: Homestead Seed to Sale#: 4860681669777257 Harvest Date: 07/14/25 Sample Size Received: 5 units Total Amount: 480 units Retail Product Size: 7 gram Retail Serving Size: 7 gram Servings: 1 Ordered: 07/14/25 Sampled: 07/14/25 Completed: 07/17/25 Revision Date: 07/18/25 Sampling Method: SOP.T.20.010

PASSED



Pipette : DA-079: DA-108: DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED

Signature 07/17/25



Kaycha Labs FLOWER JUNIORS 7G Petrol Station PETROL STATION Matrix : Flower

Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA50714008-003 Harvest/Lot ID: 4860681669777257 Batch#: 4685996940978706 Sample Size Received: 5 units Sampled : 07/14/25 Ordered : 07/14/25

Total Amount : 480 units Completed : 07/17/25 Expires: 07/18/26 Sample Method : SOP.T.20.010

Page 2 of 5

Ô	
6	

Terpenes

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	182.16	2.602	VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	75.81	1.083	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	56.82	0.812	ALPHA-HUMULENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	16.13	0.230	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	8.35	0.119	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	5.08	0.073	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	4.99	0.071	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	4.67	0.067	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	3.61	0.051	Analyzed by:	Weig	ht:	Extract	ion date:	Extracted b
LPHA-TERPINEOL	0.007	TESTED	3.61	0.051	4444, 4451, 585, 1440	1.032	23g	07/15/2	11:20:47	4444
LPHA-BISABOLOL	0.007	TESTED	3.11	0.044	Analysis Method : SOP.T.30.061A.FL, SOP.	.T.40.061A.FL				
CARENE	0.007	TESTED	ND	ND	Analytical Batch : DA088476TER Instrument Used : DA-GCMS-009				Batch Date : 07/15/25 09:	-74-54
ORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 07/16/25 09:13:24				Bacci Bace 107/13/23 03.	
AMPHENE	0.007	TESTED	ND	ND	Dilution : 10					
AMPHOR	0.007	TESTED	ND	ND	Reagent : 120224.03					
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240	626; 0000355309				
DROL	0.007	TESTED	ND	ND	Pipette : DA-065					
CALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Ch	romatography Mass Spectrometr	ry. For all Flower s	imples, the Tota	Terpenes % is dry-weight correcter	d.
RNESENE	0.007	TESTED	ND	ND						
INCHONE	0.007	TESTED	ND	ND						
ERANIOL	0.007	TESTED	ND	ND						
RANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
OPULEGOL	0.007	TESTED	ND	ND						
IEROL	0.007	TESTED	ND	ND						
CIMENE	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND						
ABINENE	0.007	TESTED	ND	ND						
SABINENE HYDRATE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 07/17/25



Kaycha Labs

FLOWER JUNIORS 7G Petrol Station PETROL STATION Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Harvest/Lot ID: 4860681669777257

Sampled : 07/14/25 Ordered : 07/14/25

Batch#: 4685996940978706 Sample Size Received: 5 units Total Amount : 480 units Completed : 07/17/25 Expires: 07/18/26 Sample Method : SOP.T.20.010

Page 3 of 5

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZ	ENE (DCNR) *	0.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	ENE (FCND)	0.010		0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.010	1.1.	1	PASS	ND			0.010		0.7	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *						
LOFENTEZINE	0.010		0.2	PASS PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
OUMAPHOS	0.010		0.1		ND ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010 0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	
IMETHOATE	0.010		0.1	PASS	ND	4056, 585, 1440	1.1192g	07/15/25	12:02:17		4056,450,585	5
THOPROPHOS TOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30		02.FL				
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA088472 Instrument Used : DA-LCMS			Patel	h Date :07/15	125 00.42.24	
ENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :07/17/25 12			Batc	n Date : 07/15	/25 08:45:24	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 071325.R03; 043	025.28; 070925.R3	5; 071125.R13	;071325.RC	2; 070225.R43	3; 070925.R01	
IPRONIL	0.010		0.1	PASS	ND	Consumables : 030125CH01	L; 6822423-02; 947					
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; D						
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents		ng Liquid Chron	natography T	riple-Quadrupo	ole Mass Spectro	metry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64E Analyzed by:	Weight:	Extraction	data		Extractor	
MAZALIL	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 1440	1.1192g	07/15/25 1			Extracted by 4056,450,585	
/IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.					.550,450,505	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA08847						
ALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS	5-011		Batch D	ate:07/15/25	09:31:25	
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :07/17/25 12	2:18:57					
ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 071325.R03; 043						
IEVINPHOS	0.010		0.1	PASS	ND	Consumables : 030125CH01 Pipette : DA-080; DA-146; D		.100; 1/4/360	11			
AYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents		ng Gas Chromat	tography Trie	ole-Ouadrupole	Mass Spectrome	try in
		ppm	0.25	PASS	ND	accordance with F.S. Rule 64E		ig ous chioffia	coarabity title	sie guuurupule	mass speccronie	y

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 07/17/25

The Flowery Sample : DA50714008-003

Revision: #1 This revision supersedes any and all previous versions of this document.



Kaycha Labs

FLOWER JUNIORS 7G Petrol Station PETROL STATION Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowery.co Sample : DA50714008-003 Harvest/Lot ID: 4860681669777257 Batch# : 4685996940978706 Sampled : 07/14/25 Total Amount : 480 units

 Sampled:
 07/14/25
 Total Amount:
 480 units

 Ordered:
 07/14/25
 Completed:
 07/17/25
 Expires:
 07/18/26

 Sample Method:
 SOP.T.20.010
 Sop.
 Description
 Description

Page 4 of 5

	neno nei yreo						Sample Me	thod : SOP.1.20.0	010								
Ę	Micro	bial			PAS	SED	သို့	I	Mycotox	kins			PAS	SEC			
nalyte		L	OD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level		
SPERGILLUS	TERREUS				Not Present	PASS	Level	AFLATOXIN	R2		0.002	ppm	ND	PASS	0.02		
PERGILLUS					Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02		
	FUMIGATUS				Not Present	PASS		OCHRATOXI			0.002		ND	PASS	0.02		
PERGILLUS					Not Present	PASS		AFLATOXIN			0.002	1. F.	ND	PASS	0.02		
	SPECIFIC GEN	IE			Not Present	PASS		AFLATOXIN				maa	ND	PASS	0.02		
OLI SHIGEL					Not Present	PASS				Maladat		P. P.					
TAL YEAST	AND MOLD		10	CFU/g	2000	PASS	100000	Analyzed by: Weight: Extraction date: 0 4056, 585, 1440 1.1192g 07/15/25 12:02:17						Extracted by: 4056,450,585			
alyzed by: 12, 4520, 585	5, 1440	Weight: 0.903q		xtraction da		Extracted 4892,452		Analysis Metho Analytical Bate		50P.T.30.102.FL, SC	P.T.40.102.FL						
alysis Metho	d:SOP.T.40.056	5				,		Instrument Us	ed : 🛛	DA-LCMS-004 (MYC)	В	atch Date	e:07/15/2	5 09:32:5	0		
	n:DA088463MIC								:07/	/16/25 11:08:47							
	d : DA-111 (Path ,DA-049 (95*C H					h Date : 07,	/15/25	Dilution: 250		R03; 043025.28; 07	0025 025. 07112	E D12. 0	71225 002	. 070225	D42.		
	07/16/25 11:04		, DA	102 (55 C110	Cat Diock/07.2	5.07		070925.R01	32J.P	105, 045025.26, 07	0923.633, 07112	J.NIJ, U	1525.RU2	, 070225	.543,		
ution:10									0303	125CH01; 6822423	-02; 947.110						
	25.01; 060925.3	35; 062125	.R13	,012125.17;	062624.16			Pipette : DA-0	93; D	A-094; DA-219							
ette : N/A	7583002072									tilizing Liquid Chromat Rule 64ER20-39.	tography with Triple	-Quadrupo	ole Mass Spe	ectrometry	in		
alyzed by: 92, 4777, 585	5, 1440	Weight: 0.903g		xtraction da 07/15/25 09:2		Extracted 4892,452		ſ Ì	L	leavy M	otals			PAS	CEI		
alytical Batch	d:SOP.T.40.209 1:DA088464TYM d:DA-328 (25*0	M	-)	Bai	tch Date : 07/1	5/25 07.29	.58	[[Hg_]]	•								
	07/17/25 12:31		<i>′</i>			.5,25 07125		Metal			LOD	Units	Result	Pass / Fail	Action Level		
ution:10								TOTAL CONT		NANT LOAD META	ALS 0.080	ppm	ND	PASS	1.1		
gent:0505 sumables:	25.01; 060925.3	35; 050725	.K36					ARSENIC			0.020	ppm	ND	PASS	0.2		
sumables : 1 ette : N/A								CADMIUM			0.020	ppm	ND	PASS	0.2		
	and tosting isf	armad utili-	ng M	DN and tracks	anal cultura h	d to choic	a in	MERCURY			0.020	ppm	ND	PASS	0.2		
	nold testing is perf F.S. Rule 64ER20-3		ng M	riv and traditio	onai culture base	u technique:	5 111	LEAD			0.020	ppm	ND	PASS	0.5		
								Analyzed by: 1022, 585, 144	10	Weight: 0.2396g	Extraction dat 07/15/25 10:5			xtracted 022,4531			
								Analytical Bate Instrument Us	:h : D ed : D			h Date : (07/15/25 0	9:54:27			
								070325.R02; (Consumables :	07152	R24; 071425.R40; 0 25.R43 125CH01; J609879-		25.R38; (071425.R3	9; 12032	4.07;		

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 07/17/25



Kaycha Labs

Page 5 of 5

FLOWER JUNIORS 7G Petrol Station PETROL STATION Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: brian@theflowerv.co

Sample : DA50714008-003 Harvest/Lot ID: 4860681669777257 Batch#: 4685996940978706 Sample Size Received: 5 units Sampled : 07/14/25

Total Amount : 480 units Ordered : 07/14/25 Completed : 07/17/25 Expires: 07/18/26 Sample Method : SOP.T.20.010



Δna

Filt

Anal

1879

Anal Anal

Inst Anal Dilut Read Con Pipe

tech

Filth/Foreign **Material**





PASSED

Action Level

nalyte Ith and Forei	an Matorial	LOD 0.100	Units	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD	Units %	Result 14.5	P/F PASS	Action Le	
itil allu Forei	girmaterial	0.100	70	ND	FAJJ	T	Moisture content		1.0	70	14.5	FAJJ	10	
alyzed by: Weight: 79, 1440 1g			tion date: /25 11:10:2	7	Ext N/A	racted by:	Analyzed by: 4797, 585, 1440	Weight: 0.49g	Extraction date: Extractor 07/15/25 11:24:59 4797					
alysis Method : SOP.T.40.090 alytical Batch : DA088551FIL strument Used : Filth/Foreign Material Microscope alyzed Date : 07/16/25 17:08:26 Batch Date : 07/16/25 17:08:26							Analysis Method : SOP.T.40.021 Analytical Batch : DA088484M0I Instrument Used : DA-003 Moisture Analyzer Batch Date : 07/15/25 09:33:14 Analyzed Date : 07/15/25 22:58:37							
ution:N/A agent:N/A nsumables:N, pette:N/A	/Α						Dilution : N/A Reagent : 092520.50; 06 Consumables : N/A Pipette : DA-066	60425.01						
	aterial inspection is pe cordance with F.S. Rule			ection utilizi	ng naked ey	e and microscope	Moisture Content analysis u	itilizing loss-on	n-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.	
\bigcirc	Wator A	ctiv	/i+\/		PA	SSED								



Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A

Analyte LOD Units Result P/F Action Level Water Activity PASS 0.01 aw 0.55 0.65 Extracted by: 4797 Extraction date: 07/15/25 10:23:51 Analyzed by: 4797, 585, 1440 Weight: 1.38g Analysis Method : SOP.T.40.019 Analytical Batch : DA088485WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 07/15/25 09:37:27 Analyzed Date : 07/15/25 23:00:21

Water Activity

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 07/17/25