



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50716010-004



Production Method: Other - Not Listed
Harvest/Lot ID: 3992947619001780
Batch#: 4159974295043685
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 3992947619001780
Harvest Date: 07/15/25
Sample Size Received: 31 units
Total Amount: 166 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 07/16/25
Sampled: 07/16/25
Completed: 07/19/25
Sampling Method: SOP.T.20.010

Jul 19, 2025 | The Flowery

 Samples From:
 Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC
80.113%

Total THC/Container : 400.566 mg


Total CBD
0.116%

Total CBD/Container : 0.579 mg


Total Cannabinoids
84.211%

Total Cannabinoids/Container : 421.055 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	66.525	15.494	0.029	0.099	ND	0.383	1.216	0.185	0.146	ND	0.134
mg/unit	332.63	77.47	0.15	0.50	ND	1.92	6.08	0.93	0.73	ND	0.67
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1148g

 Extraction date:
 07/17/25 11:22:28

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088581POT

Instrument Used : DA-LC-003

Analyzed Date : 07/18/25 09:53:15

Batch Date : 07/17/25 10:00:34

Dilution : 400

Reagent : 070925.R42; 031125.07; 070225.R14

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 07/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G Preferred: Zoap
PREFERRED: ZOAP
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50716010-004

Harvest/Lot ID: 3992947619001780

Batch# : 4159974295043685

Sampled : 07/16/25

Ordered : 07/16/25

Sample Size Received : 31 units

Total Amount : 166 units

Completed : 07/19/25 Expires: 07/19/26

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	38.75	7.749	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	13.41	2.681	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.43	1.686	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	4.11	0.821	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.71	0.542	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.85	0.369	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.84	0.368	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.84	0.367	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.18	0.235	Analyzed by: 6846, 4451, 585, 1440				
ALPHA-TERPINEOL	0.007	TESTED	1.17	0.234	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	TESTED	0.96	0.191	Instrument Used : DA-GCMS-008				
OCIMENE	0.007	TESTED	0.48	0.096	Analytical Batch : DA08859507R				
BORNEOL	0.013	TESTED	0.24	0.048	Instrument Used : DA-GCMS-008				
CAMPHERE	0.007	TESTED	0.22	0.043	Analyzed Date : 07/18/25 09:53:19				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.043	Dilution : 10				
ALPHA-TERPINOLENE	0.007	TESTED	0.13	0.025	Reagent : 120224.03				
3-CARENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CAMPOR	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND	Batch Date : 07/17/25 11:02:13				
FARNESENE	0.007	TESTED	ND	ND	Extracted by: 4444				
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				7.749					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G Preferred: Zoap
PREFERRED: ZOAP
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50716010-004

Harvest/Lot ID: 3992947619001780

Batch# : 4159974295043685

Sampled : 07/16/25

Ordered : 07/16/25

Sample Size Received : 31 units

Total Amount : 166 units

Completed : 07/19/25 Expires: 07/19/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440	Weight: 0.2715g	Extraction date: 07/17/25 14:52:25	Extracted by: 4056,450,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088590PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 07/17/25 10:30:27	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/18/25 13:13:37					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 071325.R03; 043025.28; 071525.R46; 071525.R01; 071525.R45; 070225.R43; 071625.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2715g	Extraction date: 07/17/25 14:52:25	Extracted by: 4056,450,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088594VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/17/25 11:01:14	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/18/25 13:06:44					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 071325.R03; 043025.28; 071425.R47; 062325.R05					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G Preferred: Zoap
PREFERRED: ZOAP
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50716010-004

Harvest/Lot ID: 3992947619001780

Batch# : 4159974295043685

Sampled : 07/16/25

Ordered : 07/16/25

Sample Size Received : 31 units

Total Amount : 166 units

Completed : 07/19/25 Expires: 07/19/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0244g

Extraction date:
07/17/25 12:16:23

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08858350L
Instrument Used : DA-GCMS-003
Analyzed Date : 07/18/25 10:00:46

Batch Date : 07/17/25 10:06:23

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G Preferred: Zoap
PREFERRED: ZOAP
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED



The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50716010-004
Harvest/Lot ID: 3992947619001780

Batch# : 4159974295043685 Sample Size Received : 31 units
Sampled : 07/16/25 Total Amount : 166 units
Ordered : 07/16/25 Completed : 07/19/25 Expires: 07/19/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 585, 1440	Weight: 0.2715g	Extraction date: 07/17/25 14:52:25	Extracted by: 4056,450,585			
Analyzed by: 4520, 585, 1440	Weight: 1.198g	Extraction date: 07/17/25 10:00:48	Extracted by: 4520									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						
Analytical Batch : DA088578MIC						Analytical Batch : DA088593MYC						
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 09:16:43						Instrument Used : DA-LCMS-004 (MYC)						
Batch Date : 07/17/25						Batch Date : 07/17/25 11:00:58						
Analyzed Date : 07/18/25 10:24:21						Analyzed Date : 07/18/25 08:54:13						
Dilution : 10						Dilution : 250						
Reagent : 050525.01; 060925.30; 062125.R13; 012125.17						Reagent : 071325.R03; 043025.28; 071525.R46; 071525.R01; 071525.R45; 070225.R43; 071625.R01						
Consumables : 7582003047						Consumables : 927.100; 030125CH01; 6822423-02						
Pipette : N/A						Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
<div><div><div>Hg</div></div></div>						Heavy Metals						PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	<0.100	PASS	0.5	LEAD	0.020	ppm	<0.100	PASS	0.5	
Analyzed by: 4531, 585, 1440	Weight: 0.2337g	Extraction date: 07/17/25 12:51:51	Extracted by: 1879,4531,1022									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA088610HEA						Analytical Batch : DA088610HEA						
Instrument Used : DA-ICPMS-004						Instrument Used : DA-ICPMS-004						
Batch Date : 07/17/25 12:12:33						Batch Date : 07/17/25 12:12:33						
Analyzed Date : 07/18/25 10:25:41						Analyzed Date : 07/18/25 10:25:41						
Dilution : 50						Dilution : 50						
Reagent : 062425.R24; 071525.R43; 071425.R40; 071125.R05; 071425.R38; 071425.R39; 120324.07; 070325.R02; 061323.01						Reagent : 062425.R24; 071525.R43; 071425.R40; 071125.R05; 071425.R38; 071425.R39; 120324.07; 070325.R02; 061323.01						
Consumables : 030125CH01; J609879-0193; 179436						Consumables : 030125CH01; J609879-0193; 179436						
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/19/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



NUG RUN RESIN CART 0.5G Preferred: Zoap
PREFERRED: ZOAP
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50716010-004

Harvest/Lot ID: 3992947619001780

Batch# : 4159974295043685

Sampled : 07/16/25

Ordered : 07/16/25

Sample Size Received : 31 units

Total Amount : 166 units

Completed : 07/19/25 Expires: 07/19/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 07/18/25 13:07:42	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA088651FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 07/18/25 11:50:00

Analyzed Date : 07/18/25 13:37:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.55	PASS	0.85

Analyzed by: 4621, 4797, 585, 1440	Weight: 0.4417g	Extraction date: 07/17/25 13:28:16	Extracted by: 4797
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA088573WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 07/17/25 08:58:11

Analyzed Date : 07/18/25 08:48:11

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/19/25