

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50725012-004



Jul 29, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

SAFETY RESULTS

0 **Pesticides**

PASSED

≢FLOWERY

Filth **PASSED**

Batch Date: 07/28/25 07:14:37

Water Activity

PASSED

Moisture **NOT TESTED**

Pages 1 of 6

Kaycha Labs

CHERRY ON TOP Matrix: Derivative

Production Method: Other - Not Listed

Harvest/Lot ID: 5447161014805055

Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 5447161014805055

Sample Size Received: 16 units Total Amount: 372 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Sampling Method: SOP.T.20.010

Batch#: 0870423117069483 **Cultivation Facility: Homestead**

Harvest Date: 07/25/25

Classification: High THC

RSO SYRINGE 1G Cherry On Top

Type: Full Extract Cannabis Oil

MISC.

PASSED

Servings: 1 Ordered: 07/25/25 Sampled: 07/25/25 Completed: 07/29/25

> Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Heavy Metals

PASSED

84.595% Total THC/Container: 845.950 mg



Mycotoxins

PASSED

Total CBD 0.148%

Residuals


Solvents

PASSED

Total CBD/Container: 1.480 mg

Total Cannabinoids

Total Cannabinoids/Container: 888.720



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA088932POT Instrument Used: DA-LC-008 Analyzed Date: 07/29/25 10:07:04

Dilution: 400
Reagent: 072525.R03; 071025.07; 072525.R06
Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Microbials

PASSED

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 07/29/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50725012-004 Harvest/Lot ID: 5447161014805055

Batch#: 0870423117069483 Sample Size Received: 16 units

Sampled: 07/25/25 Ordered: 07/25/25

Total Amount: 372 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes											
	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	14.00	1.400		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	5.24	0.524		ALPHA-PINENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	2.18	0.218		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.79	0.179		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	1.15	0.115		BETA-MYRCENE	0.007	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	1.03	0.103		BETA-PINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.96	0.096		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.77	0.077		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ORNEOL	0.013	TESTED	0.55	0.055	Ī	Analyzed by:	Weight:	Extr	action date:		Extracted by:
IMONENE	0.007	TESTED	0.33	0.033		4451, 585, 4571	0.2086g	07/2	7/25 09:44:55		1879,4451
-CARENE	0.007	TESTED	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40	.061A.FL				
AMPHENE	0.007	TESTED	ND	ND		Analytical Batch : DA088897TER Instrument Used : DA-GCMS-008				Batch Date : 07/26/25 08:31:51	
AMPHOR	0.007	TESTED	ND	ND		Analyzed Date : 07/29/25 10:07:07				Batch Date: 07/20/25 00:31:31	
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Dilution: 10					
EDROL	0.007	TESTED	ND	ND		Reagent: 062725.55					
UCALYPTOL	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 2240626;	0000355309				
ARNESENE	0.007	TESTED	ND	ND		Pipette : DA-065					
ENCHONE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromal	tography Mass Spectrometry.	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
ULEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
ABINENE HYDRATE	0.007	TESTED	ND	ND							
/ALENCENE	0.007	TESTED	ND	ND							
ALPHA-CEDRENE	0.005	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50725012-004 Harvest/Lot ID: 5447161014805055

Batch#: 0870423117069483 Sample Size Received: 16 units Sampled: 07/25/25 Ordered: 07/25/25

Total Amount: 372 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010				
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010	1.1	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010	1.1.	0.5	PASS	ND			0.010		0.3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN				0.15		ND
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	rnn) *	0.010			PASS	
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	nnm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND		141-1-64		action date			
ETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 4571	Weight: 0.2785a		8/25 09:18:1		4056,450,33	
IOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL			0/25 05.10.1	.0	4030,430,3	,,,
FENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088918PES	301.11.40.102.11					
XAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (P	ES)		Batcl	Date: 07/27	/25 09:38:03	
IHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 07/29/25 18:50:22						
IOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
IPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 071725.R07; 043025.28		2525.R09	; 072625.R0	1; 070225.R4	3; 072325.R01	
RONIL	0.010	ppm	0.1	PASS	ND	Consumables: 947.110; 030125CF Pipette: DA-093; DA-094; DA-219	U1; 6822423-02					
DNICAMID	0.010	ppm	0.1	PASS	ND						I- M C	
JDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perf accordance with F.S. Rule 64ER20-39	ormea utilizing Liqi	uid Chron	natograpny I	ripie-Quadrupo	ile Mass Spectroi	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND		iaht: Ex	traction	date:		Extracted by:	
AZALIL	0.010	ppm	0.1	PASS	ND			/28/25 09			4056,450,3379	
DACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.F						
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA088923VOL						
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch D	ate:07/27/25	10:00:54	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 07/29/25 09:23:09						
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250	070105 004 070	110F DC=				
THOMYL	0.010		0.1	PASS	ND	Reagent: 071725.R07; 043025.28;						
VINPHOS	0.010		0.1	PASS	ND	Consumables: 947.110; 030125CF Pipette: DA-080; DA-146; DA-218	U1; 0022423-U2;	1/4/360) I			
CLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perf	rmed utilizing Gas	Chromat	tography Trir	la-Ouadrupolo	Mass Spectrome	try in
LED		ppm	0.25	PASS	ND	accordance with F.S. Rule 64FR20-39	mineu utilizing GdS	- CHIUHIId	rograpity IIIk	nc Quaurupole	mass specifully	Li y III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

(954) 368-7664

Sample : DA50725012-004 Harvest/Lot ID: 5447161014805055

Batch#: 0870423117069483 Sample Size Received: 16 units Sampled: 07/25/25 Ordered: 07/25/25

Total Amount: 372 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	<200.000
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 3379, 585, 4571	Weight: 0.0204g	Extraction da 07/26/25 16:			acted by: 1,4451

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA088910SOL Instrument Used: DA-GCMS-003

Analyzed Date: 07/29/25 14:42:43

Dilution: 1 Reagent: 030420.09 Consumables : 429651; 315545 Pipette : DA-316; DA-318

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 07/26/25 15:53:33

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino Lab Director





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50725012-004 Harvest/Lot ID: 5447161014805055

Batch#: 0870423117069483 Sample Size Received: 16 units Sampled: 07/25/25

Ordered: 07/25/25

Total Amount: 372 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

4892.4520



AFLATOXIN G2

Mycotoxins

PASSED

PASS

0.02

ND

Batch Date: 07/27/25 10:03:26

NOT Present PASS							
ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS ASPERGILLUS FLAVUS Not Present PASS SALMONELLA SPECIFIC GENE ECOLI SHIGELLA Not Present PASS PASS PASS PASS PASS PASS PASS	Analyte	LOD	Units	Result			
ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS Not Present PASS SALMONELLA SPECIFIC GENE Not Present PASS PASS FUND PRESENT PASS PASS PASS PASS PASS PASS PASS PAS	ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE ECOLI SHIGELLA Not Present PASS Not Present PASS PASS PASS PASS	ASPERGILLUS NIGER			Not Present	PASS		
SALMONELLA SPECIFIC GENE Not Present PASS ECOLI SHIGELLA Not Present PASS	ASPERGILLUS FUMIGATUS			Not Present	PASS		
ECOLI SHIGELLA Not Present PASS	ASPERGILLUS FLAVUS			Not Present	PASS		
The state of the s	SALMONELLA SPECIFIC GENE			Not Present	PASS		
TOTAL YEAST AND MOLD 10 CFU/g <10 PASS 100000 2	ECOLI SHIGELLA			Not Present	PASS		1
	TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4

Analyzed by: 4520, 585, 4571 Weight: **Extraction date:** Extracted by: 0.805g 07/26/25 14:30:40 4892,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA088890MIC

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 08:02:32 $\textbf{Batch Date:}\ 07/26/25$

Analyzed Date: 07/29/25 10:03:24

Reagent: 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18

0.805g

Consumables: 7582003046

Pipette: N/A

Analyzed by: 3621, 4520, 585, 4571

989					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

Analyzed by:	Weight:	Extraction date:	Extracted by:
4056, 3379, 585, 4571	0.2785g	07/28/25 09:18:10	4056,450,3379

0.002 ppm

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA088927MYC Instrument Used : N/A

Analyzed Date : 07/29/25 18:52:29

Dilution: 250

Reagent: 071725.R07; 043025.28; 072225.R24; 072525.R09; 072625.R01; 070225.R43; 072325.R01

Consumables: 947.110; 030125CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA088891TYM Instrument Used : DA-328 (25*C Incubator) Analyzed Date : 07/29/25 10:04:40	Batch Date: 07/26/25 08:04:52
D 11 1 10	

Extraction date:

07/26/25 14:30:40

Reagent: 060925.18: 060925.33: 050725.R36: 072425.R12

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	5 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4571	Weight: 0.2599g	Extraction date 07/26/25 15:12		Extracted by: 1022,4531		y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA088898HEA Instrument Used : DA-ICPMS-004

Batch Date: 07/26/25 08:32:09

Analyzed Date: 07/29/25 14:44:12

Dilution: 50 Reagent: 071825.R05; 071525.R43; 072125.R19; 072225.R02; 072125.R17; 072125.R18;

120324.07; 070325.R02; 061323.01

Consumables: 030125CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50725012-004 Harvest/Lot ID: 5447161014805055

Sampled: 07/25/25 Ordered: 07/25/25

Batch#: 0870423117069483 Sample Size Received: 16 units Total Amount: 372 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 1879, 4571 Extraction date: Extracted by: 1g 07/26/25 15:21:54 1879

Analysis Method: SOP.T.40.090 Analytical Batch : DA088850FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 07/25/25 09:11:43

Analyzed Date : 07/26/25 15:36:34

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		OD Units	Result	P/F	Action Level
Water Activity		.01 aw	0.54	PASS	0.85
Analyzed by: 4797, 3379, 4571	Weight: 2.825a	Extraction 07/26/25			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA088909WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 07/26/25 10:05:55

Analyzed Date: 07/28/25 11:37:25

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/29/25

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha