



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12
710 LOVERS LANE #12
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50729024-001



Aug 02, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
80.1%

Total THC/Container : 801 mg



Total CBD
0.0240%

Total CBD/Container : 0.240 mg



Total Cannabinoids
87.5%

Total Cannabinoids/Container : 875 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	70.2	11.3	0.0240	ND	ND	2.21	2.69	0.0170	0.326	ND	0.665
mg/unit	702	113	0.240	ND	ND	22.1	26.9	0.170	3.26	ND	6.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
4640, 3335, 585, 1440

Weight:
0.1067g

Extraction date:
07/30/25 11:36:51

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA088993POT
Instrument Used : DA-LC-003
Analized Date : 07/31/25 13:38:07

Batch Date : 07/30/25 08:59:19

Dilution : 400
Reagent : 072525.R02; 071025.07; 072525.R05
Consumables : 947.110; 04402004; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12

710 LOVERS LANE #12

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50729024-001
Harvest/Lot ID: 0016817432689004

Batch# : 3407531524393499 Sample Size Received : 16 units
Sampled : 07/29/25 Total Amount : 481 units
Ordered : 07/29/25 Completed : 08/02/25 Expires: 08/02/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	66.0	6.60	SABINENE	0.007	TESTED	ND	TESTED
BETA-CARYOPHYLLENE	0.007	TESTED	16.9	1.69	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	16.9	1.69	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	13.9	1.39	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	6.54	0.654	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.16	0.316	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.08	0.208	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.85	0.185	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.41	0.141	Analyzed by: 4444, 4451, 585, 1440				
FENCHYL ALCOHOL	0.007	TESTED	1.29	0.129	Weight:		Extraction date:		Extracted by:
ALPHA-TERPINEOL	0.007	TESTED	0.950	0.0950	0.2126g		07/30/25 11:35:40		4444
CAMPHERE	0.007	TESTED	0.480	0.0480	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	TESTED	0.340	0.0340	Analytical Batch : DA089003TER				
ALPHA-TERPINOLENE	0.007	TESTED	0.240	0.0240	Instrument Used : DA-GCMS-009				
3-CARENE	0.007	TESTED	ND	ND	Analyzed Date : 07/31/25 13:41:26				
BORNEOL	0.013	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : 062725.55				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				6.60					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12

710 LOVERS LANE #12

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED


The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50729024-001
Harvest/Lot ID: 0016817432689004

Batch# : 3407531524393499 Sample Size Received : 16 units
Sampled : 07/29/25 Total Amount : 481 units
Ordered : 07/29/25 Completed : 08/02/25 Expires: 08/02/26
Sample Method : SOP.T.20.010

Page 3 of 6

<div>Pesticides</div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	ppm	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2361g Extraction date: 07/30/25 13:58:59 Extracted by: 4640					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA088996PES					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-004 (PES) Batch Date :07/30/25 10:00:22					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date :08/02/25 00:29:20					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 072825.R03; 043025.28; 073025.R03; 072925.R05; 072925.R06; 070225.R43; 073025.R01					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 3379, 1440 Weight: 0.2361g Extraction date: 07/30/25 13:58:59 Extracted by: 4640					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA089002VOL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001 Batch Date :07/30/25 10:08:47					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date :07/31/25 12:15:11					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 072825.R03; 043025.28; 072125.R04; 072125.R05					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12

710 LOVERS LANE #12

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50729024-001

Harvest/Lot ID: 0016817432689004

Batch# : 3407531524393499

Sampled : 07/29/25

Ordered : 07/29/25

Sample Size Received : 16 units

Total Amount : 481 units

Completed : 08/02/25 Expires: 08/02/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
4451, 3379, 1440

Weight:
0.0201g

Extraction date:
07/30/25 11:41:32

Extracted by:
4571,4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08900050L
Instrument Used : DA-GCMS-003
Analyzed Date : 07/31/25 10:39:20

Batch Date : 07/30/25 10:05:28

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-316; DA-318

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12
710 LOVERS LANE #12
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50729024-001

Harvest/Lot ID: 0016817432689004

Batch# : 3407531524393499

Sampled : 07/29/25

Ordered : 07/29/25


Sample Size Received : 16 units


Total Amount : 481 units


Completed : 08/02/25 Expires: 08/02/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA088987MIC					
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)					Batch Date : 07/30/25 08:47:42
Analysis Date : 08/01/25 11:32:00					
Dilution : 10					
Reagent : 060925.11; 060925.13; 060925.17; 062125.R13; 072425.R11; 062624.18					
Consumables : 7585001030					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA088988TYM					
Instrument Used : DA-328 (25°C Incubator)					Batch Date : 07/30/25 08:48:33
Analysis Date : 08/01/25 13:44:35					
Dilution : 10					
Reagent : 060925.11; 060925.13; 060925.17; 050725.R36; 072425.R12					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA089001MYC					
Instrument Used : DA-LCMS-004 (MYC)					Batch Date : 07/30/25 10:08:37
Analysis Date : 08/02/25 00:34:00					
Dilution : 250					
Reagent : 072825.R03; 043025.28; 073025.R03; 072925.R05; 072925.R06; 070225.R43; 073025.R01					
Consumables : 927.100; 030125CH01; 6822423-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA088997HEA					
Instrument Used : DA-ICPMS-004					Batch Date : 07/30/25 10:01:57
Analysis Date : 08/02/25 01:28:27					
Dilution : 50					
Reagent : 071825.R05; 071525.R43; 072825.R06; 072225.R02; 072825.R04; 072825.R05; 120324.07; 070325.R02; 061323.01					
Consumables : 030125CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Lovers Lane #12

710 LOVERS LANE #12

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50729024-001

Harvest/Lot ID: 0016817432689004

Batch# : 3407531524393499

Sampled : 07/29/25

Ordered : 07/29/25

Sample Size Received : 16 units

Total Amount : 481 units

Completed : 08/02/25 Expires: 08/02/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 07/31/25 12:03:12	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA089053FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/31/25 12:32:48

Batch Date : 07/31/25 10:34:54

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.55	PASS	0.85

Analyzed by: 4797, 3379, 1440	Weight: 0.5674g	Extraction date: 07/30/25 10:31:00	Extracted by: 4797
----------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA088986WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 07/31/25 12:31:25

Batch Date : 07/30/25 07:50:15

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25