



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21202011-005
Harvest/Lot ID: 20221028-710X16-H
Batch#: 1000055387
Cultivation Facility: Homestead
Processing Facility : Homestead
Seed to Sale# LFG-00000955
Batch Date: 11/30/22
Sample Size Received: 16 gram
Total Amount: 303 units
Retail Product Size: 1 gram
Ordered : 12/02/22
Sampled : 12/02/22
Completed: 12/06/22
Sampling Method: SOP.T.20.010

Dec 06, 2022 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.194%

Total THC/Container : 791.94 mg



Total CBD

0.156%

Total CBD/Container : 1.56 mg



Total Cannabinoids

92.813%

Total Cannabinoids/Container : 928.13 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.942	89.227	ND	0.178	0.035	0.389	1.914	ND	ND	ND	0.128
mg/unit	9.42	892.27	ND	1.78	0.35	3.89	19.14	ND	ND	ND	1.28
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
0.1145g

Extraction date:
12/05/22 09:13:07

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA053134POT
Instrument Used : DA-LC-003 (Derivatives)
Running on : 12/05/22 09:23:19

Reviewed On : 12/06/22 15:32:37
Batch Date : 12/03/22 16:28:03

Dilution : 400
Reagent : 112922.R03; 070121.27; 112922.R01
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21202011-005
Harvest/Lot ID: 20221028-710X16-H
Batch# : 1000055387
Sampled : 12/02/22
Ordered : 12/02/22
Sample Size Received : 16 gram
Total Amount : 303 units
Completed : 12/06/22 Expires: 12/06/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	46.48	4.648		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	0.85	0.085		BORNEOL	0.013	<0.4	<0.04	
CAMPENE	0.007	0.31	0.031		GERANIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	5.74	0.574		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	3.38	0.338	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.79	0.079	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND	
LINALOOL	0.007	5.7	0.57		Analyzed by: 2076, 585, 1440 Weight: 1.045g Extraction date: 12/05/22 16:08:21 Extracted by: 2076				
FENCHONE	0.007	<0.2	<0.02		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA053138TER Instrument Used : DA-GCMS-004 Running on : N/A Dilution : 10 Reagent : N/A Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Reviewed On : 12/06/22 16:56:47 Batch Date : 12/04/22 14:23:23				
ISOPULEGOL	0.007	<0.2	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	12.46	1.246						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.28	0.028						
FARNESENE	0	2.39	0.239						
ALPHA-BISABOLOL	0.007	1.71	0.171						
ALPHA-PINENE	0.007	1.11	0.111						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	1.67	0.167						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	8.93	0.893						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.16	0.116						
Total (%)			4.648						



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21202011-005

Harvest/Lot ID: 20221028-710X16-H

Batch# : 1000055387

Sampled : 12/02/22

Ordered : 12/02/22

Sample Size Received : 16 gram

Total Amount : 303 units

Completed : 12/06/22 Expires: 12/06/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.2909g	12/05/22 11:53:32	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053143PES			Reviewed On : 12/06/22 10:53:11		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 12/04/22 18:51:36		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 12/05/22 11:41:51					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 112822.R01; 111622.R42; 110722.R24; 113022.R01; 092820.59					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440	0.2909g	12/05/22 11:53:32	585		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053145VOL			Reviewed On : 12/06/22 10:54:31		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 12/04/22 18:55:38		
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 111622.R42; 092820.59; 111022.R38; 111022.R27					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21202011-005

Harvest/Lot ID: 20221028-710X16-H

Batch# : 1000055387

Sampled : 12/02/22

Ordered : 12/02/22

Sample Size Received : 16 gram

Total Amount : 303 units

Completed : 12/06/22 **Expires:** 12/06/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 53, 1440

Weight:
 0.0228g

Extraction date:
 12/06/22 15:14:26

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA053190SOL

Instrument Used : DA-GCMS-002

Running on : N/A

Reviewed On : 12/06/22 15:40:36

Batch Date : 12/05/22 14:32:26

Dilution : 1

Reagent : 071420.56

Consumables : 27296; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21202011-005

Harvest/Lot ID: 20221028-710X16-H

Batch# : 1000055387

Sampled : 12/02/22

Ordered : 12/02/22

Sample Size Received : 16 gram

Total Amount : 303 units

Completed : 12/06/22 **Expires:** 12/06/23

Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 53, 1440 Weight: 0.8225g Extraction date: 12/03/22 12:55:10 Extracted by: 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053113MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : 12/03/22 12:55:24 Dilution : N/A Reagent : 091422.04; 061422.29 Consumables : 500124 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 0.2909g Extraction date: 12/05/22 11:53:32 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053144MYC Instrument Used : DA-LCMS-004 (MYC) Running on : 12/05/22 11:41:55 Reviewed On : 12/06/22 10:55:49 Batch Date : 12/04/22 18:55:33					
Analyzed by: 3621, 3390, 53, 1440 Weight: 0.9054g Extraction date: 12/03/22 13:02:01 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA053123TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 12/03/22 15:21:17 Dilution : N/A Reagent : 091422.13 Consumables : 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 53, 1440 Weight: 0.4323g Extraction date: 12/05/22 10:28:57 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053115HEA Instrument Used : DA-ICPMS-003 Running on : 12/05/22 14:08:05 Dilution : 50 Reagent : 112222.R82; 120222.R33; 112322.R63; 120222.R31; 120222.R32; 112122.R11; 111522.R25; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216 Heavy Metals testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21202011-005
Harvest/Lot ID: 20221028-710X16-H
Batch# : 1000055387
Sampled : 12/02/22
Ordered : 12/02/22
Sample Size Received : 16 gram
Total Amount : 303 units
Completed : 12/06/22 Expires: 12/06/23
Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA053121FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 12/04/22 14:49:41

Reviewed On : 12/04/22 15:10:48

Batch Date : 12/03/22 11:58:06

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.452	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	1.052g	12/04/22 14:53:32	1879

Analysis Method : SOP.T.40.019

Analytical Batch : DA053118WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 12/03/22 12:40:39

Reviewed On : 12/04/22 15:35:08

Batch Date : 12/03/22 11:56:16

Dilution : N/A

Reagent : 121421.21

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.